Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司

ADDRESS 地址	:	701-706 and 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong 香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室
ENQUIRY 查詢	:	Mr Raymond FONG Wai-man, QA and Production Control Manager 方偉文先生，品質及生產控制經理
TELEPHONE 電話	:	3604 1363
FAX 傳真	:	--
E-MAIL 電郵	:	raymond.fong@cpt.eurofinscn.com
WEBSITE ADDRESS 網址	:	www.eurofins.com/cpt
CLIENTELE 服務對象	:	Public 公眾

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司

ADDRESS **地址**	:	701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong 香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室
ACCREDITED TEST CATEGORY **認可測試類別**	:	Chemical Testing 化學測試 Textiles and Garments 紡織品及成衣 Toys and Children's Products 玩具及兒童產品

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	**SPECIFIC TEST OR PROPERTY MEASURED** 特定測試或量度的特性	**SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED** 規範、標準方法或應用技術
	Chemical tests: -	
Plastics	Cadmium content	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 23 as amended by Commission Regulation (EU) No. 494/2011 *Compliance test procedures for cadmium content:* EN 1122: 2001 Method B (wet decomposition) BS EN 1122: 2001 Method B (wet decomposition)

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Chemical Testing 化學測試

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Chemical tests: - (cont'd)	
Products made from leather products	Amine (Azo colorants) : 1) 4-aminodiphenyl 2) benzidine 3) 4-chloro-o-toluidine 4) 2-naphthylamine 5) o-aminoazotoluene 6) 5-nitro-o-toluidine 7) 4-chloroaniline 8) 4-methoxy-m-phenylenediamine 9) 4,4'-methylenedianiline 10) 3,3'-dichlorobenzidine 11) 3,3'-dimethoxybenzidine 12) 3,3'-dimethylbenzidine 13) 4,4'-methylene-di-o-toluidine 14) p-cresidine 15) 4,4'-methylene-bis-(2-chloro-aniline) 16) 4,4'-oxydianiline 17) 4,4'-thiodianiline 18) o-toluidine 19) 4-methyl-m-phenylendiamine 20) 2,4,5-trimethylaniline 21) o-anisidine 22) 4-aminoazobenzene	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 43 as amended by Commission Regulation (EC) No. 552/2009 and Commission Regulation (EC) No. 2020/2096 *Test procedures for compliance testing for leather products:* ISO 17234-1: 2015 (for determination of the amines listed on the left and does not include 4-aminoazobenzene) ISO 17234-2: 2011 (for determination of 4-aminoazobenzene) Techniques used are GC-MSD and HPLC-DAD for all test methods listed above

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Chemical Testing 化學測試

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Chemical tests: - (cont'd)	
Textile products	Amine (Azo colorants) : 1) 4-aminodiphenyl 2) benzidine 3) 4-chloro-o-toluidine 4) 2-naphthylamine 5) o-aminoazotoluene 6) 5-nitro-o-toluidine 7) 4-chloroaniline 8) 4-methoxy-m-phenylenediamine 9) 4,4'-methylenedianiline 10) 3,3'-dichlorobenzidine 11) 3,3'-dimethoxybenzidine 12) 3,3'-dimethylbenzidine 13) 4,4'-methylene-di-o-toluidine 14) p-cresidine 15) 4,4'-methylene-bis-(2-chloro-aniline) 16) 4,4'-oxydianiline 17) 4,4'-thiodianiline 18) o-toluidine 19) 4-methyl-m-phenylendiamine 20) 2,4,5-trimethylaniline 21) o-anisidine 22) 4-aminoazobenzene	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 43 as amended by Commission Regulation (EC) No. 552/2009 and Commission Regulation (EC) No. 2020/2096 *Test procedures for compliance testing of textile products:* EN ISO 14362-1: 2017 (for determination of the amines listed on the left except 4-aminoazobenzene) EN ISO 14362-3: 2017 (for determination of 4-aminoazobenzene) Techniques used are GC-MSD and HPLC-DAD for all test methods listed above

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Chemical Testing 化學測試

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Chemical tests: - (cont'd)	
Products made of textile 紡織品	Amine (Azo colourants): 芳香胺(偶氮染料)	GB 18401-2010 Cls. 5.1,附录 C and 6.8
	1) 4-氨基聯苯(4-aminodiphenyl) 2) 聯苯胺(benzidine) 3) 4-氯鄰甲苯胺(4-chloro-o-toluidine) 4) 2-萘胺(2-naphthylamine) 5) 鄰氨基偶氮甲苯(o-aminoazotoluene) 6) 5-氨基-4-硝基甲苯(5-nitro-o-toluidine) 7) 對氯苯胺(4-chloroaniline) 8) 2,4-二氨基苯甲醚 (4-methoxy-m-phenylenediamine) 9) 4,4'-二氨基二苯甲烷 (4,4'-methylenedianiline) 10) 3,3'-二氯聯苯胺 (3,3'-dichlorobenzidine) 11) 3,3'-二甲氧基聯苯胺 (3,3'-dimethoxybenzidine) 12) 3,3'-二甲基聯苯胺 (3,3'-dimethylbenzidine) 13) 4,4'二氨基二苯甲烷 (4,4'-methylene-di-o-toluidine) 14) 3-氨基對甲苯甲醚(p-克利酊) (p-cresidine) 15) 4,4'-次甲基-雙-(2-氯苯胺) (4,4'-methylene-bis-(2-chloro-aniline)) 16) 4,4'-二氨基二苯醚(4,4'-oxydianiline) 17) 4,4'-二氨基二苯硫醚 (4,4'-thiodianiline) 18) 鄰甲苯胺(o-toluidine) 19) 2,4'-二氨基甲苯 (4-methyl-m-phenylendiamine) 20) 2,4,5-三甲基苯胺 (2,4,5- trimethylaniline) 21) 鄰甲基苯胺(鄰氨基苯甲醚) (o-anisidine) 22) 4-氨基偶氮苯(4-aminoazobenzene) 23) 2,4-二甲基苯胺(2,4-xylidine) 24) 2,6-二甲基苯胺(2,6-xylidine)	*Test procedures for compliance testing*: GB/T 17592-2011 (for determination of the amines listed on the left and does not include 4-aminoazobenzene) GB/T 23344-2009 (for determination of 4-aminoazobenzene) Techniques used are GC-MSD and HPLC-DAD

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Chemical Testing 化學測試

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Chemical tests: - (cont'd)	
Products made of leather and fur 皮革和毛皮	Amine (Azo colourants): 芳香胺(偶氮染料)	GB20400-2006 Cl. 5, 附录 A & Cl. 6.1
	1) 4-氨基聯苯 (4-aminodiphenyl) 2) 聯苯胺 (benzidine) 3) 4-氯鄰甲苯胺(4-chloro-o-toluidine) 4) 2-萘胺(2-naphthylamine) 5) 鄰氨基偶氮甲苯(o-aminoazotoluene) 6) 5-氨基-4-硝基甲苯(5-nitro-o-toluidine) 7) 對氯苯胺(4-chloroaniline) 8) 2,4-二氨基苯甲醚 (4-methoxy-m-phenylenediamine) 9) 4,4'-二氨基二苯甲烷 (4,4'-methylenedianiline) 10) 3,3'-二氯聯苯胺 (3,3'-dichlorobenzidine) 11) 3,3'-二甲氧基聯苯胺 (3,3'-dimethoxybenzidine) 12) 3,3'-二甲基聯苯胺 (3,3'-dimethylbenzidine) 13) 4,4'二氨基二苯甲烷 (4,4'-methylene-di-o-toluidine) 14) 3-氨基對甲苯甲醚(p-克利酊) (p-cresidine) 15) 4,4'-次甲基-雙-(2-氯苯胺) (4,4'-methylene-bis-(2-chloro-aniline)) 16) 4,4'-二氨基二苯醚(4,4'-oxydianiline) 17) 4,4'-二氨基二苯硫醚 (4,4'-thiodianiline) 18) 鄰甲苯胺(o-toluidine) 19) 2,4'-二氨基甲苯 (4-methyl-m-phenylendiamine) 20) 2,4,5-三甲基苯胺 (2,4,5-trimethylaniline) 21) 鄰甲基苯胺(鄰氨基苯甲醚) (o-anisidine) 22) 2,4-二甲基苯胺(2,4-xylidine) 23) 2,6-二甲基苯胺(2,6-xylidine)	*Test procedures for compliance testing*: GB/T 19942-2005 Techniques used are GC-MSD and HPLC-DAD

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Textiles and Garments 紡織品及成衣

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Care performance test :-	
General textiles and garments 一般紡織品及成衣	- Wash & wear performance	AATCC Test Method 124-1996 AATCC Test Method 124-2006 AATCC Test Method 124-2011 AATCC Test Method 124-2014 AATCC Test Method 124-2018 AATCC Test Method 124-2018t
	Chemical analysis:-	
General textiles and garments 一般紡織品及成衣	- Free formaldehyde content 游離甲醛含量	GB/T 18401-2010 Cl. 6.1 *Test procedure for compliance testing:* GB/T 2912.1-2009
	- pH value pH 值	GB/T 18401-2010 Cl. 6.2 *Test procedure for compliance testing:* GB/T 7573-2009
Other Materials - Leather and fur 皮革和毛皮	- Formaldehyde content 甲醛含量	GB 20400-2006 Cl. 5 *Test procedure for compliance testing:* GB/T 19941.2-2019 ***<Excluding the following>*** Cl. 6.5

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Textiles and Garments 紡織品及成衣

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Colour fastness test :-	
General textiles and garments 一般紡織品及成衣	- Perspiration 耐汗漬色牢度	AATCC Test Method 15-2021e (rating determined by AATCC Gray Scale) AS 2001.4.E04-2005 (Reconfirmed) 2016-08-05 BS EN ISO 105-E04: 2013 (rating determined by AATCC Gray Scale) GB/T 3922-2013
	- Rubbing 耐摩擦色牢度	AATCC Test Method 8-2016e(2022)e (rating determined by AATCC Gray Scale) AS 2001.4.3-1995 (Reconfirmed) 2016-08-05 BS EN ISO 105 X12: 2016 GB/T 3920-2008 ***<Excluding the following>*** tests for carpets or textile floor coverings
	- Saliva 耐唾液色牢度	GB/T 18886-2019
	- Washing	AATCC Test Method 61-2013e (2020)e2 (rating determined by AATCC Gray Scale)
	- Water 耐水色牢度	AATCC Test Method 107-2013 (rating determined by AATCC Gray Scale) AS 2001.4.E01-2001 (Reconfirmed) 2016-08-05 BS EN ISO 105-E01: 2013 (rating determined by AATCC Gray Scale) GB/T 5713: 2013
	Flammability test :-	
General textiles and garments 一般紡織品及成衣	- 45° angle test	ASTM D1230-22 US 16 CFR Part 1610
	- Vertical test	US 16 CFR Part 1615 US 16 CFR Part 1616
	Performance test :-	
General textiles and garments 一般紡織品及成衣	- Odour 異味	GB 18401-2010 Cl. 6.7

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Toys and Children's Products 玩具及兒童產品

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Chemical tests :-	
Toys made of plastics	- Cadmium content	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No. 23 as amended by Commission Regulation (EU) No. 494/2011 *Test procedures for compliance testing*: EN 1122: 2001 Method B (wet decomposition) BS EN 1122: 2001 Method B (wet decomposition)
All toys	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ISO 8124-3: 2020 (for dewaxing: Method A only) AS/NZS ISO 8124.3: 2021 (for dewaxing: Method A only)
All toys - paints and similar surface coating materials	- Total Lead content	ASTM F963-23 Cl 4.3.5.1 (1) *Test procedures for compliance testing:* CPSC Test method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011
	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-23 Cl. 4.3.5.1 (2) *Test procedures for compliance testing:* Cl. 8.3.2-8.3.4

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Toys and Children's Products 玩具及兒童產品

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Chemical tests: - (cont'd)	
Toys – substrate materials	- Total lead content	ASTM F963-23 Cl 4.3.5.2.(2)(a) *Test Procedures for Compliance testing:* CPSC Test Method: CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 ***<Excluding the following>*** XRF Spectrometry CPSC Test Method: CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products , November 15, 2012 ***<Excluding the following>*** XRF Spectrometry
	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-23 Cl 4.3.5.2 (2)(b) & (c) *Test procedures for compliance testing:-* Clause 8.3.5
Metallic toys or metallic toy components	- Extractable Cadmium	ASTM F963-23 Cl. 4.3.5.2 (2) (d) *Test Procedures for Compliance testing:* Cl. 8.3.5.5(3) and CPSC Test Method: CPSC-CH-E1004-11 Standard Operating Procedure for Determining Cadmium (Cd) Extractability from Children's Metal Jewelry, February 03, 2011 (with modification using Flame AAS for determination)
Toys and other articles intended for use by children – paint and other similar surface-coating materials	- Total lead content	16 US CFR 1303 US Public Law 110 -314 Consumer Product Safety Improvement Act 2008 *Test procedures for compliance testing:* CPSC Test method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	**SPECIFIC TEST OR PROPERTY MEASURED** 特定測試或量度的特性	**SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED** 規範、標準方法或應用技術
	Chemical tests: - (cont'd)	
Children's metal products	- Total lead content	US Public Law 110 -314 Consumer Product Safety Improvement Act 2008 *Test Procedures for Compliance testing*: CPSC Test Method: CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 ***<Excluding the following>*** XRF Spectrometry
Children's non-metal products	- Total lead content	US Public Law 110 -314 Consumer Product Safety Improvement Act 2008 *Test Procedures for Compliance testing*: CPSC Test Method: CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products, November 15, 2012 ***<Excluding the following>*** XRF Spectrometry
Toys and childcare articles	Di-(2-ethylhexyl) phthalate (DEHP) Dibutyl phthalate (DBP) Benzyl butyl phthalate (BBP) Diisononyl phthalate (DINP) Di-n-pentyl phthalate (DPENP) Di-n-hexyl phthalate (DHEXP) Dicyclohexyl phthalate (DCHP) Diisobutyl phthalate (DIBP)	US Public Law 110 -314 Consumer Product Safety Improvement Act 2008 and US 16 CFR Part 1307, Title I, Section 108 *Test Procedures for Compliance testing*: CPSC Test Method: CPSC-CH-C1001-09.4 Standard Operation Procedure for Determination of Phthalate, January 17, 2018
Toys and childcare articles	Dibutyl phthalate (DBP) Di-(2-ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Diisobutyl phthalate (DIBP) Diisononyl phthalate (DINP) Di-n-pentyl phthalate (DPENP) Di-n-hexyl phthalate (DHEXP) Dicyclohexyl phthalate (DCHP)	ASTM F963-23 Cl. 4.3.8 *Test Procedures for Compliance testing:* CPSC Test Method: CPSC-CH-C1001-09.4 Standard Operating Procedure for Determination of Phthalates, January 17, 2018

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Toys and Children's Products 玩具及兒童產品

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Chemical tests :- (cont'd)	
All toys and children's products - surface coating materials	- Total Lead content	Canada Consumer Product Act – Toys Regulations, Item 23, SOR/2011-17 February 3, 2011 *Test procedures for compliance testing:* Health Canada Product Safety Reference manual Book 5–Laboratory Policies and Procedures Part B: Test Method Section, Method C-02.2: Determination of Total Lead in Surface Coating Materials in Consumer Products (2008-11-3)
	- Total Mercury content	*Test procedures for compliance testing:* In-house method: SOP-0058
	- Leachable Arsenic, Selenium, Cadmium, Antimony and Barium	*Test procedures for compliance testing:* Health Canada Product Safety Reference manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, *Method C-03*: Determination of Leachable Arsenic (As), Selenium (Se), Cadmioum (Cd), Antimony (Sb) and Barium (Ba) in Applied Coatings (2009-06-15)
Surface coating	- Total Lead content	The Surface Coating Materials Regulations, SOR/2005-109, with Amds. SOR/2011-14, February 4, 2011, Articles with a surface coating material, 7.2 & 7.3 *Test procedures for compliance testing:* Health Canada Product Safety Reference manual Book 5–Laboratory Policies and Procedures Part B: Test Method Section, Method C-02.2: Determination of Total Lead in Surface Coating Materials in Consumer Products (2008-11-3)

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Toys and Children's Products 玩具及兒童產品

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Chemical tests :- (cont'd)	
Toys Category III toy materials: Scraped-off materials	- Migration of certain elements	BS EN 71-3:2019+A1:2021 EN 71-3:2019+A1:2021
	- Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Technique used: ICP-MS
	- Chromium (for screening for Cr(VI))	Alternative method as documented in SOP-0001d (ICP-MS)
	- Organic Tin: Methyl tin, Dimethyl tin, Butyltin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Technique used: GC-MS

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	**SPECIFIC TEST OR PROPERTY MEASURED** 特定測試或量度的特性	**SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED** 規範、標準方法或應用技術
Battery operated toy	Electrical tests :- - Safety requirements and test methods	ASTM F963-23 Cl. 4.25 ***<Excluding the following>*** Cl. 4.25.7.1, 4.25.9, 4.25.10

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Toys and Children's Products 玩具及兒童產品

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Flammability tests :-	
Toys	- Safety requirements and test methods	AS/NZS ISO 8124.2: 2023 ISO 8124-2: 2023 ***<Excluding the following>*** Tests for flammable gas, extremely flammable liquid, highly flammable liquid, flammable liquid and flammable gel
	- Safety requirements and test methods	BS EN 71-2: 2020 EN 71-2: 2020 <Excluding the following> for the above two standards Tests for flammable gas, extremely flammable liquid, highly flammable liquid, flammable liquid and flammable gel
	- Safety requirements and test methods	BS EN 71-2: 2020 + A1: 2025 EN 71-2: 2020 + A1: 2025 ***<Excluding the following>*** for the above two standards Tests for flammable gas, extremely flammable liquid, highly flammable liquid, flammable liquid and flammable gel
	- Safety requirements and test methods	16 CFR Part 1500.44
	- Safety requirements and test methods	ASTM F963-23 Cl. 4.2

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Toys and Children's Products 玩具及兒童產品

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Physical and mechanical tests :-	
Toys	- Safety requirements and test methods	AS/NZS ISO 8124.1:2019 + Amd. 1: 2020 + Amd. 2: 2020 ISO 8124-1: 2018 + Amd. 1: 2020 + Amd. 2: 2020 ***<Excluding the following>*** for the above two standards Cl. 4.8.2, 4.12.1, 4.12.2, 4.15, 4.16.2.2, 4.18.4.1, 4.21, 4.22, 4.23, 4.26(c), 4.28, 4.29(f), 4.29(g) and 4.30
Toys	- Safety requirements and test methods	AS/NZS ISO 8124.1: 2023 ISO 8124-1: 2022 ***<Excluding the following>*** for the above two standards Cl. 4.8.2, 4.12.1, 4.12.2, 4.15, 4.16.2.2, 4.18.4.1, 4.21, 4.22, 4.23, 4.26(c), 4.28, 4.29(f), 4.29(g) and 4.30
Toys	- Safety requirements and test methods	ASTM F963-23 Section 4.1, 4.3.7, 4.5, 4.6, 4.7, 4.8, 4.9, 4.10, 4.11, 4.12, 4.14, 4.16, 4.17, 4.18, 4.19, 4.20, 4.20.2, 4.21, 4.22, 4.23, 4.23.1, 4.23.2, 4.24, 4.26, 4.27, 4.28, 4.30, 4.31, 4.32, 4.33, 4.34, 4.35, 4.36, 4.38, 4.39 and 4.40 ***<Excluding the following>*** Section 4.1 (examination of reprocessed materials to 4.3.1), 4.5.1.7, 4.6.2.2, 4.8.1 and 4.20.1
	- Safety labeling requirements	Section 5
	- Instructional literature	Section 6
	- Producer's markings	Section 7
	- Test Methods	Section 8
Toys	- Safety requirements and test methods	BS EN 71-1: 2014 + A1: 2018 EN 71-1: 2014 + A1: 2018 ***<Excluding the following>*** for the above two standards Cl. 4.10.1(a), 4.10.1(b), 4.10.1(c), 4.11(e) 4.14.1(c), 4.15, 4.16, 4.18 (test to EN 15649-3), 4.19, 4.20.2.5, 4.20.2.12 and 5.6

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Toys and Children's Products 玩具及兒童產品

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Physical and mechanical tests :- (cont'd)	
Toys (cont'd)	- Technical requirements for determining a sharp point in toys intended for use by children under 8 years of age	16 CFR 1500.48
	- Technical requirements for determining a sharp metal or glass edge in toys intended for use by children under 8 years of age	16 CFR 1500.49
	- Test methods for simulating use and abuse of toys intended for use by children - Impact test - Bite test - Flexure test - Torque test - Tension test - Compression test	16 CFR 1500.50, 1500.51, 1500.52 and 1500.53
Toys and other articles intended for use by children under 3 years of age	- Method for identifying choking, aspiration, or ingestion hazards because of small parts	16 CFR 1501 in conjunction with test methods specified in 16 CFR 1500.51 or 16 CFR 1500.52 [excluding bite test to 1500.51(c) or 1500.52 (c)]
Infant rattles	- Method for identifying choking and/or suffocation hazards	16 CFR 1510 in conjunction with test methods specified in 16 CFR 1500.51 [excluding bite test to 1500.51(c) and flexure test to 1500.51 (d)]
Pacifiers	- Requirement for pacifiers	16 CFR 1511

Eurofins MTS Consumer Product Testing Hong Kong Limited
歐陸現代商品檢測(香港)有限公司
701-706 & 801-807, CEO Tower, 77 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
香港九龍長沙灣永康街 77 號環薈中心 701-706 及 801-807 室

Toys and Children's Products 玩具及兒童產品

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Physical and mechanical tests :- (cont'd)	
Toys (cont'd)	- Safety Requirements and test methods	Canada Toys Regulations (SOR/2011-17) (last amended on 20 November 2024) Section 3, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 28, 29, 30, 31, 37, 40, 41, 42, 43 and 44 ***<Excluding the following>*** Section 29(c), 29(d) Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section
	- Small components	Method M00.1 (2024-02-26)
	- Sharp edges	Method M00.2 (2024-02-27)
	- Sharp points	Method M00.3 (2024-02-29)
	- Eye/nose security - dolls, plush toys and soft toys	Method M00.4 (2024-08-15)
	- Reasonably foreseeable use	Method M01.1 (2024-03-11)
	- Test method for flexible film bags	Method M03 (2022-03-16)
	- Test method to determine the noise level of toys	Method M04 (2022-07-04) ***<Excluding the following>*** B.9A group including toy masks, hats and other head wearables (excluding over the ear and in the ear sound sources)
	- Test method for rattles	Method M05 (2024-04-29)
	- Magnetic flux index	Method M18 (2023-08-24)
		(Note: The above test methods should be used in conjunction with the relevant sections of Canada Toys Regulations (SOR/2011-17))
Children's products containing button batteries or coin cell batteries	- Safety requirements and test methods	16 CFR Part 1263 in conjunction with ANSI/UL 4200A-2023 ANSI/UL 4200A-2023 ***<Excluding the following>*** Cl. 6.3.3 (Impact test using a steel ball which is suspended by a cord and swung as pendulum)
Children's products containing Magnet	- Safety requirements and test methods	16 CFR Part 1262 in conjunction with ASTM F963-17