



No. 136

**Hai Kang Life Corporation Limited**  
海康生命科技有限公司

**ADDRESS** : 8/F., Hang Tung Resources Centre, 18 A Kung Ngam Village Road,  
**地址** Shau Kei Wan, Hong Kong  
香港筲箕灣阿公岩村道 18 號恆通資源中心 8 樓

**AUTHORISED** : Dr. Terence, Lok-ting LAU, General Manager  
**REPRESENTATIVE** 劉樂庭先生，總經理  
**委任代表**

**ENQUIRY** : Dr. Terence, Lok-ting LAU, General Manager  
**查詢** 劉樂庭先生，總經理

Tel 電話 : 2111 2123  
Fax 傳真 : 2111 9762  
E-mail 電郵 : info@haikanglife.com  
Website Address 網址 : <http://www.haikanglife.com>

**CLIENTELE** : Public  
**服務對象** 公眾

**ACCREDITED TEST** : Food 食品  
**CATEGORIES**  
**認可測試類別**

**SCOPE OF** : As shown on the following pages 詳見後頁  
**ACCREDITATION**  
**認可範圍**

\* \* \* \* \*

**Hai Kang Life Corporation Limited**  
海康生命科技有限公司

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
FOOD 食品	Soy and soy derived food Corn and corn derived food Tomato and tomato derived food Potato and potato derived food Beer, biscuit, bread, sauce, seasoning, vegetables	<p>Qualitative screening of transgenic traits:- (Part of the sequence of)</p> <ul style="list-style-type: none"> <li>- Cauliflower mosaic virus promoter (CaMV35S)</li> <li>- Terminator of nopaline synthase gene from <i>Agrobacterium tumefaciens</i> (NOS)</li> <li>- The junction between the 35S promoter and the chloroplast transit peptide (CTP) sequence derived from the <i>Petunia hybrida</i> 5-enolpyruvylshikimate 3-phosphate synthase (EPSPS) gene (Roundup Ready)</li> <li>- CryIA(b) gene from <i>Bacillus thuringiensis</i> (Bt endotoxin)</li> <li>- DNA fragment containing the No.6 intron sequence (IVS6) from maize alcohol dehydrogenase 1 gene (adh1-1S) 5' - synthetic cryIA(b) gene 3' (Bt 11)</li> <li>- maize phosphoenolpyruvate carboxylase promoter (PEPC pro) 5' – synthetic cryIA(b) derived from <i>Bacillus thuringiensis</i> subsp Kurstaki strain HD-1 -3' (Bt 176)</li> <li>- fragment of DNA (hsp70 int) containing the No.1 intron sequence from maize hsp70 gene (heat-shock protein) 5' – synthetic cryIA(b) gene 3' (MON 810)</li> </ul> <p>Qualitative screening of transgenic traits:- (Part of the sequence of)</p> <ul style="list-style-type: none"> <li>- Cauliflower mosaic virus promoter (CaMV35S)</li> <li>- Terminator of nopaline synthase gene from <i>Agrobacterium tumefaciens</i> (NOS)</li> <li>- The junction between the 35S promoter and the chloroplast transit peptide (CTP) sequence derived from the <i>Petunia hybrida</i> 5-enolpyruvylshikimate 3-phosphate synthase (EPSPS) gene (Roundup Ready)</li> <li>- CryIA(b) gene from <i>Bacillus thuringiensis</i> (Bt 176)</li> </ul>	<p>In-house method DNA-WI-02 SOP G1, G2, G3 and G4 (Polymerase chain reaction with gel image analysis)</p> <p>In-house method DNA-WI-02 SOP L1, L2, L3 and L4 (Real time Polymerase chain reaction)</p>

**Hai Kang Life Corporation Limited**

海康生命科技有限公司

<b>TEST CATEGORY</b> 測試類別	<b>ITEMS, MATERIALS OR PRODUCTS TESTED</b> 測試項目、材料或產品	<b>SPECIFIC TESTS OR PROPERTIES MEASURED</b> 特定測試或量度的特性	<b>SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED</b> 規範、標準方法或應用技術
FOOD 食品 (cont'd)	Soy and soy derived food	Quantitative tests of transgenic traits in soy using: (Part of the sequence of) - The junction between the 35S promoter and the chloroplast transit peptide (CTP) sequence derived from the <i>Petunia hybrida</i> 5-enolpyruvylshikimate 3-phosphate synthase (EPSPS) gene (Roundup Ready)	In-house Method DNA-WI-02 SOP K1, K2, K3, K4 & K5 (Real time Polymerase chain reaction)