

No. 158

CTC Asia Limited

ADDRESS : Rooms 1801-02, 18/F, Tower B, Regent Centre, 63 Wo Yi Hop Road,
地址 Kwai Chung, New Territories, Hong Kong
香港新界葵涌和宜合道 63 號麗晶中心 B 座 18 樓 01-02 室

AUTHORISED REPRESENTATIVE : Mr. Arnaud DYDUCK, General Manager
委任代表 亞諾戴德先生，總經理

ENQUIRY : Mr. Arnaud DYDUCK, General Manager
查詢 亞諾戴德先生，總經理

Tel 電話 : 2429 7382
Fax 傳真 : 2429 7360
E-mail 電郵 : ctcasia@ctcgroupe.com
Website Address 網址 : <http://www.ctchongkong.com/>

CLIENTELE : Public
服務對象 公眾

ACCREDITED TEST CATEGORIES : Textiles and Garments 紡織品及成衣
認可測試類別

SCOPE OF ACCREDITATION : As shown on the following pages 詳見後頁
認可範圍

* * * * *

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS 紡織品及成衣	Footwear	Care performance tests :- - Dimensional stability of insoles - Dimensional stability of outsoles - Ageing conditioning - Resistance of complete footwear to heat Colour fastness tests :- - Colour migration - Rubbing Performance tests :- - Abrasion resistance of insoles - Abrasion resistance of outsole - Abrasion resistance (Martindale)	BS EN 12800: 2000 EN 12800: 2000 ISO 22651: 2002 BS EN 12772: 2000 EN 12772: 1999 ISO 20873: 2001 BS 5131-2.10: 1991 EN 12749:1999 ISO 20870: 2001 BS 5131-5.3: 1990 BS EN 13517: 2002 EN 13517: 2001 ISO 17701: 2003 EN 13516: 2001 + AC: 2003 (Method A) NF EN 13516: 2002 (Method A) NF G 62-005: 1983 NF EN ISO 17700:2005 (Method A) EN ISO 17700:2005 (Method A) ISO 17700:2004 (Method A) In-house CTC Method AP002-a BS EN 12747: 1999 EN 12747: 1999 ISO 20868: 2001 EN 12770: 1999 NF EN 12770: 2000 ISO 20871: 2001 ISO 4649: 2002 (Method A) In-house CTC Method AP001-a BS EN 13520: 2002 + A1 EN 13520: 2002 + A1 ISO 17704: 2004 In-house CTC Method AP021-a

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Footwear (cont'd)	Performance tests :- (cont'd) - Corrosion resistance of metallic accessories - Determination of size - Dynamic water resistance of shoe upper leather by the MAESER water penetration tester - Flex resistance of outsole - Flex resistance of uppers and lining - Heel / Football studs impact - Labeling - Perspiration resistance - Shoe laces and eyelets abrasion	BS EN ISO 22775: 2004 (Method 2) EN ISO 22775: 2004 (Method 2) ISO 22775: 2004 (Method 2) In-house CTC Method AP023-a ASTM D2099-05 In-house CTC Method AP013-a EN 13512: 2001 NF EN 13512: 2002 ISO 17694: 2003 <i><Excluding the following></i> for the above three standards Cold test NF G 62-010: 1982 ISO 5402: 2002 IULTCS/IUP 20: 2002 <i><Excluding the following></i> for the above two standards Wet flex testing In-house CTC Method AP012-a In-house CTC Method AP015-b French Decree 96-477 (30 May 1996) BS EN 12801: 2000 EN 12801: 2000 ISO 22652: 2002 EN ISO 22774: 2004 (Methods 1 & 3) NF EN ISO 22774: 2005 (Methods 1 & 3) ISO 22774: 2004 (Methods 1 & 3) DIN 4843: 1985 Section 6.15 BS 953: 1979 + AMD 3420 + AMD 4040 + AMD 4968 Section 8 In-house CTC Method AP010-a In-house CTC Method AP011-a

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Footwear (cont'd)	Performance tests :- (cont'd) - Water absorption and desorption - Water penetration (Waterproofness) of whole shoe - Water vapour permeability and water vapour absorption - Stiffeners and toepuffs - Mechanical characteristics Strength tests :- - Heel attachment - Heel fatigue resistance - Needle tear strength of outsoles - Resistance to stitch tear (insoles) - Seam strength	BS EN 12746: 2000 EN 12746: 2000 ISO 22649: 2003 NF G 62-002: 1985 NF G 62-003: 1982 In-house CTC Method AP016-a BS EN 13515: 2002 EN 13515: 2001 ISO 17699: 2003 BS EN ISO 20864: 2004 Methods 1 & 2 EN ISO 20864: 2004 Methods 1 & 2 ISO 20864: 2004 Methods 1 & 2 ASTM F2232-03 EN 12785: 2000 NF EN 12785: 2000 ISO 22650: 2002 BS 5131-4.9: 1991 EN ISO 19956: 2004 ISO 19956: 2004 BS EN 12773: 2000 EN 12773: 1999 ISO 20874: 2001 BS EN 12782: 2000 EN 12782: 1999 ISO 20876: 2001 NF EN 12782: 2000 BS EN 13572: 2002 EN 13572: 2001 ISO 17697: 2003 BS 5131-3.1: 1991 BS 5131-5.13: 1980

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Footwear (cont'd)	Strength tests :- (cont'd) - Split tear strength and delamination resistance of outsoles - Tear strength - Tear strength of outsoles - Tensile strength and elongation - Top piece retention strength - Touch and close fasteners peel strength - Touch and close fasteners shear strength - Upper sole adhesion / upper sole bond strength - Breaking strength of shoe laces - Resistance to stitch tear (fibreboard) - Tensile strength of fibreboard - Determination of the strength of buckle fastening assemblies	BS EN 12774: 2000 EN 12774: 1999 ISO 20875: 2001 BS 5131-2.6: 1979 EN 13571: 2001 ISO 17696: 2004 In-house CTC Method AP017-a BS EN 12771: 2000 EN 12771: 1999 ISO 20872: 2001 EN 13522: 2001 ISO 17706: 2003 In-house CTC Method AP018-a BS 5131-5.9: 1979 BS EN ISO 19958: 2004 EN ISO 19958: 2004 ISO 19958: 2004 NF EN ISO 19958: 2004 EN ISO 22777: 2004 ISO 22777: 2004 In-house CTC Method AP005-a EN ISO 22776: 2004 ISO 22776: 2004 In-house CTC Method AP004-a ISO 17708: 2003 NF G 62-014: 1984 In-house CTC Method AP003-a BS 5131-5.4: 1978 with Amd. 1 BS 5131-3.7: 1991 BS 5131-4.3: 1990 BS 5131-4.5: 1990 BS 5131-5.11: 1981

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Glove	Performance tests :- - General requirements (sizing, dexterity, water vapour transmission and water vapour absorption) - Mechanical risks - Determination of resistance to penetration - Watertightness test for detection of holes (Medical gloves for single use) - Physical properties (Medical gloves for single use) - Sizes - Dexterity - Time for the removal of gloves - Abrasion resistance (Martindale tester)	BS EN 420: 2003 § 6.1, 6.2, 6.3 and 6.4 DIN EN 420: 2003 § 6.1, 6.2, 6.3 and 6.4 EN 420: 2003 § 6.1, 6.2, 6.3 and 6.4 NF EN 420: 2004 § 6.1, 6.2, 6.3 and 6.4 SS-EN 420: 2004 § 6.1, 6.2, 6.3 and 6.4 BS EN 388: 2003 DIN EN 388: 2003 EN 388: 2003 NF EN 388: 2004 SS-EN 388: 2004 NF EN 374-2: 2004 EN 374-2: 2003 ASTM D5151 – 06 NF EN 455-1: 2001 BS EN 455-1: 2000 EN 455-1: 2000 < <i>Excluding the following</i> > for the above three standards Clause 6 Sampling, inspection level and AQL NF EN 455-2: 2001 BS EN 455-2: 2000 EN 455-2: 2000 BS EN 659: 2003 +A1 Clause 3.2 EN 659: 2003 +A1 Clause 3.2 BS EN 12477:2001 +A1 Clause 3.2 EN 12477:2001 +A1 Clause 3.2 BS EN 659: 2003 +A1 Clause 3.13 EN 659: 2003 +A1 Clause 3.13 BS EN 12477:2001 +A1 Clause 5.9 EN 12477:2001 +A1 Clause 5.9 ISO 15383: 2001 Clause 6.5.1 BS EN 659: 2003 +A1 Clause 3.15 EN 659: 2003 +A1 Clause 3.15 ISO 15383: 2001 Clause 6.3.1

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Leather	Colour fastness tests :- - Change in colour with accelerated ageing - Colour fastness to crocking - Colour fastness to migration into plasticized poly(vinyl chloride) - Rubbing - Resistance of colored leather to bleeding - Resistance of leather to bleeding colour stain transfer - Water spotting - Colour fastness to marking-off of coloured leathers - Colour fastness to to-and-fro rubbing Performance tests :- - Apparent density - Determination of bagginess, creep and relaxation	ISO 17228: 2005 IULTCS/IUF 412: 2005 < <i>Excluding the following</i> > for the above two standards Ageing method 8B ASTM D5053-03e1 ISO 20433: 2005 IULTCS/IUF 452: 2005 BS EN ISO 15701: 1999 EN ISO 15701: 1999 ISO 15701: 1998 IULTCS/IUF 442: 1998 ISO 11640: 1993 IULTCS/IUF 450: 1993 < <i>Excluding the following</i> > for the above two standards Clause 6.3 Wet leather test ASTM D5552-00 (Reapproved 2005) ASTM D6012-03 BS EN ISO 15700: 1999 EN ISO 15700: 1999 ISO 15700: 1998 IULTCS/IUF 420: 1998 BS 1006: 1990 UK-LB with Amd 1, 2, 3, 4 & 5 BS 1006: 1990 UK-LG with Amd. 1, 2, 3, 4 & 5 ASTM D2346-00 (Reapproved 2004) BS EN ISO 2420: 2002 EN ISO 2420: 2002 ISO 2420: 2002 IULTCS/IUP 5: 2002 CEN/TS 14689: 2006

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Leather (cont'd)	Performance tests :- (cont'd) - Determination of dry heat resistance of leather - Determination of extension set - Determination of soiling with rubbing for automotive leather - Flexibility and adhesion of finish - Static water absorption - Static water absorption (vegetable tanned leather) - Thickness - Water resistance - Water vapour absorption - Water vapour permeability - Water repellency of garments leather (spray rating)	BS EN ISO 17227: 2002 EN ISO 17227: 2002 ISO 17227: 2002 IULTCS/IUP 35: 2002 < <i>Excluding the following</i> > for the above four standards Test temperature of 200°C and 250°C BS EN ISO 17236: 2002 EN ISO 17236: 2002 ISO 17236: 2002 IULTCS/IUP 43: 2002 NF EN ISO 26082: 2007 EN ISO 26082: 2007 ISO 26082: 2007 IULTCS/IUP 53: 2007 ASTM D6182-00 (Reapproved 2005) ASTM D6015-00 (Reapproved 2005) ASTM D1815-00 (Reapproved 2005) ISO 2589: 2002 IULTCS/IUP 4: 2002 ASTM D1813-00 (Reapproved 2005) NF EN ISO 5404: 2003 EN ISO 5404: 2002 ISO 5404: 2002 BS EN ISO 17229: 2002 EN ISO 17229: 2002 ISO 17229: 2002 IULTCS/IUP 42: 2002 EN ISO 14268: 2002 NF EN ISO 14268: 2003 ISO 14268: 2002 ASTM D1913-00 (Reapproved 2005) BS EN 14340: 2004 EN 14340: 2004 ISO 17231: 2006 IULTCS/IUP 37: 2006

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Leather (cond't)	Performance tests :- (cond't) - Abrasion resistance of automotive leather - Adhesion of finish - Width of leather - Corrosion produced by leather in contact with metal - Blocking - Measuring area of leather - Water resistance of flexible leather Strength tests :- - Grain crack by the Mullen test - Elongation - Slit tear resistance - Stitch tear strength (double hole)	BS EN 14327: 2003 EN 14327: 2003 ISO 17076: 2006 IULTCS/IUP 48: 2006 BS EN ISO 11644: 2003 EN ISO 11644: 2003 ISO 11644: 1993 IULTCS/IUF 470: 1993 < Excluding the following > for the above four standards Wet test samples ASTM D1516-05 ASTM D1611 – 00 (Reapproved 2005) < Excluding the following > Clause 10 Quantitative method ASTM D6116 – 00 (Reapproved 2005) ASTM D2347 – 00 (Reapproved 2005) BS EN ISO 5403: 2002 EN ISO 5403: 2002 ISO 5403: 2002 IULTCS/IUP 10: 2002 < Excluding the following > for the above four standards Clause 6.1 Determination of stiffness and test amplitude ASTM D2210-00 (2004) In-house CTC Method AP006-a ASTM D2211-00 (Reapproved 2005) ASTM D2212-00 (Reapproved 2005) ASTM D4705-00 (Reapproved 2005)

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Leather (cond't)	Strength tests :- (cond't) - Tearing resistance a) single edge tear b) double edge tear - Tearing strength (tongue tear) - Tensile strength - Tensile strength and elongation - Stitch tear resistance - Stitch tear strength, Single hole - Buckle tear strength - Trapezoid tearing strength Chemical analysis :- - pH value	ISO 3377-1: 2002 IULTCS/IUP 40: 2002 NF G 52-004: 1976 In-house CTC Method AP009-a ISO 3377-2: 2002 IUTCS/IUP 8: 2002 NF G 52-014: 1976 In-house CTC Method AP014-a ASTM D4704-00 (Reapproved 2005) ASTM D2209-00 (Reapproved 2004) ISO 3376: 2002 IULTCS/IUP 6: 2002 In-house CTC Method AP007-a BS EN ISO 23910: 2007 EN ISO 23910: 2007 ISO 23910: 2007 IULTCS/IUP 44: 2007 ASTM D4786 – 00 (Reapproved 2005) ASTM D4831 – 00 (Reapproved 2005) ASTM D6077 – 00 (Reapproved 2005) BS EN ISO 4045: 2008 EN ISO 4045: 2008 ISO 4045: 2008 IULTCS/IUC 11: 2008

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Fabrics (cond't)	Colour Fastness tests :- (cond't) - Seawater - Water - Spotting (water) - Phenolic yellowing Performance tests :- - Abrasion resistance (Martindale tester)	BS EN ISO 105-E02: 1996 with Corr. 1 EN ISO 105-E02: 1996 ISO 105-E02: 1994 AATCC Test Method 106-2002 AS 2001.4.E02-2001 BS 1006: 1990 UK-TI with Amd. 1, 2, 3, 4 & 5 CAN/CGSB-4.2 No. 21-M90: 2004 JIS L 0847: 2004 GB/T 5714-1997 BS EN ISO 105-E01: 1996 with Corr. 1 EN ISO 105-E01: 1996 ISO 105-E01: 1994 AATCC Test Method 107-2002 AS 2001.4.E01-2001 BS 1006: 1990 UK-TJ with Amd. 1, 2, 3, 4 & 5 CAN/CGSB-4.2 No. 20-M89: 2004 JIS L 0846: 2004 GB/T 5713-1997 BS EN ISO 105-E07: 1997 with Corr. 1 EN ISO 105-E07: 1997 ISO 105-E07: 1989 AATCC Test Method 104-2004 AS/NZS 2001.4.4-1998 JIS L 0853: 1975 GB/T 5717-1997 BS EN ISO 105-E16: 2007 EN ISO 105-E16: 2007 ISO 105-E16: 2006 BS EN ISO 105-X18: 2007 EN ISO 105-X18: 2007 ISO 105-X18: 2007 ASTM D4966-98 (Reapproved 2004) BS EN ISO 12947-2 to 4: 1999 EN ISO 12947-2 to 4: 1998 ISO 12947-2 to 4: 1998 JIS L 1096: 1999 Clause 8.17.5 AS 2001.2.25-1990 BS 5690: 1991

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Fabrics (cond't)	Strength tests :- (cond't) - Tensile strength - Bond Strength Construction tests: - Fabric weight - Threads per unit length Chemical analysis :- - pH value	BS EN ISO 13934-1 & 2: 1999 EN ISO 13934-1 & 2: 1999 ISO 13934-1 & 2: 1999 ASTM D5034 – 95 (Reapproved 2001) ASTM D5035 – 06 BS 2576: 1986 with Amd. 1 CAN/CGSB-4.2 No. 9.2-M90: 2004 JIS L 1096-1999 Section 8.12.1 & 8.12.2 AS 2001.2.3-1988 AATCC Test Method 136-2003 (dry test only) ASTM D2724 – 07 (dry test only) JIS L 1089-1970 Clause 5.10 (dry test only) BS EN 12127: 1998 EN 12127: 1997 CAN/CGSB-4.2 No. 5.1-M90: 2004 BS 2471: 2005 Method 1 AS 2001.2.13-1987 BS EN 1049-2: 1994 Methods A & B EN 1049-2: 1993 Methods A & B ISO 7211-2: 1984 Methods A & B CAN/CGSB-4.2 No. 6-M89: 2000 Methods A & B BS 2862:1984 Methods A & B BS EN 1413: 1998 EN 1413: 1998 AATCC Test Method 81-2001 BS EN ISO 3071: 2006 EN ISO 3071: 2006 ISO 3071: 2005 GB/T 7573-2002

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Zippers	Strength tests :- - Zipper strength	BS 3084: 2006 <i><Excluding the following></i> Annex F Resistance to reciprocation ASTM D2061-07 Section 17-24 Holding Strength of Stops, Section 72-81 Resistance to Pull-Off of Slider Pull, Section 92-100 Holding Strength of Slider Lock
	Children's clothing	Performance tests :- - Cords and drawstrings on children's clothing - Specifications	BS EN 14682:2007 EN 14682:2007 ASTM F1816 – 97 (Reapproved 2004)
	Rubber- or plastic-coated fabrics	Performance tests :- - Blocking - Abrasion resistance (Martindale tester) - Abrasion resistance (Taber tester) - Accelerated ageing (Heat) - Water repellency (spray rating) Strength tests :- - Tear strength - Tensile strength and elongation at break - Trapezoid Tearing Strength	BS EN 25978: 1993 EN 25978: 1993 BS 3424-11: 1993 ISO 5978: 1990 BS EN ISO 5470-2: 2003 with Corr. 1 EN ISO 5470-2: 2003 ISO 5470-2: 2003 BS 3424-24: 1990 Method 27A BS EN ISO 5470-1: 1999 EN ISO 5470-1: 1999 ISO 5470-1: 1999 BS 3424-24: 1990 Method 27B BS EN 12280-1: 1998 Methods 1 & 2 EN 12280-1: 1997 Methods 1 & 2 BS 3424-26: 1990 Method 29D EN ISO 4674-1: 2003 (Methods A & B) ISO 4674-1: 2003 (Methods A & B) NF EN ISO 4674-1: 2004 (Methods A & B) BS EN ISO 1421: 1998 EN ISO 1421: 1998 ISO 1421: 1998 BS EN 1875-3: 1998 EN 1875-3: 1997

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Rubber	Performance tests :- - Abrasion resistance (Footwear Abrader) - Density - Durometer Hardness Strength tests :- - Tear strength	In-house CTC Method AP020-a ISO 2781: 1988 NF ISO 2781: 2004 ASTM D2240 – 05 Type A & D BS EN ISO 868: 2003 with Corr. 1 EN ISO 868: 2003 with Corr. 1 ISO 868: 2003 with Corr. 1
	Touch & close fasteners	Performance tests :- - Behaviour of slit selvages - Determination of curvature - The overall and effective widths of tapes and the effective width of a closure Strength tests :- - Longitudinal shear strength - Peel strength	BS EN 1415: 1997 EN 1415: 1996 BS EN 1416: 1997 EN 1416: 1996 BS EN 12240: 1997 EN 12240: 1997 EN 13780: 2003 NF EN 13780: 2003 EN 12242: 1999 NF EN 12242: 1999 < Excluding the following > for the above two standards Test to the fasteners with width larger than 52mm
	Luggage made of textile and/or leather material Protective clothing	Performance tests :- - Determination of internal volume Performance tests :- - Abrasion resistance (Martindale) - Puncture resistance	In-house CTC Method AP022-a BS EN 530: 1995 +A1 EN 530: 1994 BS EN 863: 1996 EN 863: 1995 ISO 13996: 1999 ASTM F1342 – 05

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Footwear - Personal protective equipment	Performance tests :- - Specific ergonomic features - Determination of internal toecap length - Dimensional conformity of inserts - Determination of thickness of upper - Measurement of the height of the upper - Determination of water penetration and water absorption for upper - Abrasion resistance of insoles - Abrasion resistance of outsoles - Corrosion resistance of toecaps and metal penetration resistant inserts - Water absorption and desorption - Water vapour coefficient - Water vapour permeability and water vapour absorption	EN ISO 20344: 2004 with Corr. 1 & Amd. 1 Clause 5.1 AS/NZS 2210.2:2000 Clauses 4.3.2.2 and 5.2 EN ISO 20344: 2004 with Corr. 1 & Amd. 1 Clause 5.3 EN 12568:1998 Clauses 7.1.2 AS/NZS 2210.2:2000 Clauses 4.3.3.2.2 EN ISO 20344:2004 with Corr. 1 & Amd. 1 Clause 5.8.1 AS/NZS 2210.2:2000 Clauses 4.4.1 EN ISO 20344:2004 with Corr. 1 & Amd. 1 Clause 6.1 AS/NZS 2210.2:2000 Clauses 4.2.1 EN ISO 20344:2004 with Corr. 1 & Amd. 1 Clause 6.2 AS/NZS 2210.2:2000 Clauses 4.4.5 and 5.12 EN ISO 20344:2004 with Corr. 1 & Amd. 1 Clause 6.13 AS/NZS 2210.2: 2000 Clauses 4.7.4 and 5.16 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 7.3 AS/NZS 2210.2: 2000 Clause 4.8.4 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 8.3 AS/NZS 2210.2:2000 Clauses 4.3.2.5, 4.3.3.2.3 & 5.5 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 5.6 EN 12568:1998 Clauses 4.2, 5.1, 7.1.1 and 7.2.1 AS/NZS 2210.2: 2000 Clause 5.15 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 7.2 AS/NZS 2210.2:2000 clause 5.13.3 AS/NZS 2210.2:2000 clause 5.13.1 and 5.13.2 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 6.7

CTC Asia Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TEXTILES and GARMENTS (cont'd) 紡織品及成衣 (續上)	Footwear - Personal protective equipment	Strength tests :- - Resistance of upper to cutting - Tear strength - Tensile strength and elongation - Upper sole adhesion / upper sole bond strength - Determination of the penetration resistance of the sole - Determination of tear strength of outsole - Resistance of upper to cutting - Tear strength - Tensile strength and elongation - Upper sole adhesion / upper sole bond strength Chemical analysis :- - pH value	EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 6.14 AS/NZS 2210.2:2000 Clause 4.4.2, 4.5.2 and 4.6.1 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 6.3 AS/NZS 2210.2:2000 Clause 4.4.3 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 6.4 AS/NZS 2210.2:2000 Clause 5.1 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 5.2 AS/NZS 2210.2:2000 Clauses 4.3.3.1 and 5.6 EN ISO 20344:2004 with Corr. 1 & Amd. 1 Clause5.8.2 EN 12568:1998 Clauses 5.2 and 7.2.2 AS/NZS 2210.2:2000 Clauses 4.8.3 EN ISO 20344:2004 with Corr. 1 & Amd. 1 Clause 8.2 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 6.14 AS/NZS 2210.2:2000 Clause 4.4.2, 4.5.2 and 4.6.1 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 6.3 AS/NZS 2210.2:2000 Clause 4.4.3 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 6.4 AS/NZS 2210.2:2000 Clause 5.1 EN ISO 20344: 2004 with Corr. 1 & Amd.1 Clause 5.2 EN ISO 20344:2004 with Corr. 1 & Amd. 1 Clause 6.9