



A.E.S. Destructive and Non-Destructive Testing Limited

安捷材料試驗有限公司

ADDRESS : Flat F, 2/F, Block 2, Kwai Tak Industrial Centre, 15-33 Kwai Tak Street,
地址 Kwai Chung, New Territories, Hong Kong.
香港新界葵涌葵德街 15-33 號葵德工業中心第二座二字樓 F 室

ENQUIRY : Mr Terrence KWOK Cheuk-lun, Quality Manager
查詢 郭卓麟先生，品質管理經理

TELEPHONE : 2422 6898
電話

FAX : 2419 1137
傳真

E-MAIL : terrence@aes.hk
電郵

WEBSITE ADDRESS : <http://www.aes.hk>
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 005
Page 1 of 2
Issue Date: 8 January 2025
Ref: HKIAS005-38

A.E.S. Destructive and Non-Destructive Testing Limited
安捷材料試驗有限公司

ADDRESS
地址

: Flat F, 2/F, Block 2, Kwai Tak Industrial Centre,
15-33 Kwai Tak Street, Kwai Chung, New Territories,
Hong Kong
香港新界葵涌葵德街 15-33 號葵德工業中心第二座
二字樓 F 室

TYPE OF INSPECTION BODY
檢驗機構類別

: A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD
認可檢驗領域

: Construction Products 建築產品

A.E.S. Destructive and Non-Destructive Testing Limited

安捷材料試驗有限公司

Flat F, 2/F, Block 2, Kwai Tak Industrial Centre, 15-33 Kwai Tak Street, Kwai Chung, New Territories, Hong Kong

香港新界葵涌葵德街 15-33 號葵德工業中心第二座二字樓 F 室

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding inspection	Inspection of welding procedure (MMAW, TIG, MIG, MAG, FCAW, SAW) Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW) Inspection of arc stud welding procedure Inspection of qualification test for mechanised and automatic welding (MIG, MAG, FCAW, SAW, stud)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019 BS 4872: Part 1: 1982 + Amd. 4640 BS EN 287-1: 2004 + Amd. 15598 Corr. No.1 + Amd. 16295 + Amd. 16831 Corr. No. 2 BS EN 287-1: 2011 BS EN ISO 9606-1: 2013 BS EN ISO 9606-1: 2017 BS EN ISO 9606-4: 1999 BS EN ISO 14555: 2017 BS EN ISO 14732: 2013



FT Laboratories Limited

科達測檢試驗所有限公司

- ADDRESS** : Lot No. DD77 Section 1552 S.A. ss 1RP, Ng Chow South Road, Ping Che,
地址 New Territories, Hong Kong
香港新界坪輦五洲南路丈量約份第 77 約地段 1552 号 A 分段第一小
分段
- Postal Address: P. O. Box 830, Fanling Post Office, New Territories, Hong Kong
郵寄地址: 香港新界粉嶺郵政局信箱 830 號
- ENQUIRY** : Mr LAI Wing-chun, General Manager
查詢 黎永春先生, 總經理
- TELEPHONE** : 2758 4861
電話
- FAX** : 2758 8962
傳真
- E-MAIL** : victor.lai@vsl-intrafor.com
電郵
- WEBSITE ADDRESS** : <https://www.ft.com.hk/>
網址
- CLIENTELE** : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 006
Page 1 of 2
Issue Date: 16 December 2024
Ref: HKIAS006-35

FT Laboratories Limited
科達測檢試驗所有限公司

ADDRESS
地址 : Lot No. DD77 Section 1552 S.A. ss 1RP, Ng Chow South Road,
Ping Che, New Territories, Hong Kong
香港新界坪輦五洲南路丈量約份第 77 約地段 1552 號
A 分段第一小分段

TYPE OF INSPECTION BODY
檢驗機構類別 : A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD : Construction Products 建築產品
認可檢驗領域



FT Laboratories Limited
科達測檢試驗所有限公司

Lot No. DD77 Section 1552 S.A. ss 1RP, Ng Chow South Road, Ping Che, New Territories, Hong Kong
香港新界坪輦五洲南路丈量約份第 77 約地段 1552 號 A 分段第一小分段

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding inspection	Inspection of welding procedure (MMAW, TIG, MAG, MIG, FCAW) Inspection of welder testing (MMAW, TIG, MAG, MIG, FCAW) Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW, MIG, MAG, FCAW)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019 BS EN 287-1: 2011 BS EN ISO 9606-1: 2013 BS EN ISO 9606-1: 2017 BS EN ISO 17660-1: 2006



Castco Testing Centre Ltd.
佳力高試驗中心有限公司

ADDRESS : 1/F, Sun Ling Plaza, 30 On Kui Street, On Lok Tsuen, Fanling, New Territories,
地址 Hong Kong
香港新界粉嶺安樂村安居街 30 號新寧中心 1 樓

ENQUIRY : Mr Norman LEE Shu-leung, Technical Director
查詢 李樹樑先生，技術總裁

TELEPHONE : 2597 8333
電話

FAX : 2597 8399
傳真

E-MAIL : info@castco.com.hk
電郵

WEBSITE ADDRESS : www.castco.com.hk
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 007
Page 1 of 5
Issue Date: 27 February 2025
Ref: HKIAS007-78

Castco Testing Centre Ltd.
佳力高試驗中心有限公司

ADDRESS
地址

: 1/F, Sun Ling Plaza, 30 On Kui Street, On Lok Tsuen,
Fanling, New Territories, Hong Kong
香港新界粉嶺安樂村安居街 30 號新寧中心 1 樓

TYPE OF INSPECTION BODY
檢驗機構類別

: A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

**ACCREDITED INSPECTION
FIELDS**
認可檢驗領域

: Construction Products 建築產品
Indoor Air Quality Inspection 室內空氣質素檢驗

Castco Testing Centre Ltd.

佳力高試驗中心有限公司

1/F, Sun Ling Plaza, 30 On Kui Street, On Lok Tsuen, Fanling, New Territories, Hong Kong

香港新界粉嶺安樂村安居街 30 號新寧中心 1 樓

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Paint	Inspection of painting procedures for structural steel works	Architectural Services Department General Specification (2007) Cl. 15.61-15.65, 21.42-21.46, 21.53-21.57
Waterworks Products		
- Cast iron pipes & fittings	Inspection of testing, lining, dimensional checks, material properties, coating, marking and handling	BS 143 & BS 1256: 2000 BS EN 877: 1999 JIS B2301: 2004 Water Supplies Department Particular Specification App. 23.10 Water Supplies Department Particular Specification App. 23.12
- Ductile iron pipes & fitting	Inspection of testing, lining, dimensional checks, material properties, coating marking and handling	BS 4772: 1988 BS EN 545: 1995 BS EN 545: 2002 BS EN 598: 1995 Water Supplies Department Particular Specification App. 23.03
- Fire hydrants (Pedestal and swan neck)	Inspection of testing, dimensional check material properties, coating, marking and handling	BS5041: Part 1: 1987 Water Supplies Department Particular Specification App. 23.06
- Manhole cover (with coating)	Inspection of testing, dimensional check, material properties, coating, marking and handling	BS EN 124: 1994 (excluding Cl. 5 and 10) Water Supplies Department Particular Specification App. 23.14
- PE pipes & fittings	Inspection of testing, dimensional check material properties, coating, marking and handling	ISO 4427: 1996 ISO 14236: 2000 JIS K6762: 2004 Water Industry Specification 4-24-01 (Jul 1998) Water Industry Specification 4-32-14 (Mar 1995) Water Industry Specification 4-32-15 (Mar 1995) Water Industry Specification 4-52-01 (Dec 1992) Water Supplies Department Particular Specification App. 23.09

Castco Testing Centre Ltd.
 佳力高試驗中心有限公司

1/F, Sun Ling Plaza, 30 On Kui Street, On Lok Tsuen, Fanling, New Territories, Hong Kong
 香港新界粉嶺安樂村安居街 30 號新寧中心 1 樓

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Waterworks Products (cont'd)		
- Steel pipes/tubes and fitting	Inspection of testing, lining, dimensional checks, material properties, coating, marking and handling	BS 534: 1990 BS 1387: 1985 BS EN 10241: 2000 Water Supplies Department Particular Specification App. 23.12 Water Supplies Department Particular Specification App. 23.02
- Surface box	Inspection of testing, dimensional check, material properties, coating, marking, and handling	BS 5834: Part 2: 1983 (exclude Cl. 4) Water Supplies Department Particular Specification App. 23.13
- Valves & fittings	Inspection of testing, dimensional check, material properties, coating, marking and handling	BS 5146: Part 2: 1984 BS 5150: 1990 BS 5153: 1974 BS 5154: 1991 BS 5155: 1984 BS 5156: 1985 BS 5163: 1986 BS 6755: Part 1: 1986 EN 1074-1: 2000 EN 1074-2: 2000 Water Supplies Department Particular Specification App. 23.04 Water Supplies Department Particular Specification App. 23.05 Water Supplies Department Particular Specification App. 23.11

Castco Testing Centre Ltd.
 佳力高試驗中心有限公司

1/F, Sun Ling Plaza, 30 On Kui Street, On Lok Tsuen, Fanling, New Territories, Hong Kong
 香港新界粉嶺安樂村安居街 30 號新寧中心 1 樓

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding inspection	Inspection of welding procedure (MMAW, TIG, MIG, MAG, FCAW, SAW) Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW) Inspection of metal arc welding of steel for concrete reinforcement	EN ISO 15613: 2004 EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 EN ISO 15614-1: 2017 + A1: 2019 BS EN 287-1: 2004 BS EN 287-1: 2011 BS EN ISO 9606-1: 2017 BS 7123: 1989 + Amd. 7128

Castco Testing Centre Ltd.

佳力高試驗中心有限公司

1/F, Sun Ling Plaza, 30 On Kui Street, On Lok Tsuen, Fanling, New Territories, Hong Kong

香港新界粉嶺安樂村安居街 30 號新寧中心 1 樓

Indoor Air Quality Inspection 室內空氣質素檢驗		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	On-site measurement of :	A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, January 2019
	- Carbon Dioxide	Annex 4 (a), as documented in INS-IAQ-SOP04-CO2 (Non-dispersive infrared NDIR)
	- Carbon Monoxide	Annex 4 (a), as documented in INS-IAQ-SOP05-CO (Electrochemical sensor)
	- Respirable Suspended Particulate	Annex 4 (f), as documented in INS-IAQ-SOP06-RSP (Light scattering laser diode)
	- Ozone	Annex 4 (e), as documented in INS-IAQ-SOP07-O3 (Gas sensitive semiconductor sensor)
	- Total Volatile Organic Compounds	Annex 4 (g), as documented in INS-IAQ-SOP08-TVOC (Photo-ionization sensor)
	- Radon	Annex 4 (b), as documented in INS-IAQ-SOP09-RN (Electrostatic collection of alpha-emitters with spectral analysis)
	- Nitrogen Dioxide	Annex 4 (d), as documented in INS-IAQ-SOP10-NO2(R) (Gas Sensitive Electrochemical sensor)
	- Formaldehyde	Annex 4 (c), as documented in INS-IAQ-SOP11-HCHO(R) (Gas sensitive electrochemical detector)
	On-site sampling of :	
	- Nitrogen Dioxide	Annex 4 (d), as documented in INS-IAQ-SOP10-NO2 (Passive sampler)
	- Formaldehyde	Annex 4 (c), as documented in INS-IAQ-SOP11-HCHO (Passive sampler)
	- Airborne Bacteria	Annex 4 (h), as documented in INS-IAQ-SOP12-ABC (Single stage impactor)
Walkthrough Inspection	Clauses 13 to 14	
Mould Inspection	Clause 20	
IAQ Compliance Assessment	Clauses 16 to 19 and Clause 21 to 40	



Fugro Technical Services Limited
輝固技術服務有限公司

ADDRESS : 5 Lok Yi Street, Tai Lam, Tuen Mun, New Territories, N T,
地址 Hong Kong
香港新界屯門大欖樂怡街五號輝固發展中心

ENQUIRY : Mr Joseph POON Tim-leung, Managing Director
查詢 潘添良先生，董事總經理

TELEPHONE : 2450 8233
電話

FAX : 2450 6138
傳真

E-MAIL : matlab@fugro.com
電郵

WEBSITE ADDRESS : www.fugro.com
網址

CLIENTELE : Public
服務對象 公眾



Fugro Technical Services Limited
輝固技術服務有限公司

ADDRESS 地址	:	Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, New Territories, Hong Kong 香港新界屯門大欖樂怡街五號輝固發展中心
TYPE OF INSPECTION BODY 檢驗機構類別	:	A : Provides 'third party' inspection service to the public 向公眾提供「第三方」檢驗服務
ACCREDITED INSPECTION FIELD 認可檢驗領域	:	Construction Products 建築產品 Indoor Air Quality Inspection 室內空氣質素檢驗



Fugro Technical Services Limited
輝固技術服務有限公司

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, New Territories, Hong Kong
香港新界屯門大欖樂怡街五號輝固發展中心

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Waterworks Products - Valves & fittings	Inspection of testing, dimensional check, material properties, coating, marking and handling	BS 5163: 1986 BS 6755: Part 1: 1986 EN 1074-1: 2000 EN 1074-2: 2000 Water Supplies Department Particular Specification App. 23.04

Fugro Technical Services Limited
 輝固技術服務有限公司

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, New Territories, Hong Kong
 香港新界屯門大欖樂怡街五號輝固發展中心

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding Inspection	Inspection of welding procedures (MMAW, TIG, MIG, MAG, FCAW, SAW)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019
	Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW)	BS EN 287-1: 2011 BS EN ISO 9606-1: 2013 BS EN ISO 9606-1: 2017
	Inspection of metal arc welding of steel for concrete reinforcement	BS 7123: 1989
	Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW)	BS EN ISO 17660-1: 2006
	Inspection of arc stud welding procedure	BS EN ISO 14555: 2017
	Inspection of qualification test for mechanised and automatic welding (TIG, MIG, MAG, FCAW, SAW, stud)	BS EN ISO 14732: 2013

Fugro Technical Services Limited
 輝固技術服務有限公司

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, New Territories, N T, Hong Kong
 香港新界屯門大欖樂怡街五號輝固發展中心

Indoor Air Quality Inspection 室內空氣質素檢驗		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality Inspection	On-site measurement of : - Carbon Dioxide - Carbon Monoxide - Respirable Suspended Particulate - Total Volatile Organic Compounds - Radon - Ozone - Formaldehyde - Nitrogen Dioxide On-site sampling of : - Airborne Bacteria Walkthrough Inspection Mould Inspection IAQ Compliance Assessment	A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, January 2019 Annex 4 (a), as documented in E-I-002 (non-dispersive infrared NDIR) Annex 4 (a), as documented in E-I-002 (electrochemical sensor) Annex 4 (f), as documented in E-I-001 (light scattering laser diode) Annex 4 (g), as documented in E-I-003 (photo-ionization sensor) Annex 4 (b), as documented in E-I-005 (electrostatic collection of alpha-emitters with spectral analysis) Annex 4 (e), as documented in E-I-010 (gas sensitive semiconductor) Annex 4 (c), as documented in E-I-011 (photoelectric photometry method) Annex 4 (d), as documented in E-I-012 (gas sensitive electrochemical sensor) Annex 4 (h), as documented in E-I-013 (single-stage impactor) Clauses 13 to 14 Clause 20 Clauses 16 to 19 and Clause 21 to 40



Asia Pacific Inspection Limited

法亞太質量控制有限公司

ADDRESS : Flat/Rm 01-2, 22/F, Oxford House, Taikoo Place, 979 King's Road, Quarry Bay, Hong Kong
地址 香港鰂魚涌英皇道 979 號太古坊濠豐大廈 22 樓 2201-2202 室

ENQUIRY : Mr Aurelien DALLE, Vice-President of Customer Success and Support, Hardlines
查詢 Global

TELEPHONE : 2741 6601
電話

FAX : 2377 0028
傳真

E-MAIL : api@api-hk.com
電郵

WEBSITE ADDRESS : www.api-hk.com
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 009
Page 1 of 3
Issue Date: 18 August 2023
Ref: HKIAS009-42

Asia Pacific Inspection Limited
法亞太質量控制有限公司

ADDRESS
地址

: Flat/Rm 01-2, 22/F, Oxford House, Taikoo Place, 979 King's Road,
Quarry Bay, Hong Kong
香港鰂魚涌英皇道 979 號太古坊濠豐大廈 22 樓 2201-2202 室

TYPE OF INSPECTION BODY
檢驗機構類別

: A : Provides "third party" inspection service to the public
向公眾提供「第三方」檢驗服務

**ACCREDITED INSPECTION
FIELD**
認可檢驗領域

: Consumer Products
消費產品



Asia Pacific Inspection Limited

法亞太質量控制有限公司

Flat/Rm 01-2, 22/F, Oxford House, Taikoo Place, 979 King's Road, Quarry Bay, Hong Kong

香港鰂魚涌英皇道 979 號太古坊濠豐大廈 22 樓 2201-2202 室

Consumer Products 消費產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Electrical and Electronic Products - Electrical appliances - dry iron - oven - toaster, - deep fat fryer - electric wok - blender - food processor - juicer - coffee maker - water kettle - hair dryer - fan - Luminaire - Floor lamp - Ceiling lamp	Pre-shipment inspection	In-house inspection methods: APIPIC-3844 APIPIC-3895 APIPIC-3914 APIPIC-3842 APIPIC-3925 <Excluding the following> Cover fitting check, bending strength test-cookware APIPIC-3826 <Excluding the following> Product drop test, bowl and cutting blades strength test, motor overvoltage test APIPIC-3861 <Excluding the following> Bowl and cutting blades strength test, rotating blade stop check APIPIC-3886 <Excluding the following> Disk teeth height measurement, motor overvoltage test APIPIC-3834 APIPIC-3839 APIPIC-3871 <Excluding the following> Air outlet temperature tests, thermal cut-out check, product drop test APIPIC-3851 <Excluding the following> Motor speed test, oscillating mechanism lock check APIPIC-3934 <Excluding the following> Lamp parameter check, waterproof test, low/high voltage test, rated power measurement, cross-cut scratch test, goniophotometer measurement, protection against electric shock APIPIC-3929 <Excluding the following> Lamp parameter check, waterproof test, low/high voltage test, rated power measurement, cross-cut scratch test, goniophotometer measurement, protection against electric shock, loading test



Asia Pacific Inspection Limited

法亞太質量控制有限公司

Flat/Rm 01-2, 22/F, Oxford House, Taikoo Place, 979 King's Road, Quarry Bay, Hong Kong

香港鰂魚涌英皇道 979 號太古坊濠豐大廈 22 樓 2201-2202 室

Consumer Products 消費產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
<p>Hardgoods</p> <ul style="list-style-type: none"> - Furniture - indoor table - indoor seating - Kitchenware - can opener - cork screw - funnel, strainer, filter - knife, slicer, cutter, peeler, scissor - measuring cup, scale, weight - mug, cup, glass, bowl, container - nut and shellfish cracker - salad spinner - paper roll & bags - vacuum flask, insulated flasks and jugs - hand rotary beater - thermometer - cork stopper - pizza cutter - egg cutter - Toys and Children's Products - Non-electric toys for over 3 	<p>Pre-shipment inspection</p>	<p>In-house inspection methods:</p> <p>APIPIC-4007 <i><Excluding the following></i> Water resistant test</p> <p>APIPIC-4006 <i><Excluding the following></i> Water resistant test</p> <p>In-house inspection methods¹:</p> <p>APIPIC-4094 APIPIC-4096 APIPIC-4099 APIPIC-4102 APIPIC-4104 APIPIC-4105 <i><Excluding the following></i> Thermal shock test</p> <p>APIPIC-4106 APIPIC-4110 APIPIC-4108 APIPIC-4114 APIPIC-4100 APIPIC-4112 APIPIC-4097 APIPIC-4109 APIPIC-4098</p> <p>Note 1: The electrical safety tests included in the in-house inspection methods are not covered in the accreditation.</p> <p>In-house inspection method: APIPIC-4339 <i><Excluding the following></i> Printing adhesion test</p>



ETS-Testconsult Limited

東業德勤測試顧問有限公司

ADDRESS : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fo Tan,
地址 New Territories, Hong Kong
香港新界火炭坳背灣街 34-36 號豐盛工業中心 B 座 8 樓

ENQUIRY : Mr Tony WONG Yiu-keung
查詢 黃耀強先生

TELEPHONE : 2695 8318
電話

FAX : 2695 3944
傳真

E-MAIL : etl@ets-testconsult.com
電郵

WEBSITE ADDRESS : <http://www.ets-testconsult.com>
網址

CLIENTELE : Public
服務對象 公眾



ETS-Testconsult Limited
東業德勤測試顧問有限公司

ADDRESS
地址

: 8/F, Block B, Veristrong Industrial Centre,
34-36 Au Pui Wan Street, Fo Tan, New Territories,
Hong Kong
香港新界火炭坳背灣街 34-36 號豐盛工業中心
B 座 8 樓

TYPE OF INSPECTION BODY
檢驗機構類別

: A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD
認可檢驗領域

: Construction Products 建築產品

ETS-Testconsult Limited

東業德勤測試顧問有限公司

8/F, Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fo Tan, New Territories, Hong Kong

香港新界火炭坳背灣街 34-36 號豐盛工業中心 B 座 8 樓

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Waterworks Products		
- Cast iron pipes & fittings	Inspection of testing, lining, dimensional checks, material properties, coating, marking and handling	BS 143 & BS 1256: 2000 BS EN 877: 1999 JIS B2301: 2004 Water Supplies Department Particular Specification App. 23.10 Water Supplies Department Particular Specification App. 23.12
- Copper alloy long screw	Inspection of testing, dimensional check material properties, coating, marking and handling	BS 1387: 1985 Water Supplies Department Particular Specification App. 22.06
- Ductile iron pipes & fitting	Inspection of testing, lining, dimensional checks, material properties, coating marking and handling	BS 4772: 1988 BS EN 545: 1995 BS EN 545: 2002 BS EN 545: 2006 BS EN 545: 2010 BS EN 598: 1995 BS EN 598: 2007 + A1: 2009 Water Supplies Department Particular Specification App. 23.03
- Fire hydrants (Pedestal and swan neck)	Inspection of testing, dimensional check material properties, coating, marking and handling	BS 5041-1: 1987 Water Supplies Department Particular Specification App. 23.06
- Manhole cover (with coating)	Inspection of testing, dimensional check, material properties, coating, marking and handling	BS EN 124: 1994 (excluding Cl. 5 & 10) Water Supplies Department Particular Specification App. 23.14
- PE pipes & fittings	Inspection of testing, dimensional check material properties, coating, marking and handling	BS EN 12201-2: 2003 & BS EN 12201-3: 2003 BS EN 12201-2: 2011 + A1: 2013 BS EN 12201-3: 2011 + A1: 2012 ISO 4427: 1996 ISO 14236: 2000 JIS K6762: 2004 Water Industry Specification 4-24-01 (Jul 1998) Water Industry Specification 4-32-14 (Mar 1995) Water Industry Specification 4-32-15 (Mar 1995) Water Industry Specification 4-52-01 (Dec 1992) Water Supplies Department Particular Specification App. 23.09

ETS-Testconsult Limited

東業德勤測試顧問有限公司

8/F, Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fo Tan, New Territories, Hong Kong

香港新界火炭坳背灣街 34-36 號豐盛工業中心 B 座 8 樓

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Waterworks Products (cont'd)		
- Stainless steel pipes and fittings	Inspection of testing, dimensional check material properties, coating, marking and handling	BS 6362: 1990 BS EN 10312: 2002 ISO 4144: 2003 ISO 7598: 1988 Water Supplies Department Particular Specification App. 22.11
- Steel pipes/tubes and fittings	Inspection of testing, lining, dimensional checks, material properties, coating marking and handling	BS 534: 1990 BS 1387: 1985 BS EN 10241: 2000 BS EN 10224: 2002 Water Supplies Department Particular Specification App. 22.02 Water Supplies Department Particular Specification App. 23.02 Water Supplies Department Particular Specification App. 23.12
- Surface box	Inspection of testing, dimensional check, material properties, coating, marking, and handling	BS 5834: Part 2: 1983 (excluding Cl. 4) Water Supplies Department Particular Specification App. 23.13
- Valves & fittings	Inspection of testing, dimensional check, material properties, coating, marking and handling	BS 5146-2: 1984 BS 5150: 1990 BS 5153: 1974 BS 5154: 1991 BS 5155: 1984 BS 5156: 1985 BS 5163: 1986 BS 5163-1: 2004 BS 6755-1: 1986 BS EN 593: 2004 BS EN 593: 2009 + A1: 2011 BS EN 1074-2: 2000 BS EN 12334: 2001 Water Supplies Department Particular Specification App. 22.10 Water Supplies Department Particular Specification App. 23.04 Water Supplies Department Particular Specification App. 23.05 Water Supplies Department Particular Specification App. 23.11

ETS-Testconsult Limited.

東業德勤測試顧問有限公司

8/F, Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fo Tan, New Territories, Hong Kong

香港新界火炭坳背灣街 34-36 號豐盛工業中心 B 座 8 樓

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding Inspection	Inspection of welding procedure (MMAW, TIG, MIG, MAG, FCAW, SAW)	ASME BPVC Sec IX: 2019 Article II BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019
	Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW)	ASME BPVC Sec IX: 2019 Article III BS 4872: Part 1: 1982 + Amd. 4640 BS EN 287-1: 2004 + Amd. 15598 Corr. No. 1 + Amd. 16295 + Amd. 16831 Corr. No. 2 BS EN 287-1: 2011 BS EN ISO 9606-1: 2013 + Corr. 2012 & 2016 BS EN ISO 9606-1: 2017 BS EN ISO 9606-4: 1999
	Inspection of metal arc welding of steel for concrete reinforcement	BS 7123: 1989 + Amd. 7128
	Inspection of welding of reinforcing steel for load-bearing welded joints	BS EN ISO 17660-1: 2006
	Inspection of arc stud welding procedure	BS EN ISO 14555: 2017
	Inspection of qualification tests for mechanised and automatic welding (TIG, MIG, MAG, FCAW, SAW, Stud)	BS EN ISO 14732: 2013



PROVA Inspection & Testing Co. (HK) Limited

華鋼檢測(香港)有限公司

ADDRESS : Lot No. 4114, In D.D. 104, Yuen Long, New Territories, Hong Kong
地址 香港新界元朗 104 地段 4114 號

Postal address: P.O. Box 1234, Yuen Long Delivery Office
郵寄地址: 元朗派遞局郵政信箱 1234 號

ENQUIRY : Mr Alan LEUNG Ka-lun, General Manager
查詢 梁嘉倫先生, 總經理

TELEPHONE : (852) 2420 2336 / (86)755 2983 5277
電話

FAX : (852) 2420 2312 / (86)755 2983 5536
傳真

E-MAIL : inquiry@prova-hk.com
電郵

WEBSITE ADDRESS : <http://www.prova-hk.com>
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 012
Page 1 of 2
Issue Date: 27 January 2025
Ref: HKIAS012-32

PROVA Inspection & Testing Co. (HK) Limited
華鋼檢測(香港)有限公司

ADDRESS : Lot No. 4114, In D.D. 104, Yuen Long, New Territories,
地址 Hong Kong
香港新界元朗 104 地段 4114 號

TYPE OF INSPECTION BODY : A : Provides 'third party' inspection service to the public
檢驗機構類別 向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD : Construction Products 建築產品
認可檢驗領域

PROVA Inspection & Testing Co. (HK) Limited

華鋼檢測(香港)有限公司

Lot No. 4114, In D.D. 104, Yuen Long, New Territories, Hong Kong

香港新界元朗 104 地段 4114 號

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Waterworks products	Inspection of testing, dimensional check, material properties, coating and marking and handling of PE pipes & fittings	BS EN 12201-2: 2003 BS EN 12201-2: 2011 + A1: 2013 BS EN 12201-3: 2003 BS EN 12201-3: 2012 BS EN 13244-1: 2002 BS EN 13244-2: 2002 BS EN 13244-3: 2002 BS EN 13244-4: 2002 BS EN 13244-5: 2002 ISO 4427-2: 2007 ISO 4427-2: 2019 ISO 4427-3: 2007 ISO 4427-3: 2019 ISO 14236: 2000 ISO 17885: 2021
Welding inspection	Inspection of welding procedure (MMAW, TIG, MIG, MAG, FCAW, SAW)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019
	Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW)	BS 4872: Part 1: 1982 + Amd. 4640 BS EN 287-1: 2004 + Amd. 15598 Corr. No. 1 + Amd. 16295 + Amd. 16831 Corr. No. 2 BS EN 287-1: 2011 BS EN ISO 9606-1: 2013 BS EN ISO 9606-1: 2017 BS EN ISO 9606-4: 1999
	Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW, MIG, MAG, FCAW)	BS EN ISO 17660-1: 2006 + Corr. 2008
	Inspection of metal arc welding of steel for concrete reinforcement	BS 7123: 1989 + Amd. 7128 (excluding Cl. 10.9)
	Inspection of arc stud welding procedure	BS EN ISO 14555: 2017
	Inspection of qualification test for mechanised and automatic welding (TIG, MIG, MAG, FCAW, SAW, stud)	BS EN ISO 14732: 2013



Bureau Veritas Hong Kong Limited

立德國際公証香港有限公司

ADDRESS : Flat/Rm 702, 7/F, Harbourside HQ, 8 Lam Chak Street, Kowloon Bay, Kowloon,
地址 Hong Kong
香港九龍九龍灣臨澤街8號啟匯7樓702室

ENQUIRY : Ms YamahaYAM Mei-ha, Assistant Quality Assurance Manager
查詢 任美霞小姐，全球質量部助理經理

TELEPHONE : 2418 1222
電話

FAX : 2480 6666
傳真

E-MAIL : Yamaha.yam@bureauveritas.com
電郵

WEBSITE ADDRESS : www.bureauveritas.com/cps
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 013
Page 1 of 3
Issue Date: 19 April 2024
Ref: HKIAS013-38

Bureau Veritas Hong Kong Limited
立德國際公証香港有限公司

ADDRESS : Flat/Rm 702, 7/F, Harbourside HQ, 8 Lam Chak Street,
地址 Kowloon Bay, Kowloon, Hong Kong
香港九龍九龍灣臨澤街 8 號啟匯 7 樓 702 室

TYPE OF INSPECTION BODY : A : Provides “third party” inspection service to the public
檢驗機構類別 向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION : Consumer Products 消費產品
FIELD
認可檢驗領域



Business Environment Council Limited – IAQ Solutions Centre

商界環保協會有限公司 – 室內空氣技術服務中心

- ADDRESS** : Room 201, 2 Floor, Jockey Club Environmental Building, 77, Tat Chee Avenue,
地址 Kowloon, Hong Kong
香港九龍達之路 77 號賽馬會環保樓 2 樓 201 室
- ENQUIRY** : Mr LEUNG Chi-fung, Head
查詢 梁志峰先生，總監
- TELEPHONE** : 2784 3945
電話
- FAX** : 2784 6699
傳真
- E-MAIL** : cfleung@bec.org.hk
電郵
- WEBSITE ADDRESS** : <http://www.bec.org.hk>
網址
- CLIENTELE** : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 014
Page 1 of 4
Issue Date: 21 February 2024
Ref: HKIAS014-38

Business Environment Council Limited – IAQ Solutions Centre

商界環保協會有限公司 – 室內空氣技術服務中心

ADDRESS : Room 201, 2 Floor, Jockey Club Environmental Building,
地址 77, Tat Chee Avenue, Kowloon, Hong Kong
香港九龍達之路 77 號賽馬會環保樓 2 樓 201 室

TYPE OF INSPECTION BODY : A : Provides ‘third party’ inspection service to the public
檢驗機構類別 向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION : Indoor Air Quality Inspection 室內空氣質素檢驗
FIELD
認可檢驗領域

Business Environment Council Limited – IAQ Solutions Centre

商界環保協會有限公司 – 室內空氣技術服務中心

Room 201, 2 Floor, Jockey Club Environmental Building, 77, Tat Chee Avenue, Kowloon, Hong Kong

香港九龍達之路 77 號賽馬會環保樓 2 樓 201 室

Indoor Air Quality Inspection 室內空氣質素檢驗		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	On-site measurement of : - Temperature - Relative Humidity - Air Movement - Carbon Dioxide - Carbon Monoxide - Nitrogen Dioxide - Ozone - Radon - Respirable Suspended Particulate - Total Volatile Organic Compounds	A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, September 2003 Annex 3 (a), as documented in CIB-WI-01 (Thermistor) Annex 3 (a), as documented in CIB-WI-02 (Thin-film capacitive) Annex 3 (a), as documented in CIB-WI-03 (Hot wire velocity probe) Annex 3 (b), as documented in CIB-WI-04 (Non-dispersive infrared NDIR) Annex 3 (b), as documented in CIB-WI-05 (Electrochemical sensor) Annex 3 (e), as documented in CIB-WI-12 (Electrochemical sensor) Annex 3 (f), as documented in CIB-WI-09 (Gas sensitive semiconductor) Annex 3 (c), as documented in CIB-WI-08 (Diffused junction photodiode) Annex 3 (g), as documented in CIB-WI-06 (Light scattering laser diode) Annex 3 (h), as documented in CIB-WI-07 (Photo-ionization sensor)



Business Environment Council Limited – IAQ Solutions Centre

商界環保協會有限公司 – 室內空氣技術服務中心

Room 201, 2 Floor, Jockey Club Environmental Building, 77, Tat Chee Avenue, Kowloon, Hong Kong

香港九龍達之路 77 號賽馬會環保樓 2 樓 201 室

Indoor Air Quality Inspection 室內空氣質素檢驗

ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	On-site sampling of : - Airborne Bacteria - Formaldehyde - Nitrogen Dioxide Walkthrough Inspection IAQ Compliance Assessment	A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, September 2003 Annex 3 (i), as documented in CIB-WI-10 (Centrifugal sampler) Annex 3 (d), as documented in CIB-WI-11 (Passive sampler) Annex 3 (e), as documented in CIB-WI-12 (Passive sampler) Clause 11 Clause 13 to Clause 28

Business Environment Council Limited – IAQ Solutions Centre

商界環保協會有限公司 – 室內空氣技術服務中心

Room 201, 2 Floor, Jockey Club Environmental Building, 77, Tat Chee Avenue, Kowloon, Hong Kong

香港九龍達之路 77 號賽馬會環保樓 2 樓 201 室

Indoor Air Quality Inspection 室內空氣質素檢驗		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	<p>On-site measurement of :</p> <ul style="list-style-type: none"> - Carbon Dioxide - Carbon Monoxide - Formaldehyde - Nitrogen Dioxide - Ozone - Radon - Respirable Suspended Particulate - Total Volatile Organic Compounds <p>On-site sampling of :</p> <ul style="list-style-type: none"> - Airborne Bacteria - Formaldehyde - Nitrogen Dioxide <p>Walkthrough Inspection</p> <p>Mould Inspection</p> <p>IAQ Compliance Assessment</p>	<p>A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, January 2019</p> <p>Annex 4 (a), as documented in CIB-WI-04 (Non-dispersive infrared NDIR)</p> <p>Annex 4 (a), as documented in CIB-WI-05 (Electrochemical sensor)</p> <p>Annex 4 (c), as documented in CIB-WI-11 (Gas sensitive electrochemical detector)</p> <p>Annex 4 (d), as documented in CIB-WI-12 (Electrochemical sensor)</p> <p>Annex 4 (e), as documented in CIB-WI-09 (Gas sensitive semiconductor)</p> <p>Annex 4 (b), as documented in CIB-WI-08 (Diffused junction photodiode)</p> <p>Annex 4 (f), as documented in CIB-WI-06 (Light scattering laser diode)</p> <p>Annex 4 (g), as documented in CIB-WI-07 (Photo-ionization sensor)</p> <p>Annex 4 (h), as documented in CIB-WI-10 (Centrifugal sampler)</p> <p>Annex 4 (c), as documented in CIB-WI-11 (Passive sampler)</p> <p>Annex 4 (d), as documented in CIB-WI-12 (Passive sampler)</p> <p>Clause 13 to 14</p> <p>Clause 20</p> <p>Clauses 16 to 19 and Clause 21 to 40</p>



CMA Industrial Development Foundation Limited

香港中華廠商聯合會工業發展基金有限公司

ADDRESS : Rm. 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung Street, Fo Tan, Shatin, New Territories, Hong Kong
地址 香港新界沙田火炭黃竹洋街 9-13 號仁興中心 1302 室

ENQUIRY : Mr Dominic LAM Chun-hong, General Manager of Operations
查詢 林俊康先生，營運總監

TELEPHONE : 2698 8198
電話

FAX : 2695 4177
傳真

E-MAIL : info@cmatesting.org
電郵

WEBSITE ADDRESS : <http://www.cmatesting.org/>
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 015
Page 1 of 2
Issue date: 14 March 2025
Ref: HKIAS015-37

CMA Industrial Development Foundation Limited
香港中華廠商聯合會工業發展基金有限公司

ADDRESS : Rm. 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung Street, Fo
地址 Tan, Shatin, New Territories, Hong Kong
香港新界沙田火炭黃竹洋街 9-13 號仁興中心 1302 室

TYPE OF INSPECTION BODY : A : Provides 'third party' inspection service to the public
檢驗機構類別 向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION : Indoor Air Quality Inspection 室內空氣質素檢驗
FIELD
認可檢驗領域

CMA Industrial Development Foundation Limited

香港中華廠商聯合會工業發展基金有限公司

Rm. 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung Street, Fo Tan, Shatin, New Territories, Hong Kong

香港新界沙田火炭黃竹洋街 9-13 號仁興中心 1302 室

Indoor Air Quality Inspection 室內空氣質素檢驗

ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	<p>On-site measurement of :</p> <ul style="list-style-type: none"> - Carbon Dioxide - Carbon Monoxide - Formaldehyde - Nitrogen Dioxide - Ozone - Radon - Respirable Suspended Particulate - Total Volatile Organic Compound <p>On-site sampling of :</p> <ul style="list-style-type: none"> - Airborne Bacteria <p>Walkthrough Inspection</p> <p>Mould</p> <p>IAQ Compliance Assessment</p>	<p>A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, January 2019</p> <p>Annex 4 (a), as documented in SOP-ENV-IAQ-4 (Non-dispersive infrared NDIR)</p> <p>Annex 4 (a), as documented in SOP-ENV-IAQ-5 (Electrochemical sensor)</p> <p>Annex 4 (c), as documented in SOP-ENV-IAQ-15 (Photoelectric photometry detector) (Gas sensitive electrochemical sensor)</p> <p>Annex 4 (d), as documented in SOP-ENV-IAQ-16 (Electrochemical Sensor)</p> <p>Annex 4 (e), as documented in SOP-ENV-IAQ-1 (Gas sensitive semiconductor) (Gas sensitive electrochemical sensor)</p> <p>Annex 4 (b), as documented in SOP-ENV-IAQ-9 (Electrostatic collection of alpha-emitters with spectral analysis) (Diffused junction photodiode)</p> <p>Annex 4 (f), as documented in SOP-ENV-IAQ-3 (Light scattering laser diode)</p> <p>Annex 4 (g), as documented in SOP-ENV-IAQ-8 (Photo-ionization sensor)</p> <p>Annex 4 (h), as documented in SOP-ENV-IAQ-12 (Single-stage Impactor)</p> <p>Clauses 13 and 14</p> <p>Clause 20</p> <p>Clauses 16 to 19 and Clauses 21 to 40</p>



Acoustics and Air Testing Laboratory Co. Ltd.

聲學及空氣測試實驗室有限公司

- ADDRESS** : Room 422, Leader Industrial Centre, 57-59 Au Pui Wan Street, Fo Tan, Shatin,
地址 NT, Hong Kong
香港新界沙田火炭坳背灣街 57-59 號利達工業中心 422 室
- ENQUIRY** : Dr POON Wai-yin, Technical Director
查詢 潘偉賢博士，技術總監
Mr NG Yan-wa, Laboratory Manager
伍恩華先生，實驗所經理
- TELEPHONE** : 2668 3423
電話
- FAX** : 2668 6946
傳真
- E-MAIL** : inquiry@aa-lab.com
電郵
- WEBSITE ADDRESS** : <http://www.aa-lab.com>
網址
- CLIENTELE** : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 021
Page 1 of 3
Issue Date: 23 January 2024
Ref: HKIAS021-33

Acoustics and Air Testing Laboratory Co. Ltd.

聲學及空氣測試實驗室有限公司

ADDRESS : Room 422, Leader Industrial Centre, 57-59 Au Pui Wan Street,
地址 Fo Tan, Shatin, NT, Hong Kong
香港新界沙田火炭坳背灣街 57-59 號利達工業中心
422 室

TYPE OF INSPECTION BODY : A : Provides 'third party' inspection service to the public
檢驗機構類別 向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION : Indoor Air Quality Inspection 室內空氣質素檢驗
FIELD
認可檢驗領域



Acoustics and Air Testing Laboratory Co. Ltd.
 聲學及空氣測試實驗室有限公司

Room 422, Leader Industrial Centre, 57-59 Au Pui Wan Street, Fo Tan, Shatin, NT, Hong Kong
 香港新界沙田火炭坳背灣街 57-59 號利達工業中心 422 室

Indoor Air Quality Inspection 室內空氣質素檢驗		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	On-site measurement of : - Temperature - Relative Humidity - Air Movement - Carbon Dioxide - Carbon Monoxide - Respirable Suspended Particulate - Total Volatile Organic Compound - Radon - Ozone On-site sampling of : - Airborne Bacteria - Formaldehyde - Nitrogen Dioxide Walkthrough Inspection IAQ Compliance Assessment	A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, September 2003 Annex 3 (a), as documented in IAQ-SOP-01 (Temperature sensor; thermistor) Annex 3 (a), as documented in IAQ-SOP-02 (Humidity sensor capacitive measurement principle) Annex 3 (a), as documented in IAQ-SOP-03 (Hot wire velocity probe) Annex 3 (b), as documented in IAQ-SOP-04 (Non-dispersive infrared NDIR) Annex 3 (b), as documented in IAQ-SOP-05 (Electrochemical sensor) Annex 3 (g), as documented in IAQ-SOP-06 (Light scattering laser diode) Annex 3 (h), as documented in IAQ-SOP-07 (Photo-ionization sensor) Annex 3 (c), as documented in IAQ-SOP-08 (Electrostatic collection of alpha-emitters with spectral analysis) Annex 3 (f), as documented in IAQ-SOP-09 (Gas sensitive semiconductor) Annex 3 (i), as documented in IAQ-SOP-10 (Single stage impactor) Annex 3 (d), as documented in IAQ-SOP-11 (Passive sampler) Annex 3 (e), as documented in IAQ-SOP-12 (Passive sampler) Clause 11 Clause 13 to Clause 28

Acoustics and Air Testing Laboratory Co. Ltd.

聲學及空氣測試實驗室有限公司

Room 422, Leader Industrial Centre, 57-59 Au Pui Wan Street, Fo Tan, Shatin, NT, Hong Kong

香港新界沙田火炭坳背灣街 57-59 號利達工業中心 422 室

Indoor Air Quality Inspection 室內空氣質素檢驗

ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	<p>On-site measurement of :</p> <ul style="list-style-type: none"> - Carbon Dioxide - Carbon Monoxide - Formaldehyde - Nitrogen Dioxide - Ozone - Radon - Respirable Suspended Particulate - Total Volatile Organic Compound <p>On-site sampling of :</p> <ul style="list-style-type: none"> - Airborne Bacteria - Formaldehyde - Nitrogen Dioxide <p>Walkthrough Inspection</p> <p>Mould Inspection</p> <p>IAQ Compliance Assessment</p>	<p>A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, January 2019</p> <p>Annex 4 (a), as documented in IAQ-SOP-04 (Non-dispersive infrared NDIR)</p> <p>Annex 4 (a), as documented in IAQ-SOP-05 (Electrochemical sensor)</p> <p>Annex 4 (c), as documented in IAQ-SOP-11b (Electrochemical sensor)</p> <p>Annex 4 (d), as documented in IAQ-SOP-12b (Gas sensitive electrochemical sensor)</p> <p>Annex 4 (e), as documented in IAQ-SOP-09 (Gas sensitive semiconductor)</p> <p>Annex 4 (b), as documented in IAQ-SOP-08 (Electrostatic collection of alpha-emitters with analysis)</p> <p>Annex 4 (f), as documented in IAQ-SOP-06 (Light scattering laser diode)</p> <p>Annex 4 (g), as documented in IAQ-SOP-07 (Photo-ionization sensor)</p> <p>Annex 4 (h), as documented in IAQ-SOP-10 (Single-stage Impactor)</p> <p>Annex 4 (c), as documented in IAQ-SOP-11 (Passive sampler)</p> <p>Annex 4 (d), as documented in IAQ-SOP-12 (Passive sampler)</p> <p>Clauses 13 and 14</p> <p>Clause 20</p> <p>Clauses 16 to 19 and Clauses 21 to 40</p>



Qualitech Testing & Consultancy Limited

匯駿檢測及顧問有限公司

ADDRESS : Flat E & F, 9/F, Block B, Universal Industrial Centre, 19-25 Shan Mei Street,
地址 New Territories, HK
香港新界火炭山尾街 19-25 號宇宙工業中心 B 座 9 樓 E 及 F 室

ENQUIRY : Mr Ringo LAM Kin-sun, Deputy General Manager
查詢 林建榮先生, 副總經理

TELEPHONE : 2185 0900
電話

FAX : 2687 6752
傳真

E-MAIL : qtc@qtc-hk.com
電郵

WEBSITE ADDRESS : www.qtc-hk.com
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 022
Page 1 of 2
Issue Date: 8 January 2025
Ref: HKIAS022-28

Qualitech Testing & Consultancy Limited

匯駿檢測及顧問有限公司

ADDRESS : Flat E & F, 9/F, Block B, Universal Industrial Centre,
地址 19-25 Shan Mei Street, New Territories, Hong Kong
香港新界火炭山尾街 19-25 號宇宙工業中心 B 座 9 樓
E 及 F 室

TYPE OF INSPECTION BODY : A : Provides 'third party' inspection service to the public
檢驗機構類別 向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD : Construction Products 建築產品
認可檢驗領域

Qualitech Testing & Consultancy Limited

匯駿檢測及顧問有限公司

Flat E & F, 9/F, Block B, Universal Industrial Centre, 19-25 Shan Mei Street, New Territories, Hong Kong

香港新界火炭山尾街 19-25 號宇宙工業中心 B 座 9 樓 E 及 F 室

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding Inspection	Inspection of welding procedure (MMAW, TIG, MIG, MAG, FCAW, SAW) Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW) Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW, MIG, MAG, FCAW) Inspection of arc stud welding procedure Inspection of qualification test for mechanised and automatic welding (TIG, MIG, MAG, FCAW, SAW, stud)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019 BS EN 287-1: 2004 BS EN 287-1: 2011 BS EN ISO 9606-1: 2013 BS EN ISO 9606-1: 2017 BS EN ISO 17660-1: 2006 BS EN ISO 14555: 2017 BS EN ISO 14732: 2013



The Lab (Asia) Limited

ADDRESS : 22 San Hi Tsuen Street, Ping Shan, Yuen Long, New Territories
地址 新界元朗屏山新起村街 22 號

ENQUIRY : Mr Simon YAN Kin-man, General Manager
查詢 甄健民先生，總經理

TELEPHONE : 2470 2588
電話

FAX : 2470 2589
傳真

E-MAIL : simon@thelab.asia
電郵

WEBSITE ADDRESS : <https://thelab.asia>
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 026
Page 1 of 3
Issue Date: 8 January 2025
Ref: HKIAS026-24

The Lab (Asia) Limited

ADDRESS : 22 San Hi Tsuen Street, Ping Shan, Yuen Long, New Territories
地址 : 新界元朗屏山新起村街 22 號

TYPE OF INSPECTION BODY : A : Provides 'third party' inspection service to the public
檢驗機構類別 : 向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD : Construction Products 建築產品
認可檢驗領域 : Indoor Air Quality Inspection 室內空氣質素檢驗

The Lab (Asia) Limited

22 San Hi Tsuen Street, Ping Shan, Yuen Long, New Territories

新界元朗屏山新起村街 22 號

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding inspection	Inspection of welding procedure (MMAW, TIG, MIG, MAG, FCAW, SAW) Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW) Inspection of metal arc welding of steel for concrete reinforcement Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW) Inspection of arc stud welding procedure Inspection of qualification tests for mechanised and automatic welding (TIG, MIG, MAG, SAW, Stud)	BS EN ISO 15613: 2004 (excluding Cl. 7.2) BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019 BS EN 287-1: 2011 BS EN ISO 9606-1: 2017 BS 7123: 1989 + Amd. 7128 BS EN ISO 17660-1: 2006 + Corr. 2008 BS EN ISO 14555: 2017 BS EN ISO 14732: 2013

The Lab (Asia) Limited

22 San Hi Tsuen Street, Ping Shan, Yuen Long, New Territories

新界元朗屏山新起村街 22 號

Indoor Air Quality Inspection 室內空氣質素檢驗		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	<p>On-site measurement of :</p> <ul style="list-style-type: none"> - Carbon Dioxide - Carbon Monoxide - Formaldehyde - Nitrogen Dioxide - Ozone - Radon - Respirable Suspended Particulate - Total Volatile Organic Compound <p>On-site sampling of :</p> <ul style="list-style-type: none"> - Airborne Bacteria - Formaldehyde - Nitrogen Dioxide <p>Walkthrough Inspection</p> <p>Mould Inspection</p> <p>IAQ Compliance Assessment</p>	<p>A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, January 2019</p> <p>Annex 4 (a), as documented in EM-TM-003 (Non-dispersive infrared NDIR)</p> <p>Annex 4 (a), as documented in EM-TM-004 (Electrochemical sensor)</p> <p>Annex 4 (c), as documented in EM-TM-011 (Gas sensitive electrochemical detector)</p> <p>Annex 4 (d), as documented in EM-TM-009 (Gas sensitive electrochemical sensor)</p> <p>Annex 4 (e), as documented in EM-TM-006 (Gas sensitive semiconductor sensor)</p> <p>Annex 4 (b), as documented in EM-TM-008 (Electrostatic collection of alpha-emitters with spectral analysis)</p> <p>Annex 4 (f), as documented in EM-TM-005 (Light scattering laser diode)</p> <p>Annex 4 (g), as documented in EM-TM-007 (Photo-ionisation sensor)</p> <p>Annex 4 (h), as documented in EM-TM-013 (Single stage impactor)</p> <p>Annex 4 (c), as documented in EM-TM-012 (Passive sampler)</p> <p>Annex 4 (d), as documented in EM-TM-010 (Passive sampler)</p> <p>Clauses 13 and 14</p> <p>Clause 20</p> <p>Clauses 16 to 19 and Clauses 21 to 40</p>



ASTAR NDT CONSULTANTS LIMITED

華陞檢測及顧問有限公司

ADDRESS : Flat 5, 9/F, Ming Fat Industrial Building, No. 1 Kin Fat Street, Tuen Mun, New Territories, Hong Kong
地址 香港新界屯門建發街 1 號鳴發工業大廈 9 樓 5 室

Postal Address: Flat 7, 12/F, Ming Fat Industrial Building, No. 1 Kin Fat Street, Tuen Mun, New Territories, Hong Kong
郵寄地址: 香港新界屯門建發街 1 號鳴發工業大廈 12 樓 7 室

ENQUIRY : Mr WONG Tsz-king, Operation Manager
查詢

TELEPHONE : 2468 2495
電話

FAX : 2461 2495
傳真

E-MAIL : kw@astarconsult.com
電郵

WEBSITE ADDRESS : www.astarconsult.com
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 027
Page 1 of 2
Issue Date: 8 January 2025
Ref. HKIAS027-19

ASTAR NDT CONSULTANTS LIMITED

華陞檢測及顧問有限公司

ADDRESS : Flat 5, 9/F, Ming Fat Industrial Building, No. 1 Kin Fat Street,
地址 Tuen Mun, New Territories, Hong Kong
香港新界屯門建發街1號鳴發工業大廈9樓5室

TYPE OF INSPECTION BODY : A : Provides 'third party' inspection service to the public
檢驗機構類別 向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION : Construction Products 建築產品

FIELD

認可檢驗領域

ASTAR NDT CONSULTANTS LIMITED

華陞檢測及顧問有限公司

Flat 5, 9/F, Ming Fat Industrial Building, No. 1 Kin Fat Street, Tuen Mun, New Territories, Hong Kong

香港新界屯門建發街1號鳴發工業大廈9樓5室

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding Inspection	Inspection of welding procedure (MMAW, TIG, MIG, MAG, FCAW, SAW) Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW) Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW, FCAW, MAG) Inspection of arc stud welding procedure Inspection of qualification test for mechanised and automatic welding (TIG, MIG, MAG, FCAW, SAW, stud)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019 BS EN 287-1: 2004 + Amd. No.15598 Corr. No. 1 + Amd. 16295 + Amd. 16831 Corr. No. 2 BS EN 287-1: 2011 BS EN ISO 9606-1: 2017 BS EN ISO 9606-4: 1999 BS EN ISO 17660-1: 2006 BS EN ISO 14555: 2017 BS EN ISO 14732: 2013



Stanger Asia Limited
史達嘉亞洲有限公司

ADDRESS : Rooms 705 - 706, 7/F., Fuk Shing Commercial Building, 28 On Lok Mun Street,
地址 On Lok Tsuen, Fanling, New Territories, Hong Kong
香港新界粉嶺安樂村安樂門街 28 號福成商業大廈 7 樓 705-706 室

ENQUIRY : Mr HO Siu-leung, Technical Manager
查詢

TELEPHONE : 2682 1203
電話

FAX : 2682 0046
傳真

E-MAIL : stanger@stanger.com.hk
電郵

WEBSITE ADDRESS : www.stanger.com.hk
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 029
Page 1 of 2
Issue Date: 11 February 2025
Ref: HKIAS029-15

Stanger Asia Limited
史達嘉亞洲有限公司

ADDRESS
地址 : Rooms 705 - 706, 7/F., Fuk Shing Commercial Building,
28 On Lok Mun Street, On Lok Tsuen, Fanling, New Territories,
Hong Kong
香港新界粉嶺安樂村安樂門街 28 號福成商業大廈 7 樓
705-706 室

TYPE OF INSPECTION BODY
檢驗機構類別 : A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD : Construction Products 建築產品
認可檢驗領域



Stanger Asia Limited

史達嘉亞洲有限公司

Rooms 705 - 706, 7/F., Fuk Shing Commercial Building, 28 On Lok Mun Street, On Lok Tsuen, Fanling, New Territories, Hong Kong

香港新界粉嶺安樂村安樂門街 28 號福成商業大廈 7 樓 705-706 室

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding Inspection	Inspection of welding procedure (MMAW, MIG, MAG, FCAW) Inspection of welder testing (MMAW, MIG, MAG, FCAW)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019 BS 4872: Part 1: 1982 + Amd. 4640 BS EN 287-1: 2011 BS EN ISO 9606-1: 2017



Jesee (HK) Engineering Services Co., Limited

香港建旭測試服務有限公司

ADDRESS : Unit A, 12/F, United Daily News Centre,
地址 21 Yuk Yat Street, To Kwa Wan, Kowloon, Hong Kong
香港九龍土瓜灣旭日街 21 號聯合報大廈 12 樓 A 室

ENQUIRY : Mr LI Bin, Director
查詢 李斌先生，董事

TELEPHONE : 3686 2151
電話

FAX : -
傳真

E-MAIL : jxtest@126.com
電郵

WEBSITE ADDRESS : -
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 030
Page 1 of 2
Issue Date: 8 January 2025
Ref.: HKIAS030-13

Jesee (HK) Engineering Services Co., Limited
香港建旭測試服務有限公司

ADDRESS
地址 : Unit A, 12/F, United Daily News Centre,
21 Yuk Yat Street, To Kwa Wan, Kowloon, Hong Kong
香港九龍土瓜灣旭日街 21 號聯合報大廈 12 樓 A 室

TYPE OF INSPECTION BODY
檢驗機構類別 : A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD : Construction Products 建築產品
認可檢驗領域



Jesee (HK) Engineering Services Co., Limited
香港建旭測試服務有限公司

Unit A, 12/F, United Daily News Centre, 21 Yuk Yat Street, To Kwa Wan, Kowloon, Hong Kong
香港九龍土瓜灣旭日街 21 號聯合報大廈 12 樓 A 室

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding Inspection	Inspection of welding procedure (MMAW, TIG, MIG, MAG, FCAW, SAW)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019
	Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW)	BS EN 287-1: 2004 BS EN 287-1: 2011 BS EN ISO 9606-1: 2013 BS EN ISO 9606-1: 2017
	Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW, MIG, MAG, FCAW)	BS EN ISO 17660-1: 2006
	Inspection of arc stud welding procedure	BS EN ISO 14555: 2017
	Inspection of qualification tests for mechanised and automatic welding (TIG, MIG, MAG, FCAW, SAW, Stud)	BS EN ISO 14732: 2013



Geotechnics & Concrete Engineering (Hong Kong) Limited

香港土力混凝土工程有限公司

ADDRESS

地址

Main Office : G/F, 6 Ko Shan Road, Hung Hom, Kowloon, Hong Kong
香港九龍紅磡高山道六號地下

Branch Office : 1/F, Chatham Mansion, 491 Chatham Road North, Hung Hom, Kowloon, Hong Kong
香港九龍紅磡漆咸道北 491 號漆咸樓一樓

ENQUIRY : Mr James LU Zhiliang, Quality Manager
查詢 盧智良先生，品管經理

TELEPHONE : 2365 9123
電話

FAX : 2765 8034
傳真

E-MAIL : gce@gce.com.hk
電郵

WEBSITE ADDRESS : www.gce.com.hk
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 031
Page 1 of 2
Issue Date: 8 January 2025
Ref.: HKIAS031-14

Geotechnics & Concrete Engineering (Hong Kong) Limited
香港土力混凝土工程有限公司

ADDRESS
地址

Main Office

: G/F, 6 Ko Shan Road, Hung Hom, Kowloon, Hong Kong
香港九龍紅磡高山道六號地下

Branch Office

: Flat A & B, 1/F, Yan Lee Building, 21-23 San Wai Street,
Hung Hom, Kowloon, Hong Kong
香港九龍紅磡新圍街 21-23 號仁利大廈一字樓 A 及 B 室

TYPE OF INSPECTION BODY
檢驗機構類別

: A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD
認可檢驗領域

: Construction Products 建築產品

Geotechnics & Concrete Engineering (Hong Kong) Limited

香港土力混凝土工程有限公司

Flat A & B, 1/F, Yan Lee Building, 21-23 San Wai Street, Hung Hom, Kowloon, Hong Kong

香港九龍紅磡新圍街 21-23 號仁利大廈一字樓 A 及 B 室

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding Inspection	Inspection of welding procedure (MMAW, TIG, MIG, MAG, FCAW, SAW)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019
	Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW)	BS EN 287-1: 2004 + A2: 2006 BS EN 287-1: 2011 BS EN ISO 9606-1: 2013 BS EN ISO 9606-1: 2017
	Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW, MIG, MAG, FCAW)	BS EN ISO 17660-1: 2006 + Corr. No. 1: 2008
	Inspection of arc stud welding procedure	BS EN ISO 14555: 2017
	Inspection of qualification tests for mechanized and automatic welding (MIG, MAG, FCAW, stud)	BS EN ISO 14732: 2013



Environmental Pioneers & Solutions Limited

大成環境科技拓展有限公司

- ADDRESS** : Flat A, 8/F, Chai Wan Industrial Centre, 20 Lee Chung Street, Chai Wan, Hong Kong
地址 香港柴灣利眾街 20 號柴灣中心工業大廈 8 樓 A 座
- ENQUIRY** : Ms Goldie FUNG Shuk-ting, Technical Manager
查詢 馮淑婷女士，經理
- TELEPHONE** : 2556 9172
電話
- FAX** : 2856 2010
傳真
- E-MAIL** : eps1@fsenv.com.hk
電郵
- WEBSITE ADDRESS** : <http://www.fsenv.com.hk/>
網址
- CLIENTELE** : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 032
Page 1 of 2
Issue Date: 23 April 2025
Ref: HKIAS032-12

Environmental Pioneers & Solutions Limited
大成環境科技拓展有限公司

ADDRESS : Flat A, 8/F, Chai Wan Industrial Centre, 20 Lee Chung Street,
地址 Chai Wan, Hong Kong
香港柴灣利眾街 20 號柴灣中心工業大廈 8 樓 A 座

TYPE OF INSPECTION BODY : A : Provides 'third party' inspection service to the public
檢驗機構類別 向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION : Indoor Air Quality Inspection 室內空氣質素檢驗
FIELD
認可檢驗領域

Environmental Pioneers & Solutions Limited
 大成環境科技拓展有限公司

Flat A, 8/F, Chai Wan Industrial Centre, 20 Lee Chung Street, Chai Wan, Hong Kong
 香港柴灣利眾街 20 號柴灣中心工業大廈 8 樓 A 座

Indoor Air Quality Inspection 室內空氣質素檢驗		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality Inspection	On-site measurement of : - Carbon Dioxide - Carbon Monoxide - Formaldehyde - Nitrogen Dioxide - Ozone - Radon - Respirable Suspended Particulate - Total Volatile Organic Compound On-site sampling of : - Airborne Bacteria - Formaldehyde - Nitrogen Dioxide Walkthrough Inspection Mould Inspection IAQ Compliance Assessment	A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, January 2019 Annex 4 (a), as documented in ISP06 (Non-dispersive infrared NDIR) Annex 4 (a), as documented in ISP07 (Electrochemical sensor) Annex 4 (c), as documented in ISP16 (Photoelectric photometry detector) Annex 4 (d), as documented in ISP18 (Electrochemical Sensor) Annex 4 (e), as documented in ISP10 (Gas sensitive semiconductor) Annex 4 (b), as documented in ISP09 (Electrostatic collection of alpha-emitters with spectral analysis) Annex 4 (f), as documented in ISP11 (Light scattering laser diode) Annex 4 (g), as documented in ISP08 (Photo-ionization sensor) Annex 4 (h), as documented in ISP14 (Single-stage impactor) Annex 4 (c), as documented in ISP12 (Passive sampler) Annex 4 (d), as documented in ISP13 (Passive sampler) Clauses 13 and 14 Clause 20 Clauses 16 to 19 and Clauses 21 to 40



Vcheck InT Limited
浚柏檢測有限公司

ADDRESS : Unit 1117, Block A2, Yau Tong Industrial City, 17-25 Ko Fai Road, Yau Tong,
地址 Kowloon, Hong Kong
香港九龍油塘高輝道 17-25 號油塘工業城 A2 座 11 樓 1117 室

ENQUIRY : Mr MAN Kam-hon, General Manager
查詢 文錦漢先生，總經理

TELEPHONE : 3690 9791
電話

FAX : --
傳真

E-MAIL : iib@vithk.com
電郵

WEBSITE ADDRESS : --
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 033
Page 1 of 2
Issue Date: 14 June 2023
Ref: HKIAS033-4

Vcheck InT Limited
浚柏檢測有限公司

ADDRESS : Unit 1117, Block A2, Yau Tong Industrial City,
地址 : 17-25 Ko Fai Road, Yau Tong, Kowloon, Hong Kong
香港九龍油塘高輝道 17-25 號油塘工業城 A2 座 11 樓
1117 室

TYPE OF INSPECTION BODY : A : Provides 'third party' inspection service to the public
檢驗機構類別 : 向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD : Construction Products 建築產品
認可檢驗領域



Vcheck InT Limited

浚柏檢測有限公司

Unit 1117, Block A2, Yau Tong Industrial City, 17-25 Ko Fai Road, Yau Tong, Kowloon, Hong Kong

香港九龍油塘高輝道 17-25 號油塘工業城 A2 座 11 樓 1117 室

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Waterworks Products		
- Ductile iron pipes & fitting	Inspection of lining, dimensional checks, material properties, coating marking and handling	BS EN 545: 2006 BS EN 545: 2010 BS EN 598: 2007 + A1: 2009
- PE pipes & fitting	Inspection of dimensional checks, material properties, marking and handling	BS EN 12201-2: 2011 + A1: 2013 BS EN 12201-3: 2011 + A1: 2012
- Steel pipes & fitting	Inspection of dimensional checks, material properties, coating marking and handling	BS EN 10224: 2002
- Valves	Inspection of dimensional check, material properties, coating, marking and handling	BS 5163-1: 2004 BS EN 593: 2009 + A1: 2011 BS EN 1074-2: 2000 BS EN 12334: 2001



AQuality TestConsult Limited

東恒測試顧問有限公司

ADDRESS : No.11 A&B, Kai Fong Garden, Ping Che Road, Fanling,
地址 New Territories, Hong Kong
香港新界粉嶺坪輦路啟芳園 11 號 A&B

ENQUIRY : Ms Julia LEE Mei-yee, Managing Director
查詢 李美儀小姐，董事總經理

TELEPHONE : 2674 0478
電話

FAX : 2674 1177
傳真

E-MAIL : main@aqlgroup.com
電郵

WEBSITE ADDRESS : www.aqlgroup.com
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 034
Page 1 of 2
Issue Date: 8 January 2025
Ref: HKIAS034-14

AQuality TestConsult Limited
東恒測試顧問有限公司

ADDRESS
地址

: No.11 A&B, Kai Fong Garden, Ping Che Road, Fanling,
New Territories, Hong Kong
香港新界粉嶺坪輦路啟芳園 11 號 A&B

TYPE OF INSPECTION BODY
檢驗機構類別

: A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD
認可檢驗領域

: Construction Products 建築產品

AQuality TestConsult Limited

東恒測試顧問有限公司

No.11 A&B, Kai Fong Garden, Ping Che Road, Fanling, New Territories, Hong Kong

香港新界粉嶺坪輦路啟芳園 11 號 A&B

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding inspection	Inspection of welding procedure (MMAW, TIG, MIG, MAG, FCAW, SAW)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019
	Inspection of welder testing (MMAW, TIG, MIG, MAG, FCAW, SAW)	BS EN 287-1: 2004 + Amd. 15598 Corr. No.1 + Amd. 16295 + Amd. 16831 Corr. No.2 BS EN 287-1: 2011 BS EN ISO 9606-1: 2013 BS EN ISO 9606-1: 2017
	Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW, MIG, MAG, FCAW)	BS EN ISO 17660-1: 2006
	Inspection of arc stud welding procedure	BS EN ISO 14555: 2017
	Inspection of qualification test for mechanised and automatic welding (TIG, MIG, MAG, FCAW, SAW, stud)	BS EN ISO 14732: 2013



South China Inspection & Testing Limited

華南檢測有限公司

- ADDRESS** : Unit 7 to 8, 11/F, Block B, Veristrong Industrial Centre,
地址 34-36 Au Pui Wan Street, Fo Tan, Shatin, New Territories, Hong Kong
香港新界沙田火炭坳背灣街 34-36 號豐盛工業中心 B 座 11 樓 7-8 室
- ENQUIRY** : Mr CHEUNG Fai-wah, General Manager
查詢 張輝華先生，總經理
- TELEPHONE** : (852) 3124 1261
電話
- FAX** : (852) 3124 1272
傳真
- E-MAIL** : scit@on-nets.com
電郵
- WEBSITE ADDRESS** : www.scit1689.com
網址
- CLIENTELE** : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 035
Page 1 of 2
Issue Date: 8 January 2025
Ref: HKIAS035-6

South China Inspection & Testing Limited
華南檢測有限公司

ADDRESS
地址 : Unit 7 to 8, 11/F, Block B, Veristrong Industrial Centre,
34-36 Au Pui Wan Street, Fo Tan, Shatin,
New Territories, Hong Kong
香港新界沙田火炭坳背灣街 34-36 號豐盛工業中心
B 座 11 樓 7-8 室

TYPE OF INSPECTION BODY
檢驗機構類別 : A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD : Construction Products 建築產品
認可檢驗領域

South China Inspection & Testing Limited

華南檢測有限公司

Unit 7 to 8, 11/F, Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fo Tan, Shatin,
 New Territories, Hong Kong

香港新界沙田火炭坳背灣街 34-36 號豐盛工業中心 B 座 11 樓 7-8 室

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding inspection	Inspection of welding procedure (MMAW, MIG, MAG, FCAW)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019
	Inspection of welder testing (MMAW, MIG, MAG, FCAW)	BS EN 287-1: 2004 BS EN 287-1: 2011 BS EN ISO 9606-1: 2017
	Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW, MIG, MAG, FCAW)	BS EN ISO 17660-1: 2006
	Inspection of arc stud welding procedure	BS EN ISO 14555: 2017
	Inspection of qualification tests for mechanised and automatic welding (MIG, MAG, FCAW, stud)	BS EN ISO 14732: 2013



Acumen Laboratory and Testing Limited

浩科檢測中心有限公司

ADDRESS : Workshop 04, 7/F, The Whitney, No. 183 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong
地址 : 香港九龍觀塘偉業街 183 號 The Whitney 7 樓 04 室

ENQUIRY : Mr HUI Wai-fung, Laboratory Manager
查詢 : 許偉峰先生，實驗室經理

TELEPHONE : 2333 6823
電話

FAX : 2333 1316
傳真

E-MAIL : AcumenLAB@aurecongroup.com
電郵

CLIENTELE : Public
服務對象 : 公眾



Scope of Accreditation
Registration No. HKIAS 036
Page 1 of 3
Issue Date: 7 November 2024
Ref: HKIAS036-7

Acumen Laboratory and Testing Limited
浩科檢測中心有限公司

ADDRESS
地址 : Workshop 04, 7/F, The Whitney, No. 183 Wai Yip Street, Kwun Tong,
Kowloon, Hong Kong
香港九龍觀塘偉業街 183 號 The Whitney 7 樓 04 室

TYPE OF INSPECTION BODY
檢驗機構類別 : A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION
FIELD
認可檢驗領域 : Indoor Air Quality Inspection 室內空氣質素檢驗



Acumen Laboratory and Testing Limited

浩科檢測中心有限公司

Workshop 04, 7/F, The Whitney, No. 183 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong

香港九龍觀塘偉業街 183 號 The Whitney 7 樓 04 室

Indoor Air Quality Inspection 室內空氣質素檢驗

ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	On-site measurement of : - Carbon Dioxide - Respirable Suspended Particulate Walkthrough Inspection IAQ Compliance Assessment for the first to fourth annual re-certification	A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, September 2003 Annex 3 (b), as documented in QP-15A-4 (Non-Dispersive Infrared (NDIR)) Annex 3 (g), as documented in QP-15A-6 (Light scattering laser diode) Clause 11 Clause 13 to Clause 28

Acumen Laboratory and Testing Limited

浩科檢測中心有限公司

Workshop 04, 7/F, The Whitney, No. 183 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong

香港九龍觀塘偉業街 183 號 The Whitney 7 樓 04 室

Indoor Air Quality Inspection 室內空氣質素檢驗

ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	On-site measurement of : - Carbon Dioxide - Carbon Monoxide - Respirable Suspended Particulate - Total Volatile Organic Compound - Radon - Ozone - Nitrogen Dioxide - Formaldehyde On-site sampling of : - Airborne Bacteria - Formaldehyde - Nitrogen Dioxide Walkthrough Inspection Mould Inspection IAQ Compliance Assessment	A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, January 2019 Annex 4 (a), as documented in QP-15A-4 (Non-Dispersive Infrared (NDIR)) Annex 4 (a), as documented in QP-15A-5 (Electrochemical sensor) Annex 4 (f), as documented in QP-15A-6 (Light scattering laser diode) Annex 4 (g), as documented in QP-15A-10 (Photo-ionization sensor) Annex 4 (b), as documented in QP-15A-11 (Electrostatic collection of alpha-emitter with spectral analysis and Diffused junction photodiode) Annex 4 (e), as documented in QP-15A-8 (Gas sensitive semiconductor sensor) Annex 4 (d), as documented in QP-15A-7a (Gas sensitive electrochemical sensor) Annex 4 (c), as documented in QP-15A-9a (Photoelectric photometry detector and Electrochemical sensor) Annex 4 (h), as documented in QP-15A-12 (Single-stage Impactor) Annex 4 (c), as documented in QP-15A-9 (Passive sampler) Annex 4 (d), as documented in QP-15A-7 (Passive sampler) Clauses 13 and 14 Clause 20 Clauses 16 to 19 and Clauses 21 to 40



Government Laboratory - Forensic Science Division
政府化驗所 - 法證事務部

ADDRESS : Government Laboratory
地址 7/F, Homantin Government Offices,
88 Chung Hau Street, Kowloon, Hong Kong
香港九龍何文田忠孝街八十八號何文田政府合署七樓

ENQUIRY : Dr LI Chi-keung, Senior Chemist
查詢 李志強博士，高級化驗師

TELEPHONE : 2762 3768
電話

FAX : 2714 4083
傳真

E-MAIL : qmfsd@govtlab.gov.hk
電郵

WEBSITE ADDRESS : <http://www.govtlab.gov.hk>
網址

CLIENTELE : Government departments
服務對象 政府部門



Scope of Accreditation
Registration No. HKIAS 037
Page 1 of 2
Issue Date: 1 August 2023
Ref: HKIAS037-1

Government Laboratory - Forensic Science Division

政府化驗所 - 法證事務部

ADDRESS

地址

Main Office

: Government Laboratory, 7/F, Homantin Government Offices, 88
Chung Hau Street, Kowloon, Hong Kong
香港九龍何文田忠孝街八十八號何文田政府合署七樓

TYPE OF INSPECTION BODY

檢驗機構類別

: A : Provides third party inspection service
提供第三方檢驗服務

ACCREDITED INSPECTION FIELD

認可檢驗領域

: Scene of Crime Investigation 罪案現場勘查

Government Laboratory - Forensic Science Division

政府化驗所 - 法證事務部

Government Laboratory, 7/F, Homantin Government Offices, 88 Chung Hau Street, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Scene of Crime Investigation 罪案現場勘查

ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Crime scene exhibits	Location and recovery of blood/semen	In-house method SQS/SWM/1, Ch. 3, Cl. 2 - Visual examination - Presumptive testing - Visual location by light source - Recovery by swabbing
	Location and recovery of fibres	In-house method SQS/SWM/1, Ch. 3, Cl. 3 - Visual examination - Taping - Recovery and collection
	Location and recovery of glass fragments	In-house method SQS/SWM/1, Ch. 3, Cl. 4 - Visual examination - Recovery and collection
	Location and recovery of paint/plastic fragments	In-house method SQS/SWM/1, Ch. 3, Cl. 5 - Visual examination - Recovery and collection
	Recovery of latent DNA	In-house method SQS/SWM/1, Ch. 3, Cl. 6 - Swabbing
	Location and recovery of shoeprints	In-house method SQS/SWM/1, Ch. 3, Cl. 7 - Visual examination - Examination by lighting techniques - Recovery by gel lifting - Recovery by shoeprint capturing system - Photography
	Location and recovery of tool marks	In-house method SQS/SWM/1, Ch. 3, Cl. 8 - Visual examination - Recovery by casting



Hong Kong Police Force – Identification Bureau
香港警務處 – 鑑證科

ADDRESS : Room 816, 8th Floor, Arsenal House West Wing, Police Headquarters, 1 Arsenal Street,
地址 Wanchai, Hong Kong
香港灣仔軍器廠街一號警察總部警政大樓西翼八樓 816 室

ENQUIRY : Ms CHAN Shuk Yee, Chief Inspector of Police
查詢 陳淑兒女士，總督察

TELEPHONE : 2860 8262
電話

FAX : 2865 6670
傳真

E-MAIL : tracychan@police.gov.hk
電郵

CLIENTELE : Government departments
服務對象 政府部門



Hong Kong Police Force – Identification Bureau

香港警務處 – 鑑證科

ADDRESS

地址

Main Office

: 8th & 10th Floor, Arsenal House West Wing, Police Headquarters, 1 Arsenal Street, Wanchai, Hong Kong
香港灣仔軍器廠街一號警察總部警政大樓西翼八及十樓

Regional Offices

: Room 203, 2nd Floor, Police Tactical Unit Kowloon West Operational Base, 50 Tai Hang Sai Street, Shek Kip Mei, Kowloon
九龍石硤尾大坑西街 50 號西九龍機動部隊行動基地二樓 203 室

Room 1250A, 12th Floor, New Territories South Regional Headquarters, 8 Shing Mun Road, Tsuen Wan, New Territories
新界荃灣城門道 8 號新界南總區總部十二樓 1250A 室

TYPE OF INSPECTION BODY

檢驗機構類別

: C : Provides inspection services internally and to other law enforcement agencies within HKSAR Government
提供內部檢驗服務及予其他香港特別行政區政府的執法機關

ACCREDITED INSPECTION FIELD

認可檢驗領域

: Scene of Crime Investigation 罪案現場勘查



Hong Kong Police Force - Identification Bureau

香港警務處 - 鑑證科

8th & 10th Floor, Arsenal House West Wing, Police Headquarters, 1 Arsenal Street, Wanchai, Hong Kong

香港灣仔軍器廠街一號警察總部警政大樓西翼八及十樓

Room 203, 2nd Floor, Police Tactical Unit Kowloon West Operational Base, 50 Tai Hang Sai Street, Shek Kip Mei, Kowloon

九龍石硤尾大坑西街 50 號西九龍機動部隊行動基地二樓 203 室

Room 1250A, 12th Floor, New Territories South Regional Headquarters, 8 Shing Mun Road, Tsuen Wan, New Territories

新界荃灣城門道 8 號新界南總區總部十二樓 1250A 室

Scene of Crime Investigation 罪案現場勘查

ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Scene of crime	Fingerprint detection and recovery	In-house method T1 (Powders)



Sky Professional Testing & Consulting Limited

天晉測試顧問有限公司

ADDRESS : Flat/Rm A4, 18/F, Bonsun Industrial Building, 364-366 Sha Tsui Road,
地址 Tsuen Wan, New Territories, Hong Kong
香港新界荃灣沙咀道364-366號萬象工業大廈18樓A4室

ENQUIRY : Mr FONG Wai-ho, Assistant Technical Manager
查詢 方偉豪先生，助理技術經理

TELEPHONE : 3590 2513
電話

FAX : 3590 3867
傳真

E-MAIL : info@skyprotnc.com
電郵

WEBSITE ADDRESS : --
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 039
Page 1 of 2
Issue Date: 8 January 2025
Ref: HKIAS039-2

Sky Professional Testing & Consulting Limited

天晉測試顧問有限公司

ADDRESS

地址

: Flat/Rm A4, 18/F, Bonsun Industrial Building,
364-366 Sha Tsui Road, Tsuen Wan,
New Territories, Hong Kong
香港新界荃灣沙咀道364-366號
萬象工業大廈18樓A4室

TYPE OF INSPECTION BODY

檢驗機構類別

: A: Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD

認可檢驗領域

: Construction Products
建築產品

Sky Professional Testing & Consulting Limited

天晉測試顧問有限公司

Flat/Rm A4, 18/F, Bonsun Industrial Building, 364-366 Sha Tsui Road, Tsuen Wan, New Territories, Hong Kong

香港新界荃灣沙咀道 364-366 號萬象工業大廈 18 樓 A4 室

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding inspection	Inspection of welding procedure (MMAW, MIG, MAG, FCAW) Inspection of welder testing (MMAW, MIG, MAG, FCAW) Inspection of welding of reinforcing steel for load-bearing welded joints (MMAW, MIG, MAG, FCAW) Inspection of arc stud welding procedure Inspection of qualification tests for mechanised and automatic welding (MIG, MAG, FCAW, stud)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2004 + A1: 2008 + A2: 2012 BS EN ISO 15614-1: 2017 + A1: 2019 BS EN 287-1: 2004 BS EN 287-1: 2011 BS EN ISO 9606-1: 2017 BS EN ISO 17660-1: 2006 BS EN ISO 14555: 2017 BS EN ISO 14732: 2013



Weldtech Inspection & Testing Limited

宏泰檢測有限公司

ADDRESS : Room H1, 21/F, Block 2, Golden Dragon Industrial Centre,
地址 162-170 Tai Lin Pai Road, Kwai Chung, New Territories,
Hong Kong
香港新界葵涌大連排道162-170號金龍工業中心第二座
21樓H1號室

ENQUIRY : Mr CHOW Chi-leung, General Manager
查詢 周子良先生，總經理

TELEPHONE : 3577 8527
電話

E-MAIL : withinfo@gmail.com
電郵

WEBSITE ADDRESS : --
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 040
Page 1 of 2
Issue Date: 8 January 2025
Ref: HKIAS040-2

Weldtech Inspection & Testing Limited

宏泰檢測有限公司

ADDRESS

地址

: Room H1, 21/F, Block 2, Golden Dragon Industrial Centre,
162-170 Tai Lin Pai Road, Kwai Chung, New Territories,
Hong Kong
香港新界葵涌大連排道162-170號金龍工業中心第二座
21樓H1號室

TYPE OF INSPECTION BODY

檢驗機構類別

: A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD

認可檢驗領域

: Construction Products
建築產品



Weldtech Inspection & Testing Limited

宏泰檢測有限公司

Room H1, 21/F, Block 2, Golden Dragon Industrial Centre, 162-170 Tai Lin Pai Road, Kwai Chung, New Territories, Hong Kong
香港新界葵涌大連排道 162-170 號金龍工業中心第二座 21 樓 H1 號室

Construction Products 建築產品		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Welding inspection	Inspection of welding procedure (MMAW, MIG, MAG, FCAW) Inspection of welder testing (MMAW, MIG, MAG, FCAW) Inspection of arc stud welding procedure Inspection of qualification tests for mechanised and automatic welding (MIG, MAG, FCAW, stud)	BS EN ISO 15613: 2004 BS EN ISO 15614-1: 2017 + A1: 2019 BS EN 287-1: 2011 BS EN ISO 9606-1: 2017 BS EN ISO 14555: 2017 BS EN ISO 14732: 2013



Quality Pro Test-Consult Limited

專業化驗有限公司

ADDRESS : Unit 10, 5/F, Wah Wai Centre, 38-40 Au Pui Wan Street, Fotan, New Territories
地址 新界沙田火炭坳背灣街 38-40 號華衛工貿中心 5 樓 10 室

ENQUIRY : Ms Aries FUNG Yuen-ching, General Manager
查詢 馮婉禎小姐，總經理

TELEPHONE : 3956 8717
電話

FAX : 3956 3928
傳真

E-MAIL : aries@qualityprotest.com
電郵

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HKIAS 041
Page 1 of 2
Issue Date: 7 August 2024
Ref: HKIAS041-1

Quality Pro Test-Consult Limited
專業化驗有限公司

ADDRESS
地址 : Unit 10, 5/F, Wah Wai Centre, 38-40 Au Pui Wan Street, Fotan, New Territories
新界沙田火炭坳背灣街 38-40 號華衛工貿中心 5 樓 10 室

TYPE OF INSPECTION BODY
檢驗機構類別 : A : Provides 'third party' inspection service to the public
向公眾提供「第三方」檢驗服務

ACCREDITED INSPECTION FIELD
認可檢驗領域 : Indoor Air Quality Inspection 室內空氣質素檢驗

Quality Pro Test-Consult Limited

專業化驗有限公司

Unit 10, 5/F, Wah Wai Centre, 38-40 Au Pui Wan Street, Fotan, New Territories

新界沙田火炭坳背灣街 38-40 號華衛工貿中心 5 樓 10 室

Indoor Air Quality Inspection 室內空氣質素檢驗		
ITEM INSPECTED 檢驗項目	SPECIFIC PROPERTY OR CHARACTERISTIC INSPECTED 特定檢驗特性或特徵	SPECIFICATION, INSPECTION METHOD OR STANDARD 規範、檢驗方法或標準
Indoor Air Quality	<p>On-site measurement of :</p> <ul style="list-style-type: none"> - Carbon Dioxide - Carbon Monoxide - Respirable Suspended Particulate - Total Volatile Organic Compound - Radon - Ozone - Nitrogen Dioxide - Formaldehyde <p>On-site sampling of :</p> <ul style="list-style-type: none"> - Airborne Bacteria - Formaldehyde - Nitrogen Dioxide <p>Walkthrough Inspection</p> <p>Mould Inspection</p> <p>IAQ Compliance Assessment</p>	<p>A Guide on Indoor Air Quality Certification Scheme for Offices and Public Places, The Government of the HKSAR, Indoor Air Quality Management Group, January 2019</p> <p>Annex 4 (a), as documented in ITP-IAQ001 (Non-dispersive infrared NDIR)</p> <p>Annex 4 (a), as documented in ITP-IAQ001 (Electrochemical sensor)</p> <p>Annex 4 (f), as documented in ITP-IAQ002 (Light scattering laser diode)</p> <p>Annex 4 (g), as documented in ITP-IAQ006 (Photo-ionisation sensor)</p> <p>Annex 4 (b), as documented in ITP-IAQ003 (Electrostatic collection of alpha-emitters with spectral analysis)</p> <p>Annex 4 (e), as documented in ITP-IAQ004 (Gas sensitive semiconductor sensor)</p> <p>Annex 4 (d), as documented in ITP-IAQ005 (Gas sensitive electrochemical sensor)</p> <p>Annex 4 (c), as documented in ITP-IAQ007 (Photoelectric photometry sensor)</p> <p>Annex 4 (h), as documented in ITP-IAQ009 (Surface air system bioaerosol sampler)</p> <p>Annex 4 (c), as documented in ITP-IAQ007 (Passive sampler)</p> <p>Annex 4 (d), as documented in ITP-IAQ005 (Passive sampler)</p> <p>Clauses 13 and 14</p> <p>Clause 20</p> <p>Clauses 16 to 19 and Clauses 21 to 40</p>