



Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

ADDRESS : 4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong
地址 香港九龍達之路七十八號生產力大樓四樓

ENQUIRY : Dr Anthony MA Yiu-wa, Deputy General Manager
查詢 馬耀華博士，副總經理

TELEPHONE : 2788 5613
電話

FAX : 2788 5608
傳真

E-MAIL : anthonym@hkpc.org
電郵

WEBSITE ADDRESS : www.hkpc.org
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HOKLAS 039
Page 1 of 12
Issue Date: 2 August 2021
Ref: HOKLAS039-62

Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

ADDRESS : 4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong
地址 香港九龍達之路七十八號生產力大樓四樓

ACCREDITED TEST : Chinese Medicine 中藥

CATEGORY Environmental Testing 環境測試

認可測試類別 Food 食品

Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong

香港九龍達之路七十八號生產力大樓四樓

Chinese Medicine 中藥		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Proprietary Chinese Medicine & Chinese Herbal Medicine	Toxic elements:- Arsenic, Cadmium, Mercury, Lead Pesticide residues:- alpha-BHC beta-BHC delta-BHC Lindane Aldrin Dieldrin Endrin cis-Chlordane Trans-Chlordane Oxychlordane Heptachlor Heptachlor epoxide Hexachlorobenzene Methyl pentachlorophenyl sulphide Pentachloroaniline Quintozene 4,4'- DDD 4,4'- DDE 2,4'- DDT 4,4'- DDT	In-house method TCM-METAL-1 (microwave digestion/ICP-MS) In-house method TCM-OCP-1 (GC-ECD and GC-MSD (2,4'-DDT only))

Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong

香港九龍達之路七十八號生產力大樓四樓

Environmental Testing 環境測試

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Drinking water	Non-metallic constituents :- - Chlorine (Free residual)	In House Method WTM-CL2-3 (DPD colorimetric method)
Water and Wastewater	Physical Examination :- Conductivity Colour pH Value Hardness (as CaCO ₃) Total Dissolved Solid dried at 180°C Volatile Suspended Solids ignited at 550°C Total Suspended Solids dried at 103°-105°C Dissolved Oxygen Total solids dried at 103°-105°C Turbidity Trace Metals :- Acid digestion procedure: - Aluminum, Antimony, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Gold, Iron, Lead, Magnesium, Manganese, Molybdenum, Nickel, Potassium, Silver, Sodium, Thallium, Tin, Vanadium and Zinc - Arsenic, Selenium, Mercury - Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Gold, Iron, Lead, Magnesium, Manganese, Mercury, , Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Tin, Vanadium and Zinc	APHA 21e 2510 B APHA 20e 2120 B APHA 21e 4500-H ⁺ B (Glass electrode) APHA 21e 2340 C APHA 17e 2540 C APHA 17e 2540 E APHA 17e 2540 D BS 6068: Section 2.15: 1986 APHA 18e 2540 B APHA 18e 2130 B APHA 18e 3030 A, 3030 E & 3030 F.3b In-house method WTM-ICPMS-1 (nitric acid / hydrochloric acid and nitric acid) In-house method WTM-ICPMS-1 (ICP-MS)

Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong

香港九龍達之路七十八號生產力大樓四樓

Environmental Testing 環境測試

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater (cont'd)	Non-metallic constituents :- - Total residual chlorine - Chloride - Sulphate - Nitrogen (Ammonia) - Nitrogen (Kjeldahl) - Alkalinity (as CaCO ₃) - Total Cyanide - Nitrogen (Nitrite) - Nitrogen (Nitrate)	APHA 21e 4500-Cl B In House Method WTM-IC-1 (ion chromatography) In House Method WTM-IC-1 (ion chromatography) APHA 17e 4500-NH ₃ B & E APHA 22e 4500-N _{org} B & 4500-NH ₃ C APHA 21e 2320 B In House Method WTM-CN-3 (By FIA) APHA 21e 4500-NO ₂ B In House Method WTM-IC-1 (ion chromatography)

Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong

香港九龍達之路七十八號生產力大樓四樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater (cont'd)	Non-metallic constituents :- (cont'd) - Total Reactive Phosphorus - Fluoride - Total Phosphorus - Nitrogen (Ammonia) - Nitrogen (Nitrite) - Nitrogen (Nitrate) - Oxidized Nitrogen - Total Nitrogen - Sulphide (in aqueous absorbing solution for air sampling)	 APHA 21e 4500-P E APHA 21e 4500-F ⁻ C APHA 21e 4500-PB.5 & E In-house Method WTM-NH ₃ -4 (By FIA) In-house Method WTM-NO ₂ -2 (By FIA) In-house Method WTM-NO ₃ -4 (By FIA) In-house Method WTM-NO ₃ -4 (By FIA) In-house Method WTM-TN-3 (By FIA) APHA 21e 4500-S ²⁻ F

Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong

香港九龍達之路七十八號生產力大樓四樓

Environmental Testing 環境測試

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater (cont'd)	Organic Pollutants :- - Oil and grease - Biochemical Oxygen Demand - Chemical Oxygen Demand - Anionic surfactants as MBAS - Non-ionic surfactants - Total organic carbon Polycyclic Aromatic Hydrocarbons: Naphthalene; Acenaphthene; Acenaphthylene; Fluorene; Phenanthrene; Anthracene; Fluoranthene; Pyrene; Benzo(a)anthracene; Chrysene; Benzo(b)fluoranthene; Benzo(k)fluoranthene; Benzo(a)pyrene; Indo(1,2,3-cd)pyrene; Dibenz(a,h)anthracene; Benzo(ghi)perylene	APHA 20e 5520 B BS 6068 : Section 2.14 : 1990 APHA 21e 5220 B APHA 18e 5220 D ASTM D 1252-88 B 1992 (Low range) In House Method WTM-MBAS-1 (Colorimetric) In House Method WTM-NIS-1 (Colorimetric) ISO 8245: 1987 (E) In-house Method WTM-PAH-1 (GC/MSD)

Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong

香港九龍達之路七十八號生產力大樓四樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater (cont'd)	Organic Pollutants :- (cont'd) Polychlorinated biphenyl congeners 2,4'-Dichlorobiphenyl (8) 2,2'5 - Trichlorobiphenyl (18) 2,4,4' - Trichlorobiphenyl (28) 2,2',3,5' - Tetrachlorobiphenyl (44) 2,2', 5,5' - Tetrachlorobiphenyl (52) 2,3',4,4'-Tetrachlorobiphenyl (66) 3,3',4,4'-Tetrachlorobiphenyl (77) 2,2'4,5,5' - Pentachlorobiphenyl (101) 2,3,3'4,4' - Pentachlorobiphenyl (105) 2,3'4,4',5 - Pentachlorobiphenyl (118) 3,3',4,4',5-Pentachlorobiphenyl (126) 2,2',3,3',4,4' - Hexachlorobiphenyl (128) 2,2',3,4,4',5' - Hexachlorobiphenyl (138) 2,2',4,4',5,5' - Hexachlorobiphenyl (153) 3,3',4,4',5,5'-Hexachlorobiphenyl (169) 2,2',3,3',4,4'5 - Heptachlorobiphenyl (170) 2,2',3,4,4',5,5' - Heptachlorobiphenyl (180) 2,2',3,4',5,5',6-Heptachlorobiphenyl (187) 2,2',3,3',4,4',5,6-Octachlorobiphenyl (195) 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (206)	In House Method WTM-PCB-1 (GC-ECD)

Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong

香港九龍達之路七十八號生產力大樓四樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater (cont'd)	Organic Pollutants :- (cont'd) Volatile Organic Compounds (VOCs) Benzene; bromodichloromethane; bromoform; chloroform; dibromochloromethane; dichloromethane; 1,2-dichlorobenzene; 1,3-dichlorobenzene; 1,4-dichlorobenzene; ethyl benzene; styrene; tetrachloroethylene; toluene; trichloroethylene; m,p-xylene; o-xylene	In House Method WTM-VOC-2 (GC-MSD)
Sediment and Sludge	Total solids dried at 103-105°C	In House Method WTM-TS-4 (Gravimetric)
Sediment	Trace Metals : (Acid Leachable) - Antimony, Arsenic, Barium, Cadmium, Chromium, Cobalt, Copper, Lead, Mercury, Manganese, Molybdenum, Nickel, Tin, Zinc	In House Method Sediment-Metal-3 (ICP-MS)

Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong

香港九龍達之路七十八號生產力大樓四樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater	Microbiological tests:- - E. coli - Total Coliform	DoE (1983) The Bacteriological Examination of Drinking Water Supplies, 1982 Membrane Filtration Procedure: Section 7.8 and 7.9.4.2 Bacterial Confirmation: in-situ urease test DoE (1983) The Bacteriological Examination of Drinking Water Supplies, 1982 Membrane Filtration Procedure: Section 7.8 and 7.9.4.1 Bacterial Confirmation: 7.9.4.3
Water, Wastewater, and Cooling Tower Water	- Heterotrophic Plate Count - Legionellae including <i>Legionella pneumophila</i>	APHA 23e 9215 A&B AS/NZS 3896: 2008
Cooling Tower Water	- Legionellae including <i>Legionella pneumophila</i>	AS/NZS 3896:2017
Drinking Water	- Legionellae including <i>Legionella pneumophila</i>	ISO 11731-2: 2004
Saline Water	Physical examination :- - Total Suspended Solids dried at 103-105°C	APHA 22e 2540D

Hong Kong Productivity Council – Green Living Laboratory

香港生產力促進局 - 綠色生活化驗室

4/F, HKPC Building, 78 Tat Chee Avenue, Yau Yat Chuen, Kowloon, Hong Kong

香港九龍達之路七十八號生產力大樓四樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
General foodstuff	Trace metals:- - Antimony, Arsenic, Cadmium, Chromium, Lead, Mercury, Tin	In House Method FD-METAL-1 (ICP-MS)