



**Hong Kong Productivity Council – Electromagnetic Compatibility Centre**

香港生產力促進局 – 電磁兼容科技中心

**ADDRESS** : LG1/F., HKPC Building, 78 Tat Chee Avenue, Kowloon, Hong Kong  
地址 香港九龍達之路78號生產力大樓LG1/F

**ENQUIRY** : Mr Herman CHOW Ho-man, Senior Engineering Manager  
查詢 周浩文先生，高級工程經理

**TELEPHONE** : 2788 6396  
電話

**FAX** : 2788 5405  
傳真

**E-MAIL** : [emc@hkpc.org](mailto:emc@hkpc.org)  
電郵

**WEBSITE ADDRESS** : <http://www.hkpc.org/>  
網址

**CLIENTELE** : Public  
服務對象 公眾



Scope of Accreditation  
Registration No. HOKLAS 082  
Page 1 of 6  
Issue Date: 27 February 2023  
Ref: HOKLAS082-39

**Hong Kong Productivity Council – Electromagnetic Compatibility Centre**

香港生產力促進局 – 電磁兼容科技中心

**ADDRESS** : LG1/F., HKPC Building, 78 Tat Chee Avenue, Kowloon, Hong Kong  
**地址** : 香港九龍達之路 78 號生產力大樓 LG1/F

**ACCREDITED TEST** : Electrical and Electronic Products 電氣及電子產品

**CATEGORY**  
**認可測試類別**

**Hong Kong Productivity Council – Electromagnetic Compatibility Centre**

香港生產力促進局 – 電磁兼容科技中心

LG1/F., HKPC Building, 78 Tat Chee Avenue, Kowloon, Hong Kong

香港九龍達之路 78 號生產力大樓 LG1/F

**Electrical and Electronic Products 電氣及電子產品**

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Unintentional radiator	EMC test :- Emission test  - Measurement of radiated emission 9 kHz to 40 GHz - Measurement of conducted emission 150 kHz to 30 MHz	47 CFR Part 15 Subpart A and Subpart B using the methods specified in ANSI C63.4-2014
Intentional radiator	- Measurement of radiated emission 9 kHz to 40 GHz - Measurement of conducted emission 150 kHz to 30 MHz	47 CFR Part 15 Subpart A and Subpart C using test-method specified in ANSI C63.10-2013
Information technology equipment	- Measurement of radiated emission 9 kHz to 40 GHz - Measurement of conducted emission 150 kHz to 30 MHz	ICES-003 Issue 6, January 2016 (updated April 2017) using the methods specified in ANSI C63.4-2014

**Hong Kong Productivity Council – Electromagnetic Compatibility Centre**

香港生產力促進局 – 電磁兼容科技中心

LG1/F., HKPC Building, 78 Tat Chee Avenue, Kowloon, Hong Kong

香港九龍達之路 78 號生產力大樓 LG1/F

<b>Electrical and Electronic Products 電氣及電子產品</b>		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Licence-exempt radio apparatus: category I equipment	EMC test :- Emission test  - Measurement of radiated emission - 9 kHz to 40 GHz - Measurement of conducted emission - 150 kHz to 30 MHz - Measurement of conducted emission at antenna terminal - 9 kHz to 40 GHz	RSS-210 Issue 10, December 2019 + Amendment (April 2020) in conjunction with RSS-Gen Issue 5, April 2018 (Amendment 1, March 2019) using test methods specified in ANSI C63.10: 2013
Licence-exempt radio apparatus: category II equipment	- Measurement of radiated emission - 9 kHz to 40 GHz - Measurement of conducted emission - 150 kHz to 30 MHz - Measurement of conducted emission at antenna terminal - 9 kHz to 40 GHz	RSS-310 Issue 5, January 2020 + Amendment (April 2020) in conjunction with RSS-Gen Issue 5, April 2018 (Amendment 1, March 2019) using test methods specified in ANSI C63.10: 2013
Digital transmission system, frequency hopping system and licence-exempt local area network device without dynamic frequency selection	- Measurement of radiated emission - 9 kHz to 40 GHz - Measurement of conducted emission - 150 kHz to 30 MHz - Measurement of conducted emission at antenna terminal - 9 kHz to 40 GHz	RSS-247 Issue 2, February 2017 in conjunction with RSS-Gen Issue 5, April 2018 + Amendment 1 (March 2019) using test methods specified in ANSI C63.10: 2013
Industrial, scientific and medical (ISM) equipment < <b>Excluding the following</b> > - three phase equipment - electric welding equipment - ISM RF lighting equipment - medium voltage and high voltage switchgear - grid connected power converters	- Measurement of terminal disturbance voltages - 9 kHz to 30 MHz - Measurement of radiated disturbance - 9 kHz to 18 GHz	CISPR 11: 2009 + A1: 2010 EN 55011: 2009 + A1: 2010 < <b>Excluding the following</b> > for the above two standards Cl. 6.4, 7.6.8 and 10; Table 10

**Hong Kong Productivity Council – Electromagnetic Compatibility Centre**

香港生產力促進局 – 電磁兼容科技中心

LG1/F., HKPC Building, 78 Tat Chee Avenue, Kowloon, Hong Kong

香港九龍達之路 78 號生產力大樓 LG1/F

<b>Electrical and Electronic Products 電氣及電子產品</b>		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Electric and electronic toy	EMC test :- Emission test  - Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz - Measurement of disturbance power 30 MHz to 300 MHz - Measurement of radiated disturbance 30 MHz to 1 GHz	CISPR 14-1:2005+A1:2008+A2:2011 EN 55014-1:2006+A1:2009+A2:2011 <i>&lt;Excluding the following&gt;</i> for the above two standards Cl. 4.2
Household appliance, electric tool and similar apparatus	- Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz - Measurement of disturbance power 30 MHz to 300 MHz	CISPR 14-1:2005+A1:2008+A2:2011 EN 55014-1:2006+A1:2009+A2:2011 <i>&lt;Excluding the following&gt;</i> for the above two standards Cl. 4.2, 7.3.1.20, 7.3.7.3
Lighting equipment and luminaire	- Measurement of conducted disturbance voltages at mains terminals, load terminals and control terminals 9 kHz to 30 MHz - Measurement of radiated electromagnetic disturbances 9 kHz to 300 MHz	CISPR 15: 2013 EN 55015: 2013 <i>&lt;Excluding the following&gt;</i> for the above two standards Cl. 4.2, 5.2.3, 5.5.5
Multimedia equipment	- Measurement of radiated emission 30 MHz to 6 GHz - Measurement of conducted emission 150 kHz to 30 MHz	CISPR 32: 2015 + Corr. 2016 EN 55032: 2015 + AC: 2016 <i>&lt;Excluding the following&gt;</i> for the above two standards Tables A.7, A.11, A.12, A.13
Information technology equipment	- Measurement of terminal disturbance voltage 150 kHz to 30 MHz - Measurement of radiated disturbance 30 MHz to 6 GHz	CISPR 22: 2008 EN 55022: 2010 <i>&lt;Excluding the following&gt;</i> for the above two standards Cl. 9.6

**Hong Kong Productivity Council – Electromagnetic Compatibility Centre**

香港生產力促進局 – 電磁兼容科技中心

LG1/F., HKPC Building, 78 Tat Chee Avenue, Kowloon, Hong Kong

香港九龍達之路 78 號生產力大樓 LG1/F

<b>Electrical and Electronic Products 電氣及電子產品</b>		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Electrical and electronic equipment having an input current up to 16A and connected to a single-phase supply system of 220V, 230V or 240V at 50 Hz or 60 Hz	EMC test :- Emission test  - Harmonic current	EN 61000-3-2: 2006 + A2: 2009 IEC 61000-3-2: 2005 + A1: 2008+ A2: 2009 <i>&lt; Excluding the following &gt;</i> for the above two standards Cl. 4 (professional equipment), C.2, C.3, C.8, C.12, C.14  EN 61000-3-2: 2014 IEC 61000-3-2: 2014 <i>&lt; Excluding the following &gt;</i> for the above two standards Cl. 4 (professional equipment), C.2, C.3, C.8, C.12, C.14, C.15
Electrical and electronic equipment having an input current up to 16A and connected to a single-phase supply system of 220 to 250V at 50 Hz	Voltage changes, voltage fluctuations and flicker - Short-term flicker severity, Pst - Long-term flicker severity, Plt - Maximum steady state voltage change, dc - Maximum absolute voltage change, dmax - Maximum time duration that the voltage deviation exceeds the limit for dc, Tmax	EN 61000-3-3: 2013 IEC 61000-3-3: 2013 <i>&lt; Excluding the following &gt;</i> for the above two standards Cl. 4.2.3, 4.2.4, A.3, A.4, A.12, A.13, A.14, A.15
Electrical and electronic apparatus intended for use in residential, commercial and light-industrial environments for which no dedicated product or product-family emission standard exists	- Measurement of terminal disturbance voltage 150 kHz to 30 MHz - Measurement of radiated disturbance 30 MHz to 6 GHz	EN 61000-6-3:2007+A1:2011 IEC 61000-6-3:2006+A1:2010

**Hong Kong Productivity Council – Electromagnetic Compatibility Centre**

香港生產力促進局 – 電磁兼容科技中心

LG1/F., HKPC Building, 78 Tat Chee Avenue, Kowloon, Hong Kong

香港九龍達之路 78 號生產力大樓 LG1/F

<b>Electrical and Electronic Products 電氣及電子產品</b>		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Multimedia equipment	EMC test :- Immunity test  - Radio frequency electromagnetic field - Electrostatic discharge - Fast transient - Radio frequency common mode - Surge	CISPR 35: 2016 EN 55035: 2017 < <i>Excluding the following</i> > for the above two standards Annexes A, E, F, G, H
Electrical and electronic apparatus intended for use in residential, commercial and light-industrial environments for which no dedicated product or product-family emission standard exists	- Radio frequency electromagnetic field - Electrostatic discharge - Fast transient - Radio frequency common mode - Surge	EN 61000-6-1: 2007 IEC 61000-6-1: 2005
Electrical and electronic equipment	- Electrostatic discharge immunity test 15 kV air discharge 8 kV contact discharge  - Radiated, radio frequency electromagnetic field 80 MHz to 1 GHz, 10V/m 1 GHz to 6 GHz, 3V/m  - Electrical fast transient/burst 4 kV (max.) 5/50ns, 5kHz  - Surge 4 kV(max.)  - Conducted disturbance induced by radio frequency fields 150 kHz to 80 MHz, 3V	EN 61000-4-2: 2009 IEC 61000-4-2: 2008  EN 61000-4-3: 2006 + A2: 2010 IEC 61000-4-3: 2006 + A1: 2007 + A2: 2010  EN 61000-4-4: 2012 IEC 61000-4-4: 2012  EN 61000-4-5: 2014 IEC 61000-4-5: 2014 < <i>Excluding the following</i> > for the above two standards Cl. 6.3.3.3  EN 61000-4-6: 2014 IEC 61000-4-6: 2013