



Enviro Labs Limited
環境化驗有限公司

ADDRESS : Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling,
地址 New Territories, Hong Kong
香港粉嶺樂業路 33 號豐隆廣場 611-612 室

ENQUIRY : Mr Kenneth LAM Kar-kin, Senior Manager
查詢 林家堅先生，高級經理

TELEPHONE : 2676 2983
電話

FAX : 2676 2860
傳真

E-MAIL : info@envirolabs.com.hk
電郵

WEBSITE ADDRESS : <http://www.envirolabs.com.hk/>
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HOKLAS 128
Page 1 of 16
Issue Date: 1 February 2023
Ref: HOKLAS128-42

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong
香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

ADDRESS : Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong
地址 Kong
香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

ACCREDITED TEST : Chinese Medicine 中藥
CATEGORY Environmental Testing 環境測試
認可測試類別 Food 食品
Miscellaneous 雜類

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong

香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Chinese Medicine 中藥		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Proprietary Chinese Medicines	Microbiological examinations :- - 微生物限度檢查法 Microbial Limit Test 細菌數 Aerobic bacteria count 霉菌與酵母菌數 Mould and Yeast count 大腸桿菌 <i>E. coli</i> 沙門菌 <i>Salmonella</i> species 銅綠假單胞菌 <i>Pseudomonas aeruginosa</i> 金黃色葡萄球菌 <i>Staphylococcus aureus</i>	中華人民共和國藥典2000年版一部附錄XIII Pharmacopoeia of the People's Republic of China 2000, Volume I, App. XIII
Proprietary Chinese Medicines	- Microbial Enumeration Tests and Tests for Specified Microorganisms 微生物計數法及控制菌檢查法 需氧菌總數 Total Aerobic Microbial Count 霉菌和酵母菌總數 Total Combined Mold and Yeast Count 耐膽鹽革蘭陰性菌 Bile-tolerant Gram negative bacteria 大腸埃希菌 <i>E. coli</i> 沙門菌 <i>Salmonella</i> species 銅綠假單胞菌 <i>Pseudomonas aeruginosa</i> 金黃色葡萄球菌 <i>Staphylococcus aureus</i> 梭菌 <i>Clostridia</i> 白色念珠菌 <i>Candida albicans</i>	中華人民共和國藥典 2015 年版四部 1105 & 1106 段, 非無菌產品微生物限度檢查: 微生物計數法及控制菌檢查法 Pharmacopoeia of the People's Republic of China 2015, Volume IV, Parts 1105 & 1106
Proprietary Chinese Medicines	- Microbial Enumeration Tests and Tests for Specified Microorganisms 微生物計數法及控制菌檢查法 需氧菌總數 Total Aerobic Microbial Count 霉菌和酵母菌總數 Total Combined Mold and Yeast Count 耐膽鹽革蘭陰性菌 Bile-tolerant Gram negative bacteria 大腸埃希菌 <i>E. coli</i> 沙門菌 <i>Salmonella</i> species 銅綠假單胞菌 <i>Pseudomonas aeruginosa</i> 金黃色葡萄球菌 <i>Staphylococcus aureus</i> 梭菌 <i>Clostridia</i> 白色念珠菌 <i>Candida albicans</i>	中華人民共和國藥典 2020 年版四部 1105 & 1106 段, 非無菌產品微生物限度檢查: 微生物計數法及控制菌檢查法 Pharmacopoeia of the People's Republic of China 2020, Volume IV, Parts 1105 & 1106

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong

香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Chinese Medicine 中藥		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Proprietary Chinese Medicines except medicated oil	Pesticide Residue: - - Organochlorine Pesticide Aldrin, Dieldrin, Endrin, cis-Chlordane, trans-Chlordane, Oxychlordane, Heptachlor, Heptachlor epoxide, Hexachlorocyclohexane Alpha-BHC, Beta-BHC, Delta-BHC, Lindane, Hexachlorobenzene, Methyl pentachlorophenyl sulphide, Pentachloroaniline, Quintozene (pentachloronitrobenzene), 2,4'-DDT, 4,4'-DDT, 4,4'-DDE, 4,4'-DDD	In house method HOP-CM01 (by GC/MS)
Chinese Materia Medica	Chemical and Physicochemical tests: - - Sulphur Dioxide	In house method HOP-CM02 (by Titrimetric method)

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong

香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Indoor Air Quality Testing	Extractable components collected in passive samplers: - - Formaldehyde - Nitrogen Dioxide Extractable components collected in active samplers: - - Formaldehyde Microbiological examinations:-	In house method HOP-AR08 (by HPLC/DAD) In house method HOP-AR07 (by UV-Vis)
Collectate sampled by 1. Single-stage N6 Andersen sampler, 2. Single-stage SAS Super IAQ sampler	Airborne bacteria count (number of colonies and corrected number of colonies on agar plate) (30°C for 2 days)	USEPA TO-11A (by HPLC/DAD) <excluding air sampling>
Collectate sample on agar plate	Airborne bacteria count (number of colonies on agar plate) (30°C for 2 days)	In-house method HOP-MT22



Enviro Labs Limited
環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong
香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Saline water	Physical Examination:- - Total suspended solids dried at 103-105°C Non-metallic Constituents:- - Nitrogen (Nitrate) - Nitrogen (Nitrite) - Nitrogen (Nitrate + Nitrite)	APHA 23e 2540D In-house Method HOP-EW49 (by FIA) In-house Method HOP-EW49 (by FIA) In-house Method HOP-EW49 (by FIA)

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong

香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater	Physical Examination:- - Colour - pH - Turbidity - Total suspended solids dried at 103-105°C - Total solids dried at 103-105°C - Total dissolved solids dried at 180°C - Fixed solids ignited at 550°C - Total volatile solids ignited at 550°C - Volatile suspended solids ignited at 550°C - Settleable solids - Acidity (Total) - Acidity (Methyl orange) - Alkalinity (Total) - Alkalinity (Phenolphthalein) - Hardness - Calcium hardness - Conductivity	APHA 23e 2120 B APHA 23e 4500-H ⁺ B APHA 23e 2130 B APHA 23e 2540 D APHA 23e 2540 B APHA 23e 2540 C APHA 23e 2540 E APHA 23e 2540 E APHA 23e 2540 E APHA 23e 2540 F APHA 23e 2310 B APHA 23e 2310 B APHA 23e 2320 B APHA 23e 2320 B APHA 23e 2340 B (by calculation) APHA 23e 2340 C In-house Method HOP-EW37 (by calculation) APHA 23e 2510 B



Enviro Labs Limited
 環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong
 香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater (cont'd)	Non-metallic Constituents:- - Cyanide (Total) - Nitrogen (Ammonia) - Nitrogen (Nitrate) - Nitrogen (Nitrite) - Nitrogen (Nitrate + Nitrite) - Nitrogen (Total Kjeldahl) - Nitrogen (Organic) (Total Kjeldahl – Ammonia) - Nitrogen (Total) (Total Kjeldahl + Nitrate + Nitrite) - Ozone dose - Phosphorus (Total) - Phosphorus (Total reactive) (Orthophosphate)	APHA 23e 4500 CN- C, D & E APHA 23e 4500-NH ₃ B & C APHA 23e 4500-NH ₃ F In-house method HOP-EW61 (by Distillation and Titration Method) In-house method HOP-EW49 (by FIA) APHA 23e 4500-NO ₂ ⁻ B In-house method HOP-EW49 (by FIA) In-house method HOP-EW49 (by FIA) APHA 23e 4500-N _{org} B & 4500-NH ₃ C In-house method HOP-EW62 (by Block Digestion and Titration Method) APHA 23e 4500-N _{org} B & 4500-NH ₃ C and APHA 23e-4500-NH ₃ B & C (by calculation) In-house method HOP-EW62 and In-house method HOP-EW61 (by calculation) APHA 23e 4500-N _{org} B and & 4500-NH ₃ C and In-house method HOP-EW49 (by FIA) (by calculation) In-house method HOP-EW62 and In-house method HOP-EW49 (by calculation) In-house method HOP-EW42 (by Iodometric Titration method) APHA 23e 4500-P B5 & D APHA 23e 4500-P D

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong

香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater (cont'd)	Non-metallic Constituents (cont'd):- - Chlorine (Total residual) - Chlorine (Free residual) - Chloride - Sulphate - Dissolved oxygen - Sulphide - Soluble Sulphide Organic Pollutants:- - 5-Day Biochemical Oxygen Demand - Chemical oxygen demand - Oil & grease	APHA 23e 4500-Cl B In-house method HOP-EW31 (by DPD colorimetric method) In-house method HOP-EW36 (by DPD colorimetric method) In-house method HOP-EW36 (by DPD colorimetric method) APHA 23e 4500-Cl ⁻ B APHA 23e 4500-SO ₄ ²⁻ E APHA 23e 4500-O G APHA 23e 4500-S ²⁻ D APHA 23e 4500-S ²⁻ B & D
Water	Physical Examination:- - Oxidation-reduction potential	APHA 23e 2580 B
Water	Non-metallic Constituents:- - Fluoride	APHA 23e 4500-F D
Potable Water	Organic Pollutants:- Ultraviolet Absorption at 254nm	APHA 23e 5910 A & B



Enviro Labs Limited
 環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong
 香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater	Trace Metals:- (Total and acid extractable) - Digestion procedures - Aluminium, Antimony, Arsenic, Barium, Boron, Beryllium, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Lithium, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Tin, Thallium, Titanium, Vanadium, Zinc - Hexavalent Chromium (VI)	APHA 23e 3030 E1 In-house method HOP-EW39 (Microwave acid digestion) In-house method HOP-EW63 (By ICP-OES) APHA 23e 3500-Cr B
Potable water (having turbidity < 1 NTU)	Trace elements:- (Total recoverable) Antimony, Aluminium, Arsenic, Boron, Barium, Cadmium, Chromium, Copper, Iron, Lead, Manganese, Mercury, Nickel, Selenium and Uranium	In house method HOP-EW59 (by ICP/MS)

Enviro Labs Limited
 環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong
 香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Saline water	Organic Pollutants:- - Polycyclic Aromatic Hydrocarbons: Naphthalene Benz(a)anthracene Acenaphthylene Chrysene Acenaphthene Benzo(b)fluoranthene Fluorene Benzo(k)fluoranthene Phenanthrene Benzo(a)pyrene Anthracene Indeno(1,2,3-cd)pyrene Fluoranthene Dibenz(a,h)anthracene Pyrene Benzo(g,h,i)perylene	In house method HOP-EW52 (By GC/MSD)
Solid and Semi-solid Wastewater Sludges	Physical Examination:- - Total solids dried at 103-105°C - Fixed solids ignited at 550°C - Volatile solids ignited at 550°C - Settled sludge volume (SSV) - Sludge volume Index (SVI)	APHA 23e 2540 G APHA 23e 2540 G APHA 23e 2540 G APHA 23e 2710 C APHA 23e 2710 D

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong

香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water, Wastewater and Saline Water	Microbiological examinations: - Heterotrophic plate count - Total <i>Coliform</i> count - Faecal <i>Coliform</i> count - <i>E. coli</i> count	APHA 23e 9215B DoE (1983) The Bacteriological Examination of Drinking Water Supplies, 1982, Membrane Filtration Procedure: Sections 7.8 and 7.9.4.1 Bacterial Confirmation: Section 7.9.4.3 The Microbiology of Drinking Water (2002) – Part 4A Methods for the Examination of Waters and Associated Materials, Environment Agency, UK DoE (1983) The Bacteriological Examination of Drinking Water Supplies, 1982, Membrane Filtration Procedure: Sections 7.8 and 7.9.4.2; Bacterial Confirmation: Section 7.7.6.3 DoE (1983) The Bacteriological Examination of Drinking Water Supplies, 1982, Membrane Filtration Procedure: Section 7.8 and 7.9.4.2 Bacterial Confirmation: Section 7.9.4.4 DoE (1983) The Bacteriological Examination of Drinking Water Supplies, 1982, Membrane Filtration Procedure: Section 7.8 and 7.9.4.2 Bacterial Confirmation: in-situ urease test The Microbiology of Drinking Water (2002) – Part 4A Methods for the Examination of Waters and Associated Materials, Environment Agency, UK

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong

香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater	Microbiological examinations: - Enumeration of <i>E. coli</i> - Enumeration of Faecal <i>Coliforms</i> - Enumeration of <i>Enterococci</i>	Environmental Microbiology Laboratory Test Method Manual TM09/EC/10/98 Issue 3, Environmental Protection Department, HK Environmental Microbiology Laboratory Test Method Manual TM09/EC/10/98 Issue 3, Environmental Protection Department, HK United States Environmental Protection Agency Method 1600: Enterococci in water by membrane filtration using membrane <i>Enterococcus</i> Indoxyl-β-D-Glucoside Agar (mEI)
Treated bathing water, Water for human use and consumption	- <i>Legionella</i> spp. including <i>Legionella pneumophila</i>	ISO 11731-2:2004 BS EN ISO 11731-2:2008 BS EN ISO 11731:2017
Water, wastewater and Cooling Tower Water	- <i>Legionellae</i> including <i>Legionella pneumophila</i>	AS/NZS 3896:1998 AS 3896: 2017
Marine Water	- Enumeration of <i>E. coli</i> - Enumeration of Faecal <i>Coliforms</i> - Enumeration of <i>Enterococci</i>	Environmental Microbiology Laboratory Test Method Manual TM09/EC/10/98 Issue 3, Environmental Protection Department, HK Environmental Microbiology Laboratory Test Method Manual TM09/EC/10/98 Issue 3, Environmental Protection Department, HK United States Environmental Protection Agency Method 1600: Enterococci in water by membrane filtration using membrane <i>Enterococcus</i> Indoxyl-β-D-Glucoside Agar (mEI)

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong

香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
General foodstuff	Microbiological examinations:- - Aerobic Plate Count - <i>Coliform</i> Count - <i>E. coli</i> Count - Yeast and mold - <i>Salmonella</i> spp. - Detection of <i>Vibrio parahaemolyticus</i> - Detection of <i>Vibrio cholerae</i> - Detection of <i>Listeria monocytogenes</i> - Enumeration of <i>Listeria monocytogenes</i> - Enumeration of <i>Presumptive Bacillus cereus</i>	AOAC Official Method 990.12 (2005) AOAC Official Method 991.14 (2005) AOAC Official Method 991.14 (2005) AOAC Official Method 997.02 (2005) BS EN ISO 6579:2002 (incorporating corrigendum No. 1) ISO/TS 21872-1:2007 ISO/TS 21872-1:2007 CHROMagar™ <i>Listeria</i> Confirmation by CHROMagar™ Identification <i>Listeria</i> CHROMagar™ <i>Listeria</i> Enumeration Confirmation by CHROMagar™ Identification <i>Listeria</i> US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 14, February 2012 Bacillus Cereus Rapid Agar (BACARA) without confirmation Bacillus Cereus Rapid Agar (BACARA) - AFNOR Validation Certificate no. AES-10/10-7/10
Selected food	- Enumeration of <i>Enterobacteriaceae</i>	AOAC 2003.01 (2006)
Selected types of processed and prepared food	- <i>Staphylococcus aureus</i>	AOAC Official Method 2003.07 (2006)
Selected Dairy Foods	- <i>Staphylococcus aureus</i>	AOAC Official Method 2003.08 (2005)
Selected Meat, Seafood, and poultry	- <i>Staphylococcus aureus</i>	AOAC Official Method 2003.11 (2005)
Swab of surfaces in contact with food	- Aerobic Plate Count	SN/T 1897/2007 (3M Petrifilm method)

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong

香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
General foodstuff	Metals: - - Boron, Sodium	In-house method HOP-FD01 (Microwave acid digestion) In-house method HOP-FD02 (By ICP-OES)
General foodstuff (Excluding bottled water)	- Antimony, Arsenic, Cadmium Chromium, Lead, Mercury, Tin	In-house method HOP-FD25 (Microwave acid digestion) In-house method HOP-FD26 (By ICP-MS)
Rice and Aquatic products	- Inorganic Arsenic Arsenic (III) and Arsenic (V)	In house method HOP-FD23 (by IC-ICP/MS)
Fish	- Methylmercury	In house method HOP-FD24 (by IC-ICP/MS)
General foodstuff	Organic contaminants:- - Phthalates: Di-(2-ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Di-n-octyl phthalate (DNOP) Di-butyl phthalate (DBP) Di-isononyl phthalate (DINP) Di-isodecyl ortho- phthalate (DIDP) - Melamine	In-house method HOP-FD04 (By GC/MSD) In house method HOP-FD20 (By LC-MS/MS)
Drinks and Beverages	Preservatives :- - Benzoic acid, Sorbic acid, Methyl para-hydroxybenzoate, Ethyl para-hydroxybenzoate and Propyl para-hydroxybenzoate	In house method HOP-FD03 (By HPLC/DAD) In house method HOP-FD09 (Confirmation test by LC/MS/MS)
General foodstuff	- Boric acid and borates	In-house method HOP-FD05 (By ICP-OES)
Aquatic Products	Veterinary drug residues: - - Malachite green and Leucomalachite green	In house method HOP-FD22 (By LC/MS/MS)

Enviro Labs Limited

環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong

香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Fruit and Vegetables	Pesticide residues: - Organochlorine pesticides: - Aldrin, cis-Chlordane, trans-Chlordane, Dieldrin, Endrin, Heptachlor, Heptachlor epoxide, Hexachlorobenzene, Alpha-BHC, Beta-BHC, Delta-BHC, Lindane, Oxychlordane, Methyl pentachlorophenyl sulphide and Pentachloroaniline Quintozene (pentachloronitrobenzene) 2,4'-DDT, 2,4'-DDD, 2,4'-DDE, 4,4'-DDT, 4,4'-DDE, 4,4'-DDD, Chlorothalonil, Chlorfenapyr, Dichlorbenil, Mirex, Dicofol, Endosulfan I, Endosulfan II, Endosulfan sulfate, Methoxychlor, Procymidone, Tetradifon, Trifluralin and Vinclozolin	In-house method HOP-FD06 (By GC/ μ ECD and GC/MSD)

Enviro Labs Limited
 環境化驗有限公司

Room 611-612, Hong Leong Plaza, 33 Lok Yip Road, Fanling, New Territories, Hong Kong
 香港新界粉嶺樂業路 33 號豐隆廣場 611-612 室

Miscellaneous 雜類		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
衛生紙 Bathroom Tissue	Microbiological examinations :- 微生物指標 Microbiological Quality 細菌菌落總數 Total Bacteria Count 大腸菌群 <i>Coliform</i> 金黃色葡萄球菌 <i>Staphylococcus aureus</i> 溶血性鏈球菌 <i>Hemolytic streptococci</i>	GB 20810-2006 中華人民共和國國家標準: 衛生紙 (含衛生紙原紙) (附錄 A 微生物指標的測定) GB 20810-2006 Bathroom tissue (including tissue base paper) (Appendix A)
擦手紙 Hand Towel	微生物指標 Microbiological Quality 細菌菌落總數 Total Bacteria Count 大腸菌群 <i>Coliform</i> 金黃色葡萄球菌 <i>Staphylococcus aureus</i> 溶血性鏈球菌 <i>Hemolytic streptococci</i>	GB/T 24455-2009 中華人民共和國國家標準: 擦手紙 (附錄 A 微生物指標的測定) GB/T 24455-2009 Hand Towel (Appendix A)