

Prima Technical Services Limited

卓越技術服務有限公司

ADDRESS : Unit 16-A3, 1/F, Block A, Focal Industrial Centre, 21 Man Lok Street, Hunghom,
地址 Kowloon, Hong Kong
香港九龍紅磡民樂街 21 號富高工業中心 A 座 1 樓 16-A3 室

ENQUIRY : Mr SHUM Siu-hung, Director
查詢 沈少雄先生，董事

TELEPHONE : 2180 8983
電話

FAX : 2180 8993
傳真

E-MAIL : 168prima@gmail.com
電郵

WEBSITE ADDRESS : <http://www.ptsl.hk>
網址

CLIENTELE : Public
服務對象 公眾



Scope of Accreditation
Registration No. HOKLAS 149
Page 1 of 2
Issue Date: 3 March 2026
Ref: HOKLAS149-26

Prima Technical Services Limited

卓越技術服務有限公司

ADDRESS : Unit 16-A3, 1/F, Block A, Focal Industrial Centre, 21 Man Lok Street, Hung Hom,
地址 Kowloon, Hong Kong
香港九龍紅磡民樂街 21 號富高工業中心 A 座 1 樓 16-A3 室

ACCREDITED TEST : Construction Materials 建築材料
CATEGORY
認可測試類別

Prima Technical Services Limited

卓越技術服務有限公司

Unit 16-A3, 1/F, Block A, Focal Industrial Centre, 21 Man Lok Street, Hunghom, Kowloon, Hong Kong
香港九龍紅磡民樂街 21 號富高工業中心 A 座 1 樓 16-A3 室

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Adhesive	Pull-off test of render	In-house method PTS18 (by saw-cut method)
	Pull-off test of repair mortar	In-house method PTS19 (by saw-cut method)
	Pull-off test of tile adhesive	In-house method PTS05 (by saw-cut method)
Concrete (diagnostic)	Surface hardness measurement	BS EN 12504-2: 2001 BS EN 12504-2: 2012
Structural fixings	Tensile proof load test of drilled-in anchors used for works other than cantilevered structure /hanger/curtain wall remedial works in the force range 2.5 kN – 120 kN	Buildings Department PNAP APP-169 (Oct 2023) App. B
	Tensile proof load test for cementitious or polymer based grouted bolts or dowels or reinforcing bars works in the force range 2.5 kN – 120 kN	Buildings Department PNAP APP-169 (Oct 2023) App. C