

Annex IV

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-183; Effective date of termination: 25 February 2025)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

800 Victoria Road, Pokfulam, Hong Kong.

香港薄扶林域多利道八百號

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Fruit and Vegetables	Pesticide residues :- (Pesticides and definition related compounds) Acephate Acetamiprid Aldicarb Aldicarb sulphone Aldicarb sulphoxide Bifenthrin Carbofuran 3-Hydroxycarbofuran Chlorpyrifos Cyhalothrin Cypermethrin Dichlorvos Dimethoate Fenvalerate Isocarbophos Isoprocarb Methamidophos Methomyl Thiodicarb Omethoate Permethrin Phoxim Profenofos Triazophos Trichlorfon	In-house Method GL-OR-145 (Screening by LC-TOF-MS)

Annex IV

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-183; Effective date of termination: 25 February 2025)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

800 Victoria Road, Pokfulam, Hong Kong.

香港薄扶林域多利道八百號

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Fruit and Vegetables	Pesticide residues :- (Against residue definition in RE/MWI/003) Acephate Acetamiprid Aldicarb Bifenthrin Carbofuran Chlorpyrifos Cyhalothrin Cypermethrin Dichlorvos / DDVP Dimethoate Fenvalerate Isocarbophos Isoprocarb Methamidophos Methomyl Omethoate Permethrin Phoxim Profenofos Triazophos Trichlorfon	In-house Methods GL-OR-145 & RE/MWI/003 (Screening by LC-TOF-MS)

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-178; Effective date of termination: 1 August 2024)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Miscellaneous 雜類		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Seafood	Domoic acid	In-house Method GL-TX-5

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-178; Effective date of termination: 26 September 2024)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Miscellaneous 雜類		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Apple Juice	Patulin	In-house Method GL-TX-6

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-178; Effective date of termination: 26 September 2024)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

Public Works Central Laboratory Building, Cheung Yip Street, Kowloon Bay, Kowloon, Hong Kong.

香港九龍九龍灣祥業街工務中央試驗所大樓

Miscellaneous 雜類		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Food containers	Toxicology tests :- - Cadmium and Lead in earthenware and vitreous enamel ware	ISO 6486-1: 1999

Annex IV

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-176; Effective date of termination: 26 February 2024)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Miscellaneous 雜類		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Mainstream smoke of cigarettes	Determination of Nicotine in Smoke Condensates	ISO 10315:2013(E)

Annex IV

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-176; Effective date of termination: 26 February 2024)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

11/F and 12/F, Lai Chi Kok Government Offices, 19 Lai Wan Road, Lai Chi Kok, Kowloon, Hong Kong.

香港九龍荔枝角荔灣道十九號荔枝角政府合署十一及十二樓

Pharmaceutical Products 藥物		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Chlorpheniramine Maleate and Pseudoephedrine Hydrochloride Oral Solution	a. Identification b. Assay	United States Pharmacopeia 2021 (USP-NF 2021)
Pseudoephedrine Hydrochloride Tablets	a. Identification b. Assay	United States Pharmacopeia 2021 (USP-NF 2021)
Clindamycin Phosphate Topical Solution	a. Identification b. Assay	United States Pharmacopeia 2021 (USP-NF 2021)
Clindamycin Injection	a. Identification b. Assay	United States Pharmacopeia 2021 (USP-NF 2021)
Guaifenesin Oral Solution	a. Identification b. Assay	United States Pharmacopeia 2021 (USP-NF 2021)
Guaifenesin Tablets	a. Identification b. Assay	United States Pharmacopeia 2021 (USP-NF 2021)
Chewable Aluminium Hydroxide Tablets	a. Identification b. Neutralising capacity c. Assay d. Uniformity of mass	British Pharmacopoeia 2021 (BP 2021)
Indometacin Capsules	a. Identification b. Dissolution c. Related substances d. Assay e. Uniformity of mass	British Pharmacopoeia 2021 (BP 2021)
Acetaminophen Tablets	a. Identification b. Assay c. Uniformity of dosage units	United States Pharmacopeia 2021 (USP-NF 2021)
Metformin Tablets	a. Identification b. Assay	British Pharmacopoeia 2021 (BP 2021)

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-171; Effective date of termination: 2 August 2023)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

Public Works Central Laboratory Building, Cheung Yip Street, Kowloon Bay, Kowloon, Hong Kong.

香港九龍九龍灣祥業街工務中央試驗所大樓

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Toys	Flammability tests	BS EN 71-2: 2011 + A1: 2014 <Excluding the following> Test for flammable gas

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-164; Effective date of termination: 20 October 2022)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests granted at the above address has been terminated		
General foodstuff	<p>Preservatives :-</p> <ul style="list-style-type: none">- Benzoic acid, sorbic acid, salicylic acid, methyl p-hydroxybenzoate, ethyl p-hydroxybenzoate and propyl p-hydroxybenzoate- Benzoic acid and sorbic acid- Methyl p-hydroxybenzoate, ethyl p-hydroxybenzoate and propyl p-hydroxybenzoate- Propionic acid- Boric acid- Nitrate and Nitrite- Sulphur dioxide <p>Antioxidants :-</p> <ul style="list-style-type: none">- BHA, BHT, and gallates <p>Colouring matter :-</p> <ul style="list-style-type: none">- Qualitative analysis for Sudan I, Sudan II, Sudan III, Sudan IV, Sudan Orange G,, Sudan Red 7B, Dimethyl Yellow, Oil Yellow XP, Yellow OB- Water-soluble colours <p>Sweeteners :-</p> <ul style="list-style-type: none">- Cyclamate- Acesulfame-K, Saccharin, Aspartame, Alitame, Sucralose	<p>In-house Method GL-AD-5(A)</p> <p>In-house Method GL-AD-5(B)</p> <p>In-house Method GL-AD-5(C)</p> <p>In-house Method GL-AD-7</p> <p>In-house Method GL-AD-6(A) In-house Method GL-AD-6(B)</p> <p>In-house Method GL-AD-9(A)</p> <p>In-house Method GL-AD 8(B) & 8(C) In-house Method GL-AD-8(D)</p> <p>In-house Method GL-AD-14</p> <p>In-house Method GL-AD 12(A)</p> <p>In-house Method GL-AD-13</p> <p>In-house Method GL-AD-11(C) In-house Method GL-AD-11(B)</p>

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-164; Effective date of termination: 20 October 2022)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests granted at the above address has been terminated		
General foodstuff	Polyunsaturated fatty acids (C _{18:2} (9,12- <i>cis</i>), C _{18:3} (6,9,12- <i>cis</i>), C _{18:3} (9,12,15- <i>cis</i>), C _{20:2} (11,14- <i>cis</i>), C _{20:3} (8,11,14- <i>cis</i>), C _{20:3} (11,14,17- <i>cis</i>) C _{20:4} (5,8,11,14- <i>cis</i>), C _{22:2} (13,16- <i>cis</i>) C _{20:5} (5,8,11,14,17- <i>cis</i>), C _{22:3} (13,16,19- <i>cis</i>) C _{22:4} (7,10,13,16- <i>cis</i>), C _{22:5} (4,7,10,13,16- <i>cis</i>), C _{22:5} (7,10,13,16,19- <i>cis</i>), C _{22:6} (4,7,10,13,16,19- <i>cis</i>))	AOAC Official Method 996.06 (2005) (Hydrolytic extraction gas chromatography)
	Sugars :- glucose, galactose, fructose, sucrose, maltose, lactose	In-house Method GL-CO-20 (HPLC-RI)
	Cholesterol	AOAC Official Method 994.10 (2005) (GC-FID)
	Total Dietary Fibre	AOAC Official Method 985.29 (2005) (Enzymatic-Gravimetric Method)
	Energy and Carbohydrates	In-house method GL-CO-54 (by calculation)

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-164; Effective date of termination: 20 October 2022)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests granted at the above address has been terminated		
Milk and dairy products	Composition and quality of milk :- - Total solids - Milk fat - Titratable acidity Composition of dried milk :- - Moisture - Fat Composition of evaporated and condensed milk :- - Total solids - Fat - Sucrose Composition of ice-cream :- - Milk solids not fat - Fat - Sucrose Composition and quality of cream :- - Fat, acidity Composition of cheese and butter :- - Fat, total solids, moisture	In-house Method GL-CO-10(A) In-house Method GL-CO-10(A) In-house Method GL-CO-10(A) In-house Method GL-CO-1(A) In-house Method GL-CO-1(A) In-house Method GL-CO-11(A) In-house Method GL-CO-11(A) In-house Method GL-CO-11(A) In-house Method GL-CO-12(A) In-house Method GL-CO-12(A) In-house Method GL-CO-12(A) In-house Method GL-CO-7 In-house Method GL-CO-8

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-164; Effective date of termination: 20 October 2022)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests granted at the above address has been terminated		
Formulated Milk Powder	Composition: - Vitamin A (all-trans-retinol) Vitamin B1 (Thiamine) Vitamin B2 (Riboflavin) Vitamin B3 (Niacin) Vitamin B5 (Pantothenic acid) Vitamin B6 (Pyridoxine) Vitamin B7 (Biotin and Biocytin) Vitamin C (Ascorbic acid) Vitamin E (α -tocopherol) Vitamin K (Phylloquinone) Chloride Choline Myo-Inositol L-Carnitine Taurine Fluoride	In-house method GL-CO-52 (HPLC-FID) In house method GL-CO-25 (HPLC-FLD) In house method GL-CO-26 (HPLC-FLD) In house method GL-CO-27 (HPLC-UV) In house method GL-CO-28 (HPLC- UV) In house method GL-CO-29 (HPLC-FLD) In house method GL-CO-42 (LC-MS/MS) In-house Method GL-CO-47 (HPLC-UV and HPLC-FLD) In house method GL-CO-35 (HPLC-FLD) In house method GL-CO-36 (HPLC-FLD) In house method GL-CO-40 (Titration) In house method GL-CO-37 (LC-MS/MS) In-house Method GL-CO-49 (LC-MS/MS) In house method GL-CO-38 (LC-MS/MS) In-house Method GL-CO-46 (HPLC) In-house Method GL-CO-48 (Ion selective electrode)
Formulated powder and food for infants and young children	Vitamins D2 (Ergocalciferol) and D3 (Cholecalciferol)	In-house Method GL-CO-51 (LC-MS/MS)
Food for infants and young children	All-trans-retinol, 12-cis-retinal, Beta-carotene	In-house Method GL-CO-53 (HPLC and LC-MS/MS)

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-163; Effective date of termination: 30 June 2022)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
General foodstuff	Preservatives :- - Sulphur dioxide	In-house Method GL-AD-8(G)
Formulated Milk Powder	Composition: - Vitamin A (Retinol) Iodine	In house method GL-CO-24 (HPLC-FLD) In house method GL-CO-23

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-163; Effective date of termination: 15 August 2022)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

Public Works Central Laboratory Building, Cheung Yip Street, Kowloon Bay, Kowloon, Hong Kong.

香港九龍九龍灣祥業街工務中央試驗所大樓

Calibration Services 校正服務		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED[@] 特定測試或量度的特性 [@]	CALIBRATION AND MEASUREMENT CAPABILITY (CMC)[*] 校準和測量能力 [*]
Accreditation of the following calibrations has been terminated		
Mass measurements: - Weights used for trade	Calibration of mass in accordance with in-house procedure GL-MW-2 over the following ranges: 0.01 g to below 0.2 g	0.4 mg
- Single pan mechanical and electronic balance used for trade	Calibration of mass in accordance with in-house procedure GL-MW-1 over the following ranges: 0.01 g to below 0.2 g	90 µg

[@] Unless otherwise specified, accredited activities are conducted at the laboratory.

^{*} The calibration uncertainty of a device under test, which is usually reported at 95% confidence level, depends on both the CMC of the laboratory and the performance of the device during calibration.

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-163; Effective date of termination: 30 September 2022)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Gold and gold alloys	Fineness	ISO 11426: 2014

Annex IV

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-159; Effective date of termination: 1 March 2022)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

11/F and 12/F, Lai Chi Kok Government Offices, 19 Lai Wan Road, Lai Chi Kok, Kowloon, Hong Kong.

香港九龍荔枝角荔灣道十九號荔枝角政府合署十一及十二樓

Pharmaceutical Products 藥物		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Chlorpheniramine Maleate and Pseudoephedrine Hydrochloride Oral Solution	Chemical tests :- a. Identification b. Assay	United States Pharmacopeia 2020 (USP 43-NF 38)
Pseudoephedrine Hydrochloride Tablets	a. Identification b. Assay	United States Pharmacopeia 2020 (USP 43-NF 38)
Clindamycin Phosphate Topical Solution	a. Identification b. Assay	United States Pharmacopeia 2020 (USP 43-NF 38)
Clindamycin Injection	a. Identification b. Assay	United States Pharmacopeia 2020 (USP 43-NF 38)
Guaifenesin Oral Solution	a. Identification b. Assay	United States Pharmacopeia 2020 (USP 43-NF 38)
Guaifenesin Tablets	a. Identification b. Assay	United States Pharmacopeia 2020 (USP 43-NF 38)
Aluminium Hydroxide Tablets	a. Identification b. Neutralising capacity c. Assay d. Uniformity of mass	British Pharmacopoeia 2020 (BP 2020)
Indometacin Capsules	a. Identification b. Dissolution c. Related substances d. Assay e. Uniformity of mass	British Pharmacopoeia 2020 (BP 2020)
Acetaminophen Tablets	a. Identification b. Assay c. Uniformity of dosage units	United States Pharmacopeia 2020 (USP 43-NF 38)
Metformin Tablets	a. Identification b. Assay	British Pharmacopoeia 2020 (BP 2020)

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-157; Effective date of termination: 18 October 2021)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

Public Works Central Laboratory Building, Cheung Yip Street, Kowloon Bay, Kowloon, Hong Kong.

香港九龍九龍灣祥業街工務中央試驗所大樓

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Toys: - Category I Toy materials: Dry, brittle, powder like or pliable materials	Chemical tests :- - Migration of the elements: Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc Chromium (VI) Chromium (III) (by calculation) Organic Tin (expressed as TBT) : Methyl tin, Di- <i>n</i> -propyl tin, <i>n</i> -Butyl tin, Di- <i>n</i> -butyl tin, Tri- <i>n</i> -butyl tin, Tetra- <i>n</i> -butyl tin, <i>n</i> -Octyl tin, Di- <i>n</i> -octyl tin, Diphenyl tin, Triphenyl tin	BS EN 71-3:2013+A3:2018 Technique used: ICP-MS Technique used: IC-ICP-MS Technique used: GC-MS/MS
Category II Toy materials: Liquid or sticky materials	- Migration of the elements: Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc Chromium (VI) Chromium (III) (by calculation) Organic Tin (expressed as TBT) : Methyl tin, Di- <i>n</i> -propyl tin, <i>n</i> -Butyl tin, Di- <i>n</i> -butyl tin, Tri- <i>n</i> -butyl tin, Tetra- <i>n</i> -butyl tin, <i>n</i> -Octyl tin, Di- <i>n</i> -octyl tin, Diphenyl tin, Triphenyl tin	BS EN 71-3:2013+A3:2018 Technique used: ICP-MS Technique used: IC-ICP-MS Technique used: GC-MS/MS

Annex IV

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-156; Effective date of termination: 14 May 2021)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Homantin, Kowloon, Hong Kong

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Miscellaneous 雜類		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Mainstream smoke of cigarettes	Determination of Total and Nicotine-free Dry Particulate Matter Using a Routine Analytical Smoking Machine	ISO 4387:2000/Amd. 1: 2008 (E)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

11/F and 12/F, Lai Chi Kok Government Offices, 19 Lai Wan Road, Lai Chi Kok, Kowloon, Hong Kong.
香港九龍荔枝角荔灣道十九號荔枝角政府合署十一及十二樓

Pharmaceutical Products 藥物		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Chlorpheniramine Maleate and Pseudoephedrine Hydrochloride Oral Solution	Chemical tests :- a. Identification b. Assay	United States Pharmacopeia 2017 (USP 40-NF 35)
Pseudoephedrine Hydrochloride Tablets	a. Identification b. Assay	United States Pharmacopeia 2017 (USP 40-NF 35)
Clindamycin Phosphate Topical Solution	a. Identification b. Assay	United States Pharmacopeia 2017 (USP 40-NF 35)
Clindamycin Injection	a. Identification b. Assay	United States Pharmacopeia 2017 (USP 40-NF 35)
Guaifenesin Oral Solution	a. Identification b. Assay	United States Pharmacopeia 2017 (USP 40-NF 35)
Guaifenesin Tablets	a. Identification b. Assay	United States Pharmacopeia 2017 (USP 40-NF 35)
Aluminium Hydroxide Tablets	a. Identification b. Neutralising capacity c. Assay d. Uniformity of mass	British Pharmacopoeia 2017 (BP 2017)
Indometacin Capsules	a. Identification b. Dissolution c. Related substances d. Assay e. Uniformity of mass	British Pharmacopoeia 2017 (BP 2017)
Acetaminophen Tablets	a. Identification b. Assay c. Uniformity of dosage units	United States Pharmacopeia 2017 (USP 40-NF 35)
Metformin Tablets	a. Identification b. Assay	British Pharmacopoeia 2017 (BP 2017)

Annex III

List of activities for which accreditation has been terminated

(Notification letter No.: HOKLAS001-154; Effective Date of Termination: 16 December 2020)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所- 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Homantin, Kowloon, Hong Kong.

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Provision of Proficiency Testing Schemes 提供能力驗證		
PROFICIENCY TESTING SCHEME AND ITEM 能力驗證計劃及項目	MEASURAND OR CHARACTERISTIC MEASURED 測試參數或特質	PROFICIENCY TESTING SCHEME PROCEDURE 能力驗證計劃程序
The accreditation of the following activities has been terminated		
Government Laboratory Proficiency Testing Scheme	Forensic science: - Questioned Chinese Handwriting and Signature Questioned Stamp Impressions	Protocol for Proficiency Testing Scheme (PTPP)

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-146; Effective Date of Termination: 18 September 2019)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所- 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Homantin, Kowloon, Hong Kong.

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Chemical Testing 化學測試

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Blood	Lead	In-house Method GL-OH-1 (ICP-MS)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所- 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Homantin, Kowloon, Hong Kong.

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Water and Wastewater	Arsenic	In-house Method GL-TE-66 (Hydride Generation ICP-MS)
Saline water	Arsenic	In-house Method GL-TE-66 (Hydride Generation ICP-MS)
Biota	Aluminium, Cadmium, Chromium, Copper, Iron, Manganese, Nickel, Zinc	In-house Method GL-TE-60 (ICP-AES)
Sediment	Aluminium, Arsenic, Barium, Boron, Cadmium, Chromium, Copper, Iron, Lead, Manganese, Nickel, Vanadium, Zinc	In-house Method GL-TE-60 (ICP-AES)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所- 分析及諮詢事務部

7/F, Homantin Government Offices, 88 Chung Hau Street, Homantin, Kowloon, Hong Kong.

香港九龍何文田忠孝街八十八號何文田政府合署七樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
General foodstuff	Sulphur dioxide	In-house Method GL-AD-8(A)
	Cyclamate	In-house Method GL-AD-11
Bottled/Packaged Water	Chromium (VI)	In-house Methods GL-TE-97 (LC-ICP-MS)
Rice	Inorganic arsenic	In-house Methods GL-TE-100 (HG-ICP-MS)
Formulated Milk Powder	Vitamin C (Ascorbic acid)	In house method GL-CO-33 (HPLC- UV)
	Vitamin D3 (Cholecalciferol)	In house method GL-CO-34 (LC-MS/MS)
	Myo-Inositol	In house method GL-CO-39 (GC-HRMS)

Annex IV

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-145; Effective date of termination: 7 March 2019)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

4/F, West Wing, Public Health Laboratory Centre, 382 Nam Cheong Street, Kowloon, Hong Kong.

香港九龍南昌街三百八十二號公共衛生檢測中心四樓西翼

Chinese Medicine 中藥		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Proprietary Chinese Medicines and Chinese Herbal Medicines	Solanaceous alkaloids:- Atropine Scopolamine Anisodine Anisodamine	In-house method GL-CM-22 (LC-MS/MS)
Proprietary Chinese Medicines and Chinese Herbal Medicines	Strychnos alkaloids:- Brucine Strychnine	In-house method GL-CM-21 (LC-MS/MS)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

800 Victoria Road, Pokfulam, Hong Kong.

香港薄扶林域多利道八百號

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
General foodstuff	Pesticide residues: - Organochlorine and organophosphorus alpha – BHC beta – BHC gamma – BHC delta – BHC alpha – Endosulfan beta – Endosulfan Aldrin Dichlorbenil Dieldrin Endrin Hexachlorobenzene Heptachlor Epoxide Heptachlor Methoxychlor Mirex 2,4' – DDD 2,4' – DDE 2,4' – DDT Oxychlorane 4,4' – DDD 4,4' – DDE 4,4' – DDT Procymidone Tetradifon Trifluralin Vinclozolin cis-Chlordane trans-Chlordane Endosulfan sulfate	In-house Method GL-OR-1 (GC-FPD/GC-ECD)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

800 Victoria Road, Pokfulam, Hong Kong.

香港薄扶林域多利道八百號

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
General foodstuff (cont'd)	Pesticide residues: (cont'd) - Organochlorine and organophosphorus Acephate Azinphos methyl Carbophenothion Chlorfenviphos Chlorpyrifos Chlorpyrifos methyl Coumaphos Cruformate Dichlorvos Diazinon Dimethoate Disulfonton Edifenphos Ethion Ethoprophos Fenamiphos Fenchlorphos Fenitrothion Fensulfothion Fenthion Isocarbophos Isofenphos Malathion Methamidophos Methidathion Mevinphos Monocrotophos Omethoate Parathion ethyl Parathion methyl Phenthoate Phorate Phosalone Phosmet Phosphamidon Pirimiphos methyl	In-house Method GL-OR-1 (GC-FPD/GC-ECD)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

800 Victoria Road, Pokfulam, Hong Kong.

香港薄扶林域多利道八百號

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
General foodstuff (cont'd)	Pesticide residues: (cont'd) - Organochlorine and organophosphorus Profenophos Prothiophos Pyrazophos Quinalphos Terachlorvinphos Triazophos Trichlorfon	In-house Method GL-OR-1 (GC-FPD/GC-ECD)

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS001-142; Effective date of termination: 4 September 2018)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

Public Works Central Laboratory Building, Cheung Yip Street, Kowloon Bay, Kowloon, Hong Kong.

香港九龍九龍灣祥業街工務中央試驗所大樓

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Toys	Physical and mechanical tests :-	BS EN 71-1: 2011
Toys	Flammability tests	BS EN 71-2: 2011

Annex III

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS001-136; Effective Date of Termination: 18 August 2017)

Government Laboratory – Analytical and Advisory Services Division

政府化驗所 – 分析及諮詢事務部

Public Works Central Laboratory Building, Cheung Yip Street, Kowloon Bay, Kowloon, Hong Kong.

香港九龍九龍灣祥業街工務中央試驗所大樓

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Toys	Chemical test :- - Migration of the elements: Antimony, Chromium, Selenium, Arsenic, Cadmium, Mercury, Barium, Lead	BS EN 71-3: 1995 incorporating Amd. No. 1 and Corr. No. 1

