List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-442; Effective date of termination: 28 January 2025)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been t	erminated
Children's products	Physical and mechanical tests :-	
- Babies' dummy / Pacifier / Soother	- Safety requirements and test methods	Pacifiers Regulation (SOR/2016-184) <i>in conjunction with</i> Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section Method M-09 (2019)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-442; Effective date of termination: 28 January 2025)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Unit 7-10, Ground Floor, Trans Asia Centre, 18 Kin Hong Street, Kwai Chung, New Territories, Hong Kong 香港新界葵涌健康街 18 號恆亞中心地下 7-10 號單位

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has h	peen terminated
Children's products	Physical and mechanical tests :-	
- Bassinet and cradle	- Safety requirements and test methods	ASTM F2194-16e1
- Carriage and stroller	- Safety requirements and test methods	16 CFR Part 1227 in conjunction with ASTM F833-19
		ASTM F833-19 Canada Carriages and Strollers Regulations, SOR/2016-167, Section 3-15, Schedule 1-9
- Carrier		
- Frame child carrier	- Safety requirements and test methods	16 CFR Part 1230 in conjunction with ASTM F2549-14a
		ASTM F2549-14a
- Sling carrier	- Safety requirements and test methods	16 CFR Part 1228 in conjunction with ASTM F2907-19
		ASTM F2907-19
- Changing table	- Safety requirements and test methods	16 CFR Part 1235 in conjunction with ASTM F2388-18
		ASTM F2388-18
- Children's chair and stool	- Safety requirements and test methods	16 CFR Part 1232 in conjunction with ASTM F2613-19

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-442; Effective date of termination: 28 January 2025)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Unit 7-10, Ground Floor, Trans Asia Centre, 18 Kin Hong Street, Kwai Chung, New Territories, Hong Kong 香港新界葵涌健康街 18 號恆亞中心地下 7-10 號單位

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	been terminated
Children's products	Physical and mechanical tests :-	
- Crib / play yard		
- Non-full-size baby crib	- Safety requirements and test methods	16 CFR Part 1220 in conjunction with ASTM F406-19
- Non-full-size baby crib / play yard	- Safety requirements and test methods	ASTM F406-19
- Expansion gate and expandable enclosure	- Safety requirements and test methods	16 CFR Part 1239 in conjunction with ASTM F1004-21
		ASTM F1004-21
- High chair	- Safety requirements and test methods	16 CFR Part 1231 in conjunction with ASTM F404-20
		ASTM F404-20
- Infant bath tub	- Safety requirements and test methods	16 CFR Part 1234 in conjunction with ASTM F2670-18
		ASTM F2670-18
- Infant bouncer seat	- Safety requirements and test methods	16 CFR Part 1229 in conjunction with ASTM F2167-19
		ASTM F2167-19
- Infant swing	- Safety requirements and test methods	16 CFR Part 1223 in conjunction with ASTM F2088-21
		ASTM F2088-21
- Baby walker / infant walker	- Safety requirements and test methods	16 CFR Part 1216 in conjunction with ASTM F977-12
		ASTM F977-18

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-440; Effective date of termination: 8 January 2025)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
	EMC tests :- Emission tests	
Licence-exempt radio apparatus: category I equipment	 Measurement of radiated emission 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-210 Issue 10, December 2019 + Amendment (April 2020) in conjunction with RSS-Gen Issue 5, April 2018 + Amendment 1 (March 2019) + Amendment 2 (February 2021) using test methods specified in ANSI C63.10: 2013
Wireless power transfer device	 Measurement of radiated emission 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-216 Issue 2, January 2016 + Amendment 1 (September 2020) in conjunction with RSS-Gen Issue 5, April 2018 + Amendment 1 (March 2019) + Amendment 2 (February 2021) using test methods specified in ICES-001 Issue 5, July 2020

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-440; Effective date of termination: 8 January 2025)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
Radio equipment	Telecommunications equipment tests :-	
- Wireless communications device to be used with the radiating part in close proximity to the human ear	 Specific Absorption Rate (SAR) measurement 300 MHz to 3 GHz 	RSS-102 Issue 5, March 2015 using test methods specified in IEC 62209-1: 2005
	Specific Absorption Rate (SAR) measurement300 MHz to 6 GHz	RSS-102 Issue 5, March 2015 using test methods specified in IEEE 1528: 2013
	- Specific Absorption Rate (SAR) measurement - 300 MHz to 6 GHz	RSS-102 Issue 5, March 2015 + Amendment 1 (February 2021) using test methods specified in IEC/IEEE 62209-1528: 2020 < <i>Excluding the following></i> 7.9.2
	 Radio Frequency Exposure (RF Exp.) measurement 300 MHz to 6 GHz 	RSS-102 Issue 5, March 2015 + Amendment 1 (February 2021) using test methods specified in IEEE C95.3: 2021
	 Nerve Simulation (NS) measurement 3 kHz to 10 MHz 	RSS-102 Issue 5, March 2015 + Amendment 1 (February 2021) using test methods specified in SPR-002 Issue 1, September 2016
- Wireless communications device to be used with the radiating part in close proximity to the human body	 Specific Absorption Rate (SAR) measurement 300 MHz to 6 GHz 	RSS-102 Issue 5, March 2015 using test methods specified in IEC 62209-2: 2010
	- Specific Absorption Rate (SAR) measurement - 300 MHz to 6 GHz	RSS-102 Issue 5, March 2015 + Amendment 1 (February 2021) using test methods specified in IEC/IEEE 62209-1528: 2020 < <i>Excluding the following</i> > 7.9.2
	 Radio Frequency Exposure (RF Exp.) measurement 300 MHz to 6 GHz 	RSS-102 Issue 5, March 2015 + Amendment 1 (February 2021) using test methods specified in IEEE C95.3: 2021
	- Nerve Simulation (NS) measurement - 3 kHz to 10 MHz	RSS-102 Issue 5, March 2015 + Amendment 1 (February 2021) using test methods specified in SPR-002 Issue 1, September 2016

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-437; Effective date of termination: 19 August 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
General textiles and garments	Care performance tests :- - Wash and wear performance	AATCC TM88B-2018t AATCC TM88C-2018t AATCC TM124-2018t AATCC TM143-2018t
General textiles and garments	Chemical analysis :- - Extractable content	ASTM D2257 - 98(2012)
Wool and other fibers	- Extractable content	ASTM D1574 - 04(2013)
General textiles and garments 一般紡織品及成衣	- pH value pH 值	AATCC TM81-1996e2(2016)e SASO-ISO-3071-2014
General textiles and garments 一般紡織品及成衣	Colour fastness tests :- - Perspiration 汗液堅牢度	AATCC TM15-2021
	- Rubbing/Crocking 磨擦堅牢度	AATCC TM8-2016e < <i>Excluding the following</i> > instrumental assessment of staining
	- Rubbing/Crocking (Rotary vertical crockmeter)	AATCC TM116-2018e < <i>Excluding the following</i> > instrumental assessment of staining
	- Accelerated laundering:	AATCC TM61-2013e(2020) < <i>Excluding the following</i> > instrumental assessment of change in color & staining
	- Water 耐水堅牢度	AATCC TM107-2013e2

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-437; Effective date of termination: 19 August 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
General textiles and garments	Construction tests :- - Distortion in bowed and skewed fabrics	JIS L1018-1990 (based on English Edition published in 1990-01) Section 6.11.1
	- Fabric weight	JIS L1018-1990 (based on English Edition published in 1990-01) Section 6.4.2
	- Fabric width	JIS L1018-1990 (based on English Edition published in 1990-01) Section 6.2
	- Twist of yarn	ASTM D1423 / D1423M - 16
	- Weft knit, Stitch density	JIS L1018-1990 (based on English Edition published in 1990-01) Section 6.8

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-437; Effective date of termination: 19 August 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	a terminated
General textiles and garments	Fabric performance tests : - - Abrasion resistance a) Martindale tester	ASTM D4966 - 12(2016) BS 5690: 1991(1997)
	b) Stoll flat abrasion tester	ASTM D3886 - 99(2015)
	c) Flex abrasion tester	ASTM D3885 - 07a(2019)
	- Drying time of textiles	AATCC TM199-2013e(2018)e
	- Drying rate of fabrics	AATCC TM201-2012(2014)e2
	- Gravimetric drying tests	AATCC/ASTM MM TS-05 Option A
	- Liquid moisture management properties of textile fabrics	AATCC TM195-2011e2(2017)e3
	- Moisture content/moisture regain	ASTM D2654 - 89a Procedure 1
	- Pilling resistance b) Random tumbler tester	ASTM D3512 / D3512M - 16 BS EN ISO 12945-3: 2014 BS ISO 12945-3: 2014 ISO 12945-3: 2014
	- Solar UV Protective Properties	AATCC TM183-2020
	- Vertical wicking tests	AATCC/ASTM MM TS-06 AATCC/ASTM TS-17 AATCC TM197-2011e2(2018)e Option A
	- Water resistance (rain test)	AATCC TM35-2018e
	- Water resistance (wira shower test)	BS 5066: 1974 (1993)
	- Wrinkle recovery by recovery angle method	AATCC TM66-2017e Option 2 BS EN 22313: 1992 EN 22313: 1992

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-437; Effective date of termination: 19 August 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Performance tests : -	
- Protective gloves	- Safety tests	BS EN 388: 2016 + A1: 2018
		< Excluding the following > Cl. 4.2
		cl. 4.2 in conjunction with
		BS EN ISO 21420: 2020
		< <i>Excluding the following</i> >
		Cl. 4.2, 4.4, 5.3, 6.3 & 6.4
		EN 200 2016 11 2010
		EN 388: 2016 + A1: 2018
		< Excluding the following > Cl. 4.2
		CI. 4.2 in conjunction with
		EN ISO 21420: 2020
		<pre>EN ISO 21420: 2020 < Excluding the following ></pre>
		< <i>Excluding the jolowing ></i> Cl. 4.2, 4.4, 5.3, 6.3 & 6.4
		CI. 4.2, 4.4, 5.3, 0.5 & 0.4
		BS EN ISO 21420: 2020
		EN ISO 21420: 2020
		ISO 21420: 2020
		< Excluding the following >
		for the above three standards
		Cl. 4.2, 4.4, 5.3, 6.3 & 6.4
- Protective gloves and other hand protective		BS EN 407:2020
equipments		EN 407:2020
		< Excluding the following >
		for the above two standards
		Cl. 4.5.4 to 4.5.7 and 6.4 to 6.7
	Fibre analysis :-	
General textiles and garments	- Fibre content	AATCC TM20A-2021
-	(quantitative method - mechanical	BS EN ISO 1833-4: 2017
	separation and chemical analysis)	EN ISO 1833-4: 2017
		ISO 1833-4: 2017
	(quantitative method - mechanical separation and chemical analysis) 纖維含量《機械分離及化學分析》	GB/T 2910.4-2009
	- Fibre diameter (animal fibres, yarn and fabric only)	ASTM D2130 - 13
	- Absorbency of textile	AATCC TM79-2010e2(2018)e Option A

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-437; Effective date of termination: 19 August 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Textiles and Garments 紡織品及成衣		
SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Accreditation of the following tests has been	n terminated	
Flammability tests :- - 45 degree angle test	ASTM D1230 - 17 CAN/CGSB-4.2 No. 27.5-2008	
- Horizontal test	ASTM D 4151 - 18	
- Determination of contact heat transmission	BS EN ISO 12127-1: 2015 EN ISO 12127-1: 2015 ISO 12127-1: 2015	
Strength tests :- - Seam strength	ASTM D1683 / D1683M - 17(2018)	
- Zipper strength	ASTM D2061 - 07(2013) < <i>Excluding the following</i> > Section 33-42, 43-51, 82-91	
	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性 Accreditation of the following tests has been Flammability tests :- - 45 degree angle test - Horizontal test - Determination of contact heat transmission Strength tests :- - Seam strength	

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-436; Effective date of termination: 13 August 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has l	been terminated
Тоу	Flammability tests :- - Safety requirements and test methods	Canada Toys Regulations SOR/2011-17 (last amended on 11 January 2019) Section 21, 32, 33 and 34
	Physical and mechanical tests :-	
Тоу	- Safety requirements and test methods	Canada Toys Regulations SOR/2011-17 (last amended on 11 January 2019) Section 3, 4, 7 to 20, 28, 30 to 31, 37, 40 to 44 Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section Method M00.1 (2013) Method M00.2 (2013) Method M00.4 (2014) Method M01.1 (2013) Method M01.2 (2010) Method M03 (2022) Method M05 (2013) (Note: The above test methods should be used in conjunction with the relevant sections of Canada Toys Regulations (SOR/2011-17))

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-435; Effective date of termination: 18 July 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been t	rerminated
	Food composition tests:-	
Meat	Moisture	AOAC Official Methods 950.46B (b) (2005)
	Metals:-	
General foodstuff (excluding bottled water)	Cadmium, Chromium, Lead	In-house method FC067.TP (Dry ashing and ICP-MS)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-435; Effective date of termination: 18 July 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been t	erminated
Water	Microbiological tests :-	
	Total Coliform count	APHA 23e 9222 B (Membrane Filtration Method)
	Fecal Coliform count	APHA 23e 9222 D (Membrane Filtration Method)
	E. coli count	APHA 23e 9222 D & G (Membrane Filtration Method followed by <i>E. coli</i> Partition Method)
Potable water	Heterotrophic Plate Count (Colony count at 35°C)	APHA 23e 9215 A & D (Membrane Filtration Method)
Dairy products, vegetables, seafood, raw meats and poultry, and processed meats and poultry	Listeria monocytogenes	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 10, March 2017 - Detection by Vidas LMO2 and API Listeria
General foodstuff	Salmonella	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 5, June 2021 (Isolation and Identification)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-435; Effective date of termination: 18 July 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Miscellaneous 雜類		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following	tests has been terminated
	Microbiological tests :-	
Cosmetics, liquids, pastes, putties, gels and powders	Microbiological examination of non- sterile products:	PCPC Microbiology Guidelines (2018) Section 12 Establishing Microbiological Quality of Personal Care Products Specific Criteria
	Microbial enumeration tests	<i>Test Procedures for compliance testing:</i> United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <61>
	Test for specified microorganisms	United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <62>
	Antimicrobial effectiveness testing	United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <51>
Cosmetics	Microbiological examination of non- sterile products:	The European Cosmetic Regulation 1223/2009/EC (Annex I Part A Item 3) and The SCCS Notes of Guidance for the Testing of Cosmetics Ingredients and Their Safety Evaluation, 11 th Revision, 30-31 March 2021, SCCS/1628/21, Appendix 9: Guidelines on Microbiological Quality of the Finished Cosmetic Product
	Microbial enumeration tests	Test Procedures for compliance testing: European Pharmacopoeia 10.5th edition (2021) Chapter 2.6.12 (01/2021:20612) British Pharmacopoeia (2021), App. XVI B-2 BS EN ISO 21149: 2017 (Pour Plate Method only) & ISO 16212: 2017 (Pour Plate Method only)
	Test for specified microorganisms	European Pharmacopoeia 10.5th edition (2021) Chapter 2.6.13 (01/2021:20613) British Pharmacopoeia (2021), App. XVI B-1 ISO 22717:2015, ISO 22718:2015 & BS EN ISO 18416:2015 & ISO 21150:2015
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 10.5th edition (2021) Chapter 5.1.3 (01/2011: 50103) British Pharmacopoeia (2021), App. XVI C (Criteria B) (Count by Pour Plate Method)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-435; Effective date of termination: 18 July 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Miscellaneous 雜類		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	n terminated
	Microbiological tests :- (cont'd)	
Cosmetics	Evaluation of antimicrobial protection	ISO 11930: 2019
	Tests for microbial contamination:	
	Enumeration of aerobic mesophilic bacteria	BS EN ISO 21149: 2017 (Pour Plate Method only)
	Enumeration of yeast and mould	ISO 16212: 2017 (Pour Plate Method only)
	Detection of specified microorganisms	ISO 18415: 2017 <i>Excluding the following></i> Cl. 9.9, 10.2
	Detection of Candida albicans	BS EN ISO 18416: 2015
	Detection of Escherichia coli	ISO 21150: 2015
	Detection of Pseudomonas aeruginosa	ISO 22717: 2015
	Detection of Staphylococcus aureus	ISO 22718: 2015

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-435; Effective date of termination: 18 July 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Pharmaceutical Products 藥物		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
	Microbiological examination :-	
Non-sterile pharmaceutical preparations and substances for pharmaceutical use	Microbiological quality:	Acceptance criteria: United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <1111> Examination procedures:
	Microbial enumeration tests	United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <61>
	Test for specified microorganisms	United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <62>
	Microbiological quality:	Acceptance criteria: European Pharmacopoeia 10.5th edition (2021) Chapter 5.1.4 (01/2021:50104) revised 10.3 Examination procedures:
	Test for specified microorganisms	European Pharmacopoeia 10.5th edition (2021) Chapter 2.6.13 (01/2021:20613)
	Microbial enumeration tests	European Pharmacopoeia 10.5th edition (2021) Chapter 2.6.12 (01/2021:20612)
	Microbiological quality:	Acceptance criteria: British Pharmacopoeia (2021), App. XVI D Examination procedures:
	Test for specified microorganisms Microbial enumeration tests	British Pharmacopoeia (2021), App. XVI B-1 British Pharmacopoeia (2021), App. XVI B-2
Sterile pharmaceutical substances, preparation and articles for pharmaceutical use	- Sterility tests	European Pharmacopoeia, 10.5th edition (2021) Chapter 2.6.1 (04/2011:20601 corrected 7.7) British Pharmacopoeia (2021), Appendix XVI A
Sterile pharmaceutical substances, preparation and articles for pharmaceutical use <excluding following="" the=""> Penicillins, Cephalosporins, Sterile aerosol products, Devices with pathways labeled sterile.</excluding>	- Sterility tests	United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <71>

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-435; Effective date of termination: 18 July 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

香港九龍青山道五百七十六號製衣中心二字樓

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the follo	wing tests has been terminated
	Microbiological tests :-	
Toy cosmetics	Microbiological examination of non- sterile products:	The European Cosmetic Regulation 1223/2009/EC (Annex I Part A Item 3) and The SCCS Notes of Guidance for the Testing of Cosmetics Ingredients and Their Safety Evaluation, 11 th Revision, 30-31 March 2021, SCCS/1628/21 Appendix 9: Guidelines on Microbiological Quality of the Finished Cosmetic Product
	Microbial enumeration tests	European Pharmacopoeia 10.5th edition (2021) Chapter 2.6.12 (01/2021:20612) British Pharmacopoeia (2021), App. XVI B-2 BS EN ISO 21149: 2017 (Pour Plate Method only) & ISO 16212: 2017 (Pour Plate Method only)
	Test for specified microorganisms	European Pharmacopoeia 10.5th edition (2021) Chapter 2.6.13 (01/2021:20613) British Pharmacopoeia (2021), App. XVI B-1 ISO 22717:2015, ISO 22718:2015 & BS EN ISO 18416:2015 & ISO 21150:2015
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 10.5th edition (2021) Chapter 5.1.3 (01/2011: 50103) British Pharmacopoeia (2021), App. XVI C (Criteria B) (Count by Pour Plate Method)
Тоу	Microbiological examination of non-sterile products:	EC type approval protocol No. 2 (European Co- ordination of Notified Bodies NB-TOYS/2016/014 under the Safety of Toys Directive) Microbiological safety of toys containing aqueous media REV 3 (18 February 2016)
	Microbial enumeration tests	<i>Test Procedures for compliance testing:</i> European Pharmacopoeia 10.5th edition (2021) Chapter 2.6.12 (01/2021:20612) BS EN ISO 21149: 2017 (Pour Plate Method only) & ISO 16212: 2017 (Pour Plate Method only)
	Test for specified microorganisms	European Pharmacopoeia 10.5th edition (2021) Chapter 2.6.13 (01/2021:20613) ISO 22717: 2015, ISO 22718: 2015 & BS EN ISO 18416: 2015& ISO 21150:2015 & BS EN ISO 18415: 2017
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 10.5th edition (2021) Chapter 5.1.3 (01/2011: 50103)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-435; Effective date of termination: 18 July 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Microbiological tests :- (cont'd)	
Toy cosmetics, liquids, pastes, putties, gels, and powders	Cleanliness of Materials	ASTM F963-17 Cl. 4.3.6.3 and 8.4.1 Test Procedures for compliance testing:
<pre>< Excluding the following > - avian feather products</pre>	- Microbial Enumeration Tests	United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <61>
	- Tests for Specified Microorganisms	United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <62>
Toy cosmetics, liquids, pastes, putties, gels, and powders	Preservative effectiveness	ASTM F963-17 Cl. 4.3.6.4 and 8.4.2.2 & 8.4.2.3 <i>Test Procedures for compliance testing:</i> United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <51>
Products for babies that are put in the mouth when used and that contain a filling	Sterility Tests	Canada Consumer Product Safety Act (CCPSA) Schedule 2 Item 4 <i>Test Procedures for compliance testing:</i> United States Pharmacopeia – National Formulary (USP–NF) 2021, Issue 2, Chapter <71>

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-434; Effective date of termination: 11 June 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been t	terminated
	EMC tests :- Emission tests	
Digital transmission system, frequency hopping system and licence-exempt local area network device	 Measurement of radiated emission 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-247 Issue 2, February 2017 in conjunction with RSS-Gen Issue 5, April 2018 + Amendment 1 (March 2019) + Amendment 2 (February 2021) using test methods specified in ANSI C63.10: 2013
	Telecommunications equipment tests :-	
Radio equipment		
 Ultra Low Power (ULP) wireless medical capsule endoscopy device operating in the frequency band of 430 MHz to 440 MHz 	- Transmitter requirements - Receiver requirements	ETSI EN 303 520: 2018
 Wireless communications device to be used with the radiating part in close proximity to the human ear 	Specific Absorption Rate (SAR) measurement300 MHz to 3 GHz	EN 50360: 2001 + A1: 2012 in conjunction with EN 62209-1: 2006
	Specific Absorption Rate (SAR) measurement300 MHz to 3 GHz	EN 62209-1: 2006 IEC 62209-1: 2005
	 Radio Frequency Exposure (RF Exp.) measurement 300 MHz to 6 GHz 	RSS-102 Issue 5, March 2015 using test methods specified in IEEE C95.3: 2002
- Wireless communications device to be used with the radiating part in close proximity to the human body	 Radio Frequency Exposure (RF Exp.) measurement 300 MHz to 6 GHz 	RSS-102 Issue 5, Macrh 2015 using test methods specified in IEEE C95.3: 2002

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-433; Effective date of termination: 3 June 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been t	erminated
	Chemical tests :-	
Tricycles intended for use by children 8 years or under – surface coatings	- Total lead content	ANSI Z315.1-2012 Cl. 4.1.1 in conjunction with CPSIA Sec. 101(f) and 16 CFR 1303 and ASTM F963-17 Cl. 4.3.5.2 <i>Test procedures for compliance testing:-</i> CPSC Test method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011
	- Soluble elements: Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	Test procedures for compliance testing:- ASTM F963-17 Cl. 8.3.2 – 8.3.4

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-433; Effective date of termination: 3 June 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Chemical tests :-	
Toys – paint and similar surface-coating materials	- Total lead content	ASTM F963-17 Cl. 4.3.5.1 (1) <i>Test procedures for compliance testing:-</i> CPSC Test method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011
	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-17 Cl. 4.3.5.1 (2) Test procedures for compliance testing:- ASTM F963-17 Cl. 8.3.2 – 8.3.4
Toys – substrate materials (not including children's jewelry)	- Total lead content	ASTM F963-17 Cl. 4.3.5.2 (2) (a) <i>Test Procedures for Compliance testing:</i> - CPSC Test Method: CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 <i><excluding following="" the=""></excluding></i> XRF spectrometry CPSC Test Method: CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products, November 15, 2012 <i><excluding following="" the=""></excluding></i> XRF spectrometry XRF spectrometry
	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-17 Cl. 4.3.5.2 (2) (b) <i>Test procedures for compliance testing:</i> - ASTM F963-17 Cl. 8.3.5
Metallic toys or metallic toy components (not including children's jewelry)	- Extractable Cadmium	ASTM F963-17 Cl. 4.3.5.2 (2) (c) <i>Test Procedures for Compliance testing:</i> - ASTM F963-17 Cl. 8.3.5.5(3) and CPSC Test Method: CPSC-CH-E1004-11 Standard Operating Procedure for Determining Cadmium (Cd) Extractability from Children's Metal Jewelry, February 03, 2011

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-432; Effective date of termination: 14 May 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been t	erminated
	Food composition tests:-	
Meat	Fat (crude)	AOAC Official Methods 960.39 (a) (2005)
Nuts and nut products	Fat (crude)	AOAC Official Methods 948.22 (a) (2005) Direct Method

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-430; Effective date of termination: 15 March 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Testing Required by the China Compulsory Certification System (CCC) 中國強制性產品認證制度規定的檢測		
SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Accreditation of the following test has be	een terminated	
All required tests as specified in CNCA-C10-01: 2014		
- EMC tests*	GB/T 17743-2017	
CNCA-C10-01: 2014 有關規定的所有檢測項目		
- 電磁兼容檢測項目*	GB/T 17743-2017	
	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性 Accreditation of the following test has b All required tests as specified in CNCA-C10-01: 2014 - EMC tests* CNCA-C10-01: 2014 有關規定的所有檢測項目	

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-430; Effective date of termination: 15 March 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Testing Required by the China Compulsory Certification System (CCC) 中國強制性產品認證制度規定的檢測		
SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Accreditation of the following test has b	een terminated	
All required tests as specified in CNCA-C10-01: 2014		
- EMC tests*	GB/T 17743-2017	
CNCA-C10-01: 2014 有關規定的所有檢測項目		
- 電磁兼容檢測項目*	GB/T 17743-2017	
	PROPERTY MEASURED 特定測試或量度的特性 Accreditation of the following test has be All required tests as specified in CNCA-C10-01: 2014 - EMC tests* CNCA-C10-01: 2014 有 關規定的所有檢測項目	

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-430; Effective date of termination: 15 March 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been to	erminated
	Product performance tests :- 產品性能測試	
Audio, video and related equipment 影音設備		
- Television set, video recording equipment, set top box, audio equipment and multi-function equipment for consumer use	- Measurement of power consumption	IEC 62087: 2011
Electrical accessory	Safety tests :-	
- 10A 250V socket outlet	- Compliance inspection and safety tests	AS/NZS 3112: 2011 + A1: 2012 + A2: 2013 + A3: 2016 < <i>Excluding the following</i> > Cl. 2.13.10
- 10A 250V socket-outlet adaptor	- Compliance inspection and safety tests	AS/NZS 3122: 2005
- Rewirable and non-rewirable 13 A fused plug	- Compliance inspection and safety tests	SS 145: Part 1: 2010
- Adaptors for use with 13A socket outlet	- Compliance inspection and safety tests	SS 246: 2004 SS 246: 2016
- Box and enclosure for electrical accessory for household and similar fixed electrical installation	- Compliance inspection and safety tests	BS EN 60670-1: 2005 + A1: 2013 EN 60670-1: 2005 + A1: 2013 IEC 60670-1: 2015

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-430; Effective date of termination: 15 March 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has be	en terminated
Luminaire	Safety tests :-	
- Luminaire up to 100W	- Compliance inspection and safety tests	IEC 60598-1: 2014 < <i>Excluding the following</i> > Cl. 4.13.4, 4.20, 4.24, 4.26, 4.28 9.2 (tests for IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8) (Note: The above standard should be used in conjunction with the product test standards as detailed in relevant Part 2 of IEC 60598.)
- Fixed general purpose luminaire up to 100 W	- Compliance inspection and safety tests	BS 4533: Section 102.1: 1990 EN 60598-2-1: 1989 IEC 60598-2-1: 1979 + A1: 1987 < <i>Excluding the following</i> > for the above three standards Cl. 1.6 (tests to Cl. 4.13.4, 4.20, 4.24 and 4.26 of Part 1) and 1.13 (tests for IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8)
- Lighting chain	- Compliance inspection and safety tests	BS EN 60598-2-20: 2010 EN 60598-2-20: 2010 < <i>Excluding the following</i> > for the above two standards Cl. 20.6 (tests to Cl. 4.13.4, 4.20, 4.24 and 4.26 of Part 1) and 20.13 (tests for IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8)
		IEC 60598-2-20: 2014 < <i>Excluding the following</i> > Cl. 20.7 (tests to Cl. 4.13.4, 4.20, 4.24, 4.26 and 4.28 of Part 1) and 20.13 (tests for IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8); Annex A
- Portable general purpose luminaire up to 100 W	- Compliance inspection and safety tests	BS EN 60598-2-4: 1998 EN 60598-2-4: 1997 IEC 60598-2-4: 1997 < <i>Excluding the following</i> > for the above three standards Cl. 4.6 (tests to Cl. 4.13.4, 4.20, 4.24 and 4.26 of Part 1) and 4.13 (tests for IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-429; Effective date of termination: 29 February 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been t	erminated
	Microbial indicators :-	
Potable Water	Total Coliform counts	APHA 23e 9222 B (Membrane Filtration Method)
	Fecal Coliform count	APHA 23e 9222 D (Membrane Filtration Method)
	E. coli count	APHA 23e 9222 D & G (Membrane Filtration Method followed by <i>E. coli</i> Partition Method)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-426; Effective date of termination: 26 January 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has	been terminated
Plastics	Cadmium	BS EN 1122: 2001 (Method B - Wet decomposition) EN 1122: 2001 (Method B - Wet decomposition) In House method TC008.TP
Products intended to come into direct contact with skin and piercing parts	Release of nickel	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 27 as amended by Commission Regulation (EC) No. 552/2009 <i>Compliance test procedures for nickel release content:</i> - BS EN 1811:2011 + A1: 2015 EN 1811:2011 + A1: 2015
Coated articles that come into direct and prolonged contact with the skin (excluding articles with an outer coating containing nickel and those which are inserted into pierced ears and other parts of the human body)		Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 27 as amended by Commission Regulation (EC) No. 552/2009 Compliance test procedures for nickel release content:- BS EN 12472: 2020 & BS EN 1811:2011 + A1: 2015 EN 12472: 2020 & EN 1811:2011 + A1: 2015

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-426; Effective date of termination: 26 January 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has	s been terminated
	Chemical tests :-	
All toys	- Cellulose nitrate/celluloid	Canada Toys Regulations (SOR/2011-17) section 21 <i>Test procedure for compliance testing:</i> Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C-17: Detection of Cellulose Nitrate in Children's Optical Frames, Toys and Other Consumer Products (2003-01-20) In-house method HC279.TP (for screening only)
All toys, children's product surface coating materials	- Total Lead content - Leachable arsenic, selenium, cadmium, antimony and barium	Canada Toys Regulations (SOR/2011-17) section 23 and amendment SOR/2016-195 <i>Test procedure for compliance testing:</i> In house method TC003.TP Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C-03: Determination of Leachable Arsenic (As), Selenium (Se), Cadmium (Cd), Antimony (Sb) and Barium (Ba) in Applied Coatings (2014-02-20) (with modifications)
	- Total mercury content	<i>Test procedure for compliance testing:</i> In house method TC066.TP (microwave digestion followed by ICP-MS)
Applied surface coating material on products for children (including furniture) and pencils and artists' brushes	- Total lead content	Canada Consumer Product Safety Act Surface Coating Materials Regulations (SOR/2016-193) section 6 <i>Test procedure for compliance testing:</i> In house method TC003.TP
Plastic	- Cadmium	BS EN 1122: 2001 (Method B - Wet decomposition) EN 1122: 2001 (Method B - Wet decomposition) In House method TC008.TP

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-425; Effective date of termination: 22 January 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	en terminated
	Chemical tests :-	
		Japan Toy Safety Standard ST 2016, English version, Third edition (2019.12.3) Part 3
All toys' materials		Cl. 1.1
		Test Procedures for Compliance testing:
	- Colouring matters	Cl. 2.1
Toys that are made of materials		Cl. 1.2
which are mainly composed of		Test Procedures for Compliance testing:
polyethylene or polyvinyl chloride	- Consumption of potassium permanganate	Cl. 1.2.1 & Cl. 2.2
(excluding parts on which paint	and residue on evaporation	Cl. 1.2.1 & Cl. 2.3
coating is applied)	- Heavy metals	Cl. 1.2.1 & Cl. 2.4
	- Arsenic	Cl. 1.2.1 & Cl. 2.5
	- Cadmium (excluding materials mainly composed of polyethylene)	Cl. 1.2.1 & Cl. 2.6
Decalcomania, folded paper and		Cl. 1.3
rubber-made toys (excluding		Test Procedures for Compliance testing:
rubber pacifiers)	- Heavy metals	Cl. 1.3.1 & Cl. 2.4
	- Arsenic	Cl. 1.3.1 & Cl. 2.5
Vinyl chloride resin coating		Cl. 1.4 & Cl. 1.5
		Test Procedures for Compliance testing:
	- Consumption of potassium permanganate	Cl. 1.4.1 & Cl. 2.2
	- Residue after evaporation	Cl. 1.4.1 & Cl. 2.3
	- Heavy metals: 8 elements	Cl. 1.5.1 & Cl. 2.7 (1) ①, (2) & (3)
	(antimony, arsenic, barium, cadmium,	
	chromium, lead, mercury and selenium)	
The Paint coating applied to the body		Cl. 1.5
or the components of the toys	- Heavy metals: 8 elements	Test Procedures for Compliance testing:
(excluding the printing ink used for	(antimony, arsenic, barium, cadmium,	Cl. 1.5.1 & Cl. 2.7 (1) ①, (2) & (3)
paper containers)	chromium, lead, mercury and selenium)	
Textile products used for toys		Cl. 1.6
		Test Procedures for Compliance testing:
	- Free formaldehyde	Cl. 1.6 & Cl. 2.8
		<excluding following="" the=""></excluding>
		Confirmation test by HPLC

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-425; Effective date of termination: 22 January 2024)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Chemical tests :- (cont'd)	
		Japan Toy Safety Standard ST 2016, English version, Third edition (2019.12.3) Part 3
Ink and the like used for the		Cl. 1.8
graphic instruments that are		Test Procedures for Compliance testing:
provided with the toys such as	- Colouring matters	Cl. 1.8.1 & Cl. 2.1
pencils, ball-point pens, markers,	- Heavy metals: 8 elements,	Cl. 1.8.2 & Cl. 2.7 (1) ②, (2) & (3)
crayons, pastels, water colours,	(antimony, arsenic, barium, cadmium,	
chalks, etc.	chromium, lead, mercury and selenium)	
Rubber pacifiers		Cl. 1.10
Rubber pacifiers		Test Procedures for Compliance testing:
	- Material test:	Cl. 2.11.1
	Cadmium and Lead	
	- Dissolution test:	Cl. 2.11.2
	Phenol,	
	Formaldehyde,	
	Zinc,	
	Heavy metals and	
	Residue on evaporation	
Metals used for toy		Cl. 1.11
(neither painted nor covered)		Test Procedures for Compliance testing:
(include painted hot covered)	- Lead	Cl. 2.12 & 2.7 (2) & (3)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-423; Effective date of termination: 21 November 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Testing Required by the China Compulsory Certification System (CCC) 中國強制性產品認證制度規定的檢測		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
Electronic product and safety accessory 電子產品及安全附件		
 Colour television receiver and TV set-top box (0808) <i>Excluding the following</i> > 	All required tests as specified in CNCA-C08-01:2014	
 Television receiver for use in a vehicle Apparatus having a picture tube 	- Safety tests	GB 8898-2011
 Apparatus using connection terminals having an open-circuit voltage of 60 V d.c. or above 	- EMC tests*	GB/T 13837-2012 GB 17625.1-2012
- 彩色電視接收機、電視機頂盒 (0808) <不包括>	CNCA-C08-01:2014 有關規定的所有檢測項目	
- 汽車用電視接收機 - 帶有顯像管的設備	- 安全檢測項目	GB 8898-2011
-帶有直流開路電壓 60 V 或以上 連接端子的設備	- 電磁兼容檢測項目*	GB/T 13837-2012 GB 17625.1-2012

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-423; Effective date of termination: 21 November 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Testing Required by the China Compulsory Certification System (CCC) 中國強制性產品認證制度規定的檢測		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
Electronic product and safety accessory 電子產品及安全附件		
- Personal computer (0901)	All required tests as specified in CNCA-C09-01: 2014	
	- Safety tests	GB 4943.1-2011
	- EMC tests*	GB/T 9254-2008 GB 17625.1-2012
- 微型計算機 (0901)	CNCA-C09-01: 2014 有關規定的所有檢測項目	
	- 安全檢測項目	GB 4943.1-2011
	- 電磁兼容檢測項目*	GB/T 9254-2008 GB 17625.1-2012
- Portable personal computer (0902)	All required tests as specified in CNCA-C09-01: 2014	
	- Safety tests	GB 4943.1-2011
	- EMC tests*	GB/T 9254-2008 GB 17625.1-2012
-便攜式計算機(0902)	CNCA-C09-01: 2014 有關規定的所有檢測項目	
	- 安全檢測項目	GB 4943.1-2011
	- 電磁兼容檢測項目*	GB/T 9254-2008 GB 17625.1-2012

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-423; Effective date of termination: 21 November 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Testing Required by the China Compulsory Certification System (CCC) 中國強制性產品認證制度規定的檢測 ITEM TESTED OR MEASURED SPECIFIC TEST OR PROPERTY MEASURED SPECIFIC TEST OR OR TECHNIQUE USED		
測試或量度項目	PROPERTY MEASURED 特定測試或量度的特性	OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has b	een terminated
Electronic product and safety accessory 電子產品及安全附件		
 Display unit for use with a computer (0903) <i>Excluding the following></i> Cathode ray tube display unit 	All required tests as specified in CNCA-C09-01: 2014	
	- Safety tests	GB 4943.1-2011
	- EMC tests*	GB/T 9254-2008 GB 17625.1-2012
- 與計算機連用的顯示設備 <i>(0903)</i> <i><不包括></i> - 陰極射綫管顯示設備	CNCA-C09-01: 2014 有關規定的所有檢測項目	
云 化 初	- 安全檢測項目	GB 4943.1-2011
	- 電磁兼容檢測項目*	GB/T 9254-2008 GB 17625.1-2012
 Printer connected to a computer (0904) 	All required tests as specified in CNCA-C09-01: 2014	
	- Safety tests	GB 4943.1-2011
	- EMC tests*	GB/T 9254-2008 GB 17625.1-2012
- 與計算機相連的打印設備 <i>(0904)</i> <i><不包括> - 含液體打印設備</i>	CNCA-C09-01: 2014 有關規定的所有檢測項目	
	- 安全檢測項目	GB 4943.1-2011
	- 電磁兼容檢測項目*	GB/T 9254-2008 GB 17625.1-2012

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-423; Effective date of termination: 21 November 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Testing Required by the China Compulsory Certification System (CCC)中國強制性產品認證制度規定的檢測		
SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Accreditation of the following test has be	een terminated	
All required tests as specified in CNCA-C09-01: 2014		
- Safety tests	GB 4943.1-2011	
- EMC tests*	GB/T 9254-2008 GB 17625.1-2012	
CNCA-C09-01: 2014 有關規定的所有檢測項目		
- 安全檢測項目	GB 4943.1-2011	
- 電磁兼容檢測項目*	GB/T 9254-2008 GB 17625.1-2012	
All required tests as specified in CNCA-C09-01: 2014		
- Safety tests	GB 4943.1-2011	
- EMC tests*	GB/T 9254-2008 GB 17625.1-2012	
CNCA-C09-01: 2014 有關規定的所有檢測項目		
- 安全檢測項目	GB 4943.1-2011	
- 電磁兼容檢測項目*	GB/T 9254-2008 GB 17625.1-2012	
	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性 Accreditation of the following test has b All required tests as specified in CNCA-C09-01: 2014 - Safety tests - EMC tests* CNCA-C09-01: 2014 方開規定的所有檢測項目 - 安全檢測項目 - 電磁兼容檢測項目* All required tests as specified in CNCA-C09-01: 2014 - 電磁兼容檢測項目 - 電磁兼容檢測項目 - 安全檢測項目 - Safety tests - EMC tests*	

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-423; Effective date of termination: 21 November 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Testing Required by the China Compulsory Certification System (CCC)中國強制性產品認證制度規定的檢測		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has b	een terminated
Electronic product and safety accessory 電子產品及安全附件		
- Server (0911)	All required tests as specified in CNCA-C09-01: 2014	
	- Safety tests	GB 4943.1-2011
	- EMC tests*	GB/T 9254-2008 GB 17625.1-2012
-服務器(0911)	CNCA-C09-01: 2014 有關規定的所有檢測項目	
	- 安全檢測項目	GB 4943.1-2011
	- 電磁兼容檢測項目*	GB/T 9254-2008 GB 17625.1-2012

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-423; Effective date of termination: 21 November 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has b	een terminated
Electronic product and safety accessory 電子產品及安全附件		
- Power supply 電源		
 Power adapter for audio and video apparatus (0807) <i>Excluding the following</i> > 	All required tests as specified in CNCA-C08-01:2014	
- Apparatus using connection terminals having an open-circuit voltage of	- Safety tests	GB 8898-2011
60 V d.c. or above	- EMC tests*	GB/T 13837-2012 GB 17625.1-2012
- 音視頻設備配套的電源適配器 (0807) <不包括>	CNCA-C08-01:2014 有關規定的所有檢測項目	
-帶有直流開路電壓 60 V 或以上 連接端子的設備	- 安全檢測項目	GB 8898-2011
	- 電磁兼容檢測項目*	GB/T 13837-2012 GB 17625.1-2012
- Power adapter for information technology equipment (0907)	All required tests as specified in CNCA-C09-01: 2014	
	- Safety tests	GB 4943.1-2011
	- EMC tests*	GB/T 9254-2008 GB 17625.1-2012
-信息技術設備配套的電源適配器 (0907)	CNCA-C09-01: 2014 有關規定的所有檢測項目	
	- 安全檢測項目	GB 4943.1-2011
	- 電磁兼容檢測項目*	GB/T 9254-2008 GB 17625.1-2012

* Radiated disturbance measurements are conducted at Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Hong Kong 輻射騷擾測量在香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號進行

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-423; Effective date of termination: 21 November 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Testing Required by the China Compulsory Certification System (CCC) 中國強制性產品認證制度規定的檢測		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has b	een terminated
Electronic product and safety accessory 電子產品及安全附件		
Power supply (cont'd) 電源(續上)		
- Built-in power supply for a computer or server (0907)	All required tests as specified in CNCA-C09-01: 2014	
	- Safety tests	GB 4943.1-2011
	- EMC tests*	GB/T 9254-2008 GB 17625.1-2012
- 計算機/服務器內置電源 <i>(0907)</i>	CNCA-C09-01: 2014 有關規定的所有檢測項目	
	- 安全檢測項目	GB 4943.1-2011
	- 電磁兼容檢測項目*	GB/T 9254-2008 GB 17625.1-2012

* Radiated disturbance measurements are conducted at Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Hong Kong 輻射騷擾測量在香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號進行

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-417; Effective date of termination: 28 June 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Testing Required by the China Compulsory Certification System (CCC) 中國強制性產品認證制度規定的檢測		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been to	erminated
Electronic product and safety accessory 電子產品及安全附件		
- Active single or multiple speaker system having an output power of not more than 500W (0801)	All required tests as specified in CNCA-C08-01:2014	
< <i>Excluding the following</i> > - Apparatus using connection terminals	- Safety tests	GB 8898-2011
having an open-circuit voltage of 60 V d.c. or above	- EMC tests*	GB/T 13837-2012 GB 17625.1-2012
-總輸出功率在 500W (有效值)以下 的單揚聲器和多揚聲器有源音箱 (0801)	CNCA-C08-01:2014 有關規定的所有檢測項目	
< < 不包括> - 帶有直流開路電壓 60 V 或以上 連接端子的設備	- 安全檢測項目 - 電磁兼容檢測項目*	GB 8898-2011 GB/T 13837-2012
- Audio power amplifier (0802) < Excluding the following >	All required tests as specified in CNCA-C08-01:2014	GB 17625.1-2012
 Apparatus using connection terminals having an open-circuit voltage of 60 V d.c. or above 	- Safety tests	GB 8898-2011
	- EMC tests*	GB/T 13837-2012 GB 17625.1-2012
- 音頻功率放大器(0802) <不包括> - 帶有直流開路電壓 60 V 或以上	CNCA-C08-01:2014 有關規定的所有檢測項目	
連接端子的設備	-安全檢測項目	GB 8898-2011
	- 電磁兼容檢測項目*	GB/T 13837-2012 GB 17625.1-2012

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-417; Effective date of termination: 28 June 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Testing Required by the China Compulsory Certification System (CCC) 中國強制性產品認證制度規定的檢測		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has bee	n terminated
Electronic product and safety accessory 電子產品及安全附件		
- Audio/video recorder, player and processor (including CD, cassette tape, hard disk, etc.) (0805, 0812)	All required tests as specified in CNCA-C08-01:2014	
 <i>Excluding the following</i> > Apparatus having a picture tube 	- Safety tests	GB 8898-2011
 Apparatus naving a picture tabe Citizen's band apparatus Apparatus using connection terminals having an open-circuit voltage of 60 V d.c. or above 	- EMC tests*	GB/T 13837-2012 GB 17625.1-2012
 - 音視頻錄製、播放及處理設備 (包括各類光盤、磁帶、硬盤等 載體形式) 	CNCA-C08-01:2014 有關規定的所有檢測項目	
(0805、0812) < < 不包括> - 帶有顯像管的設備 - 民用頻段設備 - 帶有直流開路電壓 60 V 或以上 連接端子的設備	-安全檢測項目 - 電磁兼容檢測項目*	GB 8898-2011 GB/T 13837-2012 GB 17625.1-2012
 Electronic piano (0813) <i>Excluding the following</i> > Apparatus using connection terminals having an open-circuit voltage of 60 V d.c. or above 	All required tests as specified in CNCA-C08-01:2014 - Safety tests - EMC tests*	GB 8898-2011 GB/T 13837-2012
- 電子琴 <i>(0813)</i> <i><不包括></i> - 帶有直流開路電壓 60 V 或以上	CNCA-C08-01:2014 有關規定的所有檢測項目	GB 17625.1-2012
連接端子的設備	- 安全檢測項目 - 電磁兼容檢測項目*	GB 8898-2011 GB/T 13837-2012 GB 17625.1-2012

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-417; Effective date of termination: 28 June 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has be	een terminated
Household and similar electrical appliance	Safety tests :-	
- Air-cleaning appliance (with rated voltage not more than 250V for single-phase appliance and 480V for other appliance)	- Compliance inspection and safety tests	AS/NZS 60335.2.65: 2006 + A1: 2009 EN 60335-2-65: 2003 + A1: 2008 + A11: 2012 IEC 60335-2-65: 2002 + A1: 2008 <i>Excluding the following></i> for the above three standards C1. 15.1(tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32(oxygen bomb test), 22.46 and 32 (ozone concentration measurement)
- Air conditioner (with rated voltage not more than 250 V for single-phase appliance and rated cooling capacity not more than 27000 Btu/hr)	- Compliance inspection and safety tests	AS/NZS 60335.2.40: 2006 EN 60335-2-40: 2003 + A1: 2006 + A2: 2009 + A11: 2004 + A12: 2005 + A13: 2012 IEC 60335-2-40: 2002 + A1: 2003 + A2: 2005 < <i>Excluding the following</i> > for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX3, IPX4, IPX6 and IPX8) 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test), 22.46, 22.104, 22.015, 22.106, 22.107, 22.108, 22.113, 22.114, 22.115, 22.116, 22.117 and 22.118; Annex CC, DD, GG (flammable refrigerant)
- Appliance for heating liquids (with rated voltage not more than 250 V)	- Compliance inspection and safety tests	AS/NZS 60335.2.15: 2013 < <i>Excluding the following</i> > for the above two standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 19.4 (pressure cooker), 22.1 (tests for IP5X, IP6X), 22.7 (pressure cooker), 22.32 (oxygen bomb test), 22.46 and 22.108 (pressure cooker)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-417; Effective date of termination: 28 June 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has be	en terminated
Household and similar electrical appliance	Safety tests :-	
- Appliance for skin or hair care (with rated voltage not more than 250 V)	- Compliance inspection and safety tests	AS/NZS 60335.2.23: 2012 EN 60335-2-23: 2003 + A1: 2008 + A11: 2010 + A2: 2015 < <i>Excluding the following</i> > for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 19.2 (heater for detachable curler), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Deep fat fryer, frying pan and similar appliance (having a recommended maximum quantity of oil not exceeding 51, and with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.13: 2010 EN 60335-2-13: 2010 + A11: 2012 IEC 60335-2-13: 2009 <i>Excluding the following></i> for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Electric iron, including those with a separate water reservoir or boiler having a capacity not exceeding 51 (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.3: 2012 < <i>Excluding the following></i> for the above two standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Fan (with rated voltage not more than250 V for single-phase appliances and 480V for other appliances)	- Compliance inspection and safety tests	EN 60335-2-80: 2003 + A1: 2004 + A2: 2009 AS/NZS 60335.2.80: 2004 + A1: 2009 < <i>Excluding the following</i> > for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-417; Effective date of termination: 28 June 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
Household and similar electrical appliance	Safety tests :-	
- Fabric steamer (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.85: 2005 + A1: 2009 EN 60335-2-85: 2003 + A1: 2008 IEC 60335-2-85: 2002 + A1: 2008 < <i>Excluding the following</i> > for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Floor treatment machine and wet scrubbing machine (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.10: 2006 + A1: 2009 EN 60335-2-10: 2003 + A1: 2008 IEC 60335-2-10: 2002 + A1: 2008 < <i>Excluding the following</i> > for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Grill, toaster and similar portable cooking appliance (with rated voltage not more than 250 V)	- Compliance inspection and safety tests	EN 60335-2-9: 2003 + A1: 2004 + A2: 2006 + A12: 2007 + A13: 2010 AS/NZS 60335.2.9: 2009 + A1: 2011 < <i>Excluding the following</i> > Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Humidifier (with rated voltage not more than 250V for single-phase appliance and 480V for other appliance)	- Compliance inspection and safety tests	EN 60335-2-98: 2003 + A1: 2005 + A2: 2008 IEC 60335-2-98: 2002 + A1: 2004 + A2: 2008 <i>Excluding the following></i> for the above two standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-417; Effective date of termination: 28 June 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has bee	en terminated
Household and similar electrical appliance	Safety tests :-	
- Insect killer (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.59: 2005 + A1: 2005 + A2: 2006 + A3: 2010 IEC 60335-2-59: 2002 + A1: 2006 + A2: 2009 EN 60335-2-59: 2003 + A1: 2006 + A2: 2009 < <i>Excluding the following</i> > for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test), 22.46 and 32 (UV radiation) IEC 60335-2-59: 2009 < <i>Excluding the following</i> > Cl. 15.1 (tests for IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8), 22.32 (oxygen bomb test), 22.46 and 32 (UV radiation)
- Kitchen machine (with rated voltage not more than 250 V)	- Compliance inspection and safety tests	AS/NZS 60335.2.14: 2013 EN 60335-2-14: 2006 + A1: 2008 + A11: 2012 <i>Excluding the following ></i> for the above three standards Cl. 11.7.110, 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 20.101 (hand-held food mixer), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Massage appliance (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.32: 2014 EN 60335-2-32: 2003 + A1: 2008 + A2: 2015 IEC 60335-2-32: 2002 + A1: 2008 + A2: 2013 <i>Excluding the following ></i> for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-417; Effective date of termination: 28 June 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has be	en terminated
Household and similar electrical appliance	Safety tests :-	
- Oral hygiene appliance (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.52: 2006 + A1:2009 EN 60335-2-52: 2003 + A1: 2008 + A11: 2010 IEC 60335-2-52: 2002 + A1: 2008 < <i>Excluding the following</i> > for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Portable heating tool and similar appliance (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.45: 2012 EN 60335-2-45: 2002 + A1: 2008 + A2: 2012 IEC 60335-2-45: 2002 + A1: 2008 + A2: 2012 < <i>Excluding the following</i> > for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Refrigerating appliance of compression-type (with rated voltage not more than250 V for single-phase appliance and 480 V for other appliance)	- Compliance inspection and safety tests	 IEC 60335-2-24: 2002 + A1: 2005 + A2: 2007 <i>Excluding the following</i> > Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.7, 22.32 (oxygen bomb test), 22.46, 22.106, 22.107, 22.108, 22.109 and 22.110 EN 60335-2-24: 2010 IEC 60335-2-24: 2010 + A1: 2012 <i>Excluding the following</i> > for the above two standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.7, 22.32 (oxygen bomb test), 22.46, 22.103, 22.106, 22.107, 22.108, 22.109 and 22.110

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-417; Effective date of termination: 28 June 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has bee	n terminated
Household and similar electrical appliance	Safety tests :-	
- Room heater (with rated voltage not more than250 V for single-phase appliance and 480 V for other appliance)	- Compliance inspection and safety tests	AS/NZS 60335.2.30: 2009 + A1: 2010 EN 60335-2-30: 2009 + A11: 2012 <i>Excluding the following></i> for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Shaver, hair clipper and similar appliance (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.8: 2013 IEC 60335-2-8: 2012 <i>Excluding the following></i> for the above two standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Surface cleaning appliance for household use employing liquids or steam (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.54: 2010 + A1: 2010 EN 60335-2-54: 2008 + A11: 2012 IEC 60335-2-54: 2008 < <i>Excluding the following</i> > for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 21.101 to 21.105 (test for current carrying hose), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Unvented (closed) storage water heater (with rated pressure up to1000 kPa (10 bar) and rated voltage not more 250 V for single-phase appliance and 480 V for other appliance)	- Compliance inspection and safety tests	AS/NZS 60335.2.21: 2002 + A1: 2004 + A2: 2005 + A3: 2009 EN 60335-2-21: 2003 + A1: 2005 + A2: 2008 IEC 60335-2-21: 2002 + A1: 2004 + A2: 2007 < <i>Excluding the following</i> > for the above three standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 15.2, 19.4, 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test), 22.46 and 22.104

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-417; Effective date of termination: 28 June 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following test has been	en terminated	
Household and similar electrical appliance	Safety tests :-		
 Vacuum cleaner (with rated voltage not more than 250V) <i>Excluding the following></i> product with motorized cleaning head product with current carrying hose, automatic battery powered cleaner 	- Compliance inspection and safety tests	EN 60335-2-2: 2010 + A11: 2012 + A1: 2013 IEC 60335-2-2: 2009 + A1: 2012 <i>Excluding the following></i> for the above two standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 21.101 to 21.105 (test for current carrying hose), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46	
- Vaporizer (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.101: 2002 + A1: 2009 EN 60335-2-101: 2002 + A1: 2008 + A2: 2014 <i>EC</i> 60335-2-101: 2002 + A1: 2008 + A2: 2014 <i>Eccluding the following></i> for the above three standards C1. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46	

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-416; Effective date of termination: 27 June 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been t	erminated
Тоу	Electrical tests :-	
- Electric toy	- Safety requirements and test methods	AS/NZS 62115: 2011
Тоу		
	Flammability tests :-	
	- Safety requirements and test methods	Japan Toy Safety Standard ST2016 Third Edition (December 3, 2019) Part 2 (based on English version provided by JTA in December 3 2019) < <i>Excluding the following></i> Tests for flammable gas, extremely flammable liquid, highly flammable liquid and flammable liquid
Тоу	Physical and mechanical tests :-	
	- Safety requirements and test methods	Japan Toy Safety Standard ST2016 Third Edition (December 3, 2019) Part 1 (based on English version provided by JTA in December 3, 2019) < <i>Excluding the following></i> Cl. 4.23(e)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-412; Effective date of termination: 29 March 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been to	
	Telecommunications equipment tests :-	
Fixed telecommunications network equipment		
Analogue loop start terminal equipment connected to a telephone network < <i>Excluding the following></i> - 4 Wire devices	- Requirements and test methods for magnetic output from handset telephones for hearing aid coupling	CS-03 Part V Issue 9 Amdt 2

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-411; Effective date of termination: 9 January 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Toxicological tests :-	
Food containers (ceramic ware)	Leachable lead and cadmium	US FDA Compliance Policy Guides 7117.06 and 7117.07 Sections 545.400 & 545.450 (2005) <i>Test procedure for compliance testing:</i> - AOAC Official Methods 973.32 and 973.82 (2005) ASTM C738-94 (Reapproved 2020) The Materials and Articles in Contact with Food (England) Regulations 2012 SI 2619 Part 4 <i>Test procedure for compliance testing:</i> - Council Directive 84/500/EEC and amendment Commission Directive 2005/31/EC
		Council Directive 84/500/EEC and amendment Commission Directive 2005/31/EC ISO 6486-2: 1999 <i>Test procedure for compliance testing:-</i> ISO 6486-1: 1999 ISO 6486-1: 2019 (by FAAS)
Food containers (glassware, ceramic ware and enamel ware)	Leachable lead and cadmium	BS 6748: 1986 + A1: 2011

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-411; Effective date of termination: 9 January 2023)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Toxicological tests (cont'd) :-	
Food containers (ceramic and glassware)	Leachable lead and cadmium	Canada Consumer Product Safety Act Glazed Ceramic and Glassware Regulation SOR/2016-175
Food containers (lip &rim areas of glass tumblers)	Leachable lead and cadmium	US Federal Register Vol. 43, No. 242, [4110-03-M] <i>Test procedure for compliance testing:</i> - ASTM C927-80 (Reapproved 2019)e1
Food contacting articles (plastic)	Overall migration test	European Commission Regulations (EU) No. 10/2011 (Article 12, paragraphs 4, 5 & 7 of Article 18 and Annex III, Chapter 3 of Annex V, as amended by Commission Regulations (EU) No. 2016/1416, Commission Regulations (EU) No. 2019/37 and Commission Regulation (EU) No. 2019/37 and Commission Regulation (EU) No. 2020/1245 EN 1186-1: 2002 EN 1186-3: 2002 EN 1186-3: 2002 EN 1186-3: 2002 EN 1186-13: 2002 Method A EN 1186-14: 2002 <i><excluding and="" cell="" methods="" pouch=""></excluding></i>

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-409; Effective date of termination: 30 September 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been t	terminated
Тоу	Electrical tests :-	
- Electrically powered infant swing	- Safety requirements and test methods	ASTM F2088-20 Cl. 6.1 and 7.1

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-409; Effective date of termination: 30 September 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Unit 7-10, Ground Floor, Trans Asia Centre, 18 Kin Hong Street, Kwai Chung, New Territories, Hong Kong 香港新界葵涌健康街 18 號恆亞中心地下 7-10 號單位

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
Children's products	Physical and mechanical tests :-	
- Expansion gate and expandable enclosure	- Safety requirements and test methods	16 CFR Part 1239 in conjunction with ASTM F1004-19
		ASTM F1004-19
- Infant swing	- Safety requirements and test methods	16 CFR Part 1223 in conjunction with ASTM F2088-20
		ASTM F2088-20

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-405; Effective date of termination: 25 July 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
	特定測試或量度的特性	規範、標準方法或應用技術
	Accreditation of the following tests has bee	n terminated
	Care performance tests :-	
General textiles and garments	- Assessing properties of drycleanability for:	BS EN ISO 3175-1: 2018
Contra tentites and gaments	- loss of finish	ISO 3175-1: 2017
	(water resistance to ISO 811: 1981)	
	Chemical analysis :-	
	- pH value	BS EN ISO 3071: 2006
		EN ISO 3071: 2006
		ISO 3071: 2005
	- Released formaldehyde content	AATCC TM112-1993e3(2014)e2
	Colour fastness tests :-	
	- Acid spotting / Alkaline spotting	AATCC TM6-2016e
		< Excluding the following >
		instrumental assessment of change in color
	- Dry cleaning	JIS L0860-2008 (based on English Edition published in
		2009-06) Method A
		< Excluding the following >
		instrumental assessment of change in color & staining
	- Hot pressing	AATCC TM133-2013e2
		< Excluding the following >
		instrumental assessment of change in color & staining
	- Light (xenon arc lamp tester)	AATCC TM16.3-2014e2 Option 3
	耐人造光色牢度	GB/T 8427- 2008 Method 3
		< Excluding the following >
		for the above two standards
		instrumental assessment of change in color
	- Perspiration	AATCC TM15-2013e
Other materials		
- Textile floor covering	- Rubbing/Crocking	AATCC TM165-1999e7(2013)e3
		< Excluding the following >
		instrumental assessment of staining
General textiles and garments	- Accelerated laundering:	AATCC TM61-2013e2
-		< Excluding the following >
		instrumental assessment of change in color & staining

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-405; Effective date of termination: 25 July 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
General textiles and garments	Construction tests :- - Distortion in bowed and skewed fabrics	ASTM D3882 - 08(2016)e1
	- Fabric weight	ASTM D3776 / D3776M-09a(2017)
	- Twist of yarn	ASTM D1422 / D1422M - 13
	- Yarn linear density: a) woven and weft knit fabric	BS ISO 7211-5: 1984 ISO 7211-5: 1984
Children's upper outwear 兒童上衣	- Measurement of drawstrings 拉帶安全規格	GB/T 22702-2008
Children's clothing 童装	- Measurement of cords and drawstrings 繩索和拉帶安全要求	GB/T 22705-2008
General textiles and garments	Fabric performance tests : - - Abrasion resistance (Taber abrasion tester)	ASTM D4685 / D4685M - 15
	- Liquid moisture management properties of textile fabrics	AATCC TM195-2011e2(2017)e2
	- Pilling resistance (Pilling box method)	BS EN ISO 12945-1: 2001 EN ISO 12945-1: 2001 ISO 12945-1: 2001
	- Pilling resistance (Elastomeric pilling)	ASTM D3514 / D3514M - 16
	- Pilling resistance (Martindale abrasion tester)	BS EN ISO 12945-2: 2000 ISO 12945-2: 2000
	- Solar UV Protective Properties	AATCC TM183-2010(2014)e2 AS/NZS 4399: 1996 + Amd: 1998
	- Stretch & recovery	ASTM D2594 - 04(2016) ASTM D4964 - 96(2016)
	- Wrinkle recovery by recovery angle method	ISO 2313: 1972

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-405; Effective date of termination: 25 July 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Feather and down analysis :-	
Feather and down	- Components in plumage	ASTM D4524 - 86(2012)
	Fibre analysis :-	
General textiles and garments	- Fibre content	AATCC TM20-2013(2018)e
-	(qualitative method)	<excluding following="" the=""></excluding>
		Tests for R.I., M.P., S.G., Glass Fibre and Stain
	- Fibre content	AATCC TM20A-2018e
	(quantitative method - mechanical	BS EN ISO 1833-1: 2010
	separation and chemical analysis)	EN ISO 1833-1: 2010
	separation and enclinear analysis)	ISO 1833-1: 2006 + Cor.1 : 2009
		(Note: The above Part 1 standard should be used in
		conjunction with other parts of BS EN ISO 1833
		or ISO 1833, as appropriate, for particular fibre mixtures)
		BS EN ISO 1833-2: 2010
		EN ISO 1833-2: 2010
		ISO 1833-2: 2006
		BS EN ISO 1833-3: 2019
		EN ISO 1833-3: 2019
		ISO 1833-3: 2019
		BS EN ISO 1833-12: 2019
		EN ISO 1833-12: 2019
		ISO 1833-12: 2019
		BS EN ISO 1833-18: 2019
		EN ISO 1833-18: 2019
		ISO 1833-18: 2019
	- Fibre content	AATCC TM20A-2018e
	(quantitative method - microscopic analysis)	
	Strength tests :-	
General textiles and garments	- Bursting strength	BS EN ISO 13938-2: 1999
Scherar textiles and garments	- Dursting strength	EN ISO 13938-2: 1999
		ISO 13938-2: 1999
	- Pocket reinforcement	ASTM D7506 / D7506M - 17
	- Tensile strength	ASTM D5034 - 09(2017)
	- Tearing strength (Elmendorf)	ASTM D1424 - 09(2019)
	- Single thread strength	ASTM D2256 / D2256M - 10(2015)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-404; Effective date of termination: 15 July 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Food 食品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests has been terminated		
	Microbiological tests :-		
General foodstuff	Coliform count	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 4, July 2017 (Pour plate: solid medium method or MPN Method)	
	Faecal Coliform count	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 4, July 2017 (MPN Method)	
	E. coli count	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 4, July 2017 (MPN Method followed by LST-MUG Method) or (MPN Method followed by completed test for <i>E. coli</i>)	
	E. coli O157	 AOAC RI Approved protocols (N°060903) Detection Method using VIDAS automated immunoassay system) Confirmed by US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 4A, Oct 2018 (updated on 10/18) 	
	Salmonella	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 5, Jul 2018 (Isolation and Identification)	

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-401; Effective date of termination: 26 May 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	
Products intended to come into direct contact with skin and piercing parts	Release of nickel	Enterminated Regulation (EC) No. 1907/2006 on REACH Annex XVIII Item No 27 as amended by Commission Regulation (EC) No. 552/2009 Compliance test procedures for nickel release content:- BS EN 12472: 2005 + A1: 2009 & BS EN 1811:2011 + A1: 2015 EN 12472: 2005 + A1: 2009 & EN 12472: 2005 + A1: 2009 & EN 1811:2011 + A1: 2015

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-401; Effective date of termination: 26 May 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Chemical tests :-	
Toys	- Migration of certain elements	BS EN 71-3: 2019 EN 71-3: 2019
Category III toy materials: Scraped-off materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Alternative method as documented in TC-093.TP (ICP-OES)
	Chromium (VI) Chromium (III) (by calculation)	Annex F (IC-ICP-MS)
	Organic Tin: Methyl tin, Dimethyl tin, Butyltin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Annex G (GC-MS)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-401; Effective date of termination: 26 May 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司 Unit A, 9/F, Hang Cheong Factory Building, 1 Wing Ming Street, Kowloon, Hong Kong 香港九龍永明街一號恆昌工廠大廈九樓 A 室

Toys and Children's products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	en terminated
	Chemical tests :- (cont'd)	
		Lease Trace Sector Steer Lead ST 2017 English convicts
		Japan Toy Safety Standard ST 2016, English version (2016.4.1) Part 3
All toys' materials		Cl. 1.1
		Test Procedures for Compliance testing:
	- Colouring matters	Cl. 2.1
Toys that are made of materials		Cl. 1.2
which are mainly composed of		Test Procedures for Compliance testing:
polyethylene or polyvinyl chloride	- Consumption of potassium permanganate	Cl. 1.2.1 & Cl. 2.2
(excluding parts on which paint	and residue on evaporation	Cl. 1.2.1 & Cl. 2.3
coating is applied)	- Heavy metals	Cl. 1.2.1 & Cl. 2.4
	- Arsenic	Cl. 1.2.1 & Cl. 2.5
	- Cadmium (excluding materials mainly composed of polyethylene)	Cl. 1.2.1 & Cl. 2.6
Decalcomania, folded paper and		Cl. 1.3
rubber-made toys (excluding		Test Procedures for Compliance testing:
rubber pacifiers)	- Heavy metals	Cl. 1.3.1 & Cl. 2.4
	- Arsenic	Cl. 1.3.1 & Cl. 2.5
Vinyl chloride resin coating		Cl. 1.4 & Cl. 1.5
		Test Procedures for Compliance testing:
	- Consumption of potassium permanganate	Cl. 1.4.1 & Cl. 2.2
	- Residue after evaporation	Cl. 1.4.1 & Cl. 2.3
	- Heavy metals: 8 elements	Cl. 1.5.1 & Cl. 2.7 (1) \textcircled{D} , (2) & (3)
	(antimony, arsenic, barium, cadmium, chromium, lead, mercury and selenium)	
The Paint coating applied to the body		Cl. 1.5
or the components of the toys	- Heavy metals: 8 elements	Test Procedures for Compliance testing:
(excluding the printing ink used for	(antimony, arsenic, barium, cadmium,	Cl. 1.5.1 & Cl. 2.7 (1) ①, (2) & (3)
paper containers)	chromium, lead, mercury and selenium)	
Textile products used for toys		Cl. 1.6
		Test Procedures for Compliance testing:
	- Free formaldehyde	Cl. 1.6 & Cl. 2.8
		<excluding following="" the=""></excluding>
		Confirmation test by HPLC

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-401; Effective date of termination: 26 May 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司 Unit A, 9/F, Hang Cheong Factory Building, 1 Wing Ming Street, Kowloon, Hong Kong 香港九龍永明街一號恆昌工廠大廈九樓 A 室

Toys and Children's products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Chemical tests :- (cont'd)	
		Japan Toy Safety Standard ST 2016, English version (2016.4.1) Part 3
Ink and the like used for the		Cl. 1.8
graphic instruments that are provided with the toys such as	- Colouring matters	<i>Test Procedures for Compliance testing:</i> Cl. 1.8.1 & Cl. 2.1
pencils, ball-point pens, markers,	- Colouring matters - Heavy metals: 8 elements,	Cl. 1.8.2 & Cl. 2.7 (1) (2) , (2) & (3)
crayons, pastels, water colours,	(antimony, arsenic, barium, cadmium,	$(1, 1, 0, 2, \alpha, C_1, 2, 7, (1)) \oplus (2, 2, \alpha, (3))$
chalks, etc.	chromium, lead, mercury and selenium)	
Rubber pacifiers		Cl. 1.10
		Test Procedures for Compliance testing:
	- Material test:	Cl. 2.11.1
	Cadmium and Lead	
	- Dissolution test:	Cl. 2.11.2
	Phenol,	
	Formaldehyde,	
	Zinc,	
	Heavy metals and	
	Residue on evaporation	
Metals used for toy		Cl. 1.11
(neither painted nor covered)		Test Procedures for Compliance testing:
	- Lead	Cl. 2.12 & 2.7 (2) & (3)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-400; Effective date of termination: 19 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been to	
	Product performance tests :-	
Household refrigerating appliance with rated total storage volume not exceeding 500L	- Performance tests:	Mandatory Energy Efficiency Labelling Scheme- Code of Practice on Energy Labelling of Products (June 2018 Edition) issued by EMSD C1. 8

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-400; Effective date of termination: 3 May 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has be	
	Safety tests :-	
- Switch for household and similar fixed	- Compliance inspection and safety tests	SS 227 Part 1: 2000
electrical installation (up to 45A single		< Excluding the following >
phase)		Cl. 15.2, chemical analysis for Cl. 22.5 and 22.6
		BS EN 60669-1: 2018
		EN 60669-1: 2018
		IEC 60669-1: 2017
		MS IEC 60669-1:2012
		< Excluding the following >
		for the above four standards
		Cl. 15.2, 19.3, chemical analysis for Cl. 22.5 and 22.6
- Electronic switch for household and	- Compliance inspection and safety tests	BS EN 60669-2-1: 2004 + A12: 2010
similar fixed electrical installation (up to		EN 60669-2-1: 2004 + A1: 2009 + A12: 2010
25A single phase)		IEC 60669-2-1: 2002 + A1: 2008 + A2: 2015
		MS IEC 6669-2-1: 2012
		< <i>Excluding the following</i> > for the above four standards
		Cl. 17, 18, 19, 26, 101 and 102
Isolating switch for household and similar	- Compliance inspection and safety tests	BS EN 60669-2-4: 2005
fixed electrical installation		EN 60669-2-4: 2005
(up to 45A single phase)		IEC 60669-2-4: 2004
		< Excluding the following >
		for the above three standards
		Cl. 16.101 and 18.101
- Time-delay switch for household	- Compliance inspection and safety tests	BSEN 60669-2-3: 2006
and similar fixed electrical installation (up	- Compliance inspection and safety tests	EN 60669-2-3: 2006
to 45A single phase)		IEC 60669-2-3: 2006
to torrolligic pluse,		MS IEC 60669-2-3: 2012

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-400; Effective date of termination: 19 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司 Unit A, 9/F, Hang Cheong Factory Building, 1 Wing Ming Street, Kowloon, Hong Kong 香港九龍永明街一號恆昌工廠大廈九樓 A 室

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
	Product performance tests :-	
Horizontal drum type household washing machine with rated capacity not exceeding 10 kg	Energy Efficiency Grading and Performance Requirements: - Energy consumption - Water consumption - Washing performance - Spin extraction performance	Mandatory Energy Efficiency Labelling Scheme- Code of Practice on Energy Labelling of Products (June 2018 Edition) issued by EMSD Cl. 10
Household refrigerating appliance with rated total storage volume not exceeding 500L	- Performance tests:	Mandatory Energy Efficiency Labelling Scheme- Code of Practice on Energy Labelling of Products (June 2018 Edition) issued by EMSD Cl. 8

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-397; Effective date of termination: 21 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	n terminated
Products intended to come into direct contact with skin and piercing parts		

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-397; Effective date of termination: 10 February 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Miscellaneous 雜類		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
	Microbiological tests :-	
Cosmetics, liquids, pastes, putties, gels and powders	Microbiological examination of non- sterile products:	PCPC Microbiology Guidelines (2018) Section 12 Establishing Microbiological Quality of Personal Care Products Specific Criteria
	Microbial enumeration tests	<i>Test Procedures for compliance testing:</i> USP<61> 42th edition (2019)
	Test for specified microorganisms	USP<62> 42th edition (2019)
	Antimicrobial effectiveness testing	USP<51> 42th edition (2019)
Cosmetics	Microbiological examination of non- sterile products:	The European Cosmetic Regulation 1223/2009/EC (Annex I Part A Item 3) and The SCCS Notes of Guidance for the Testing of Cosmetics Ingredients and Their Safety Evaluation (9th Revision, April 2016), Section 4-4 Guidelines on Microbiological Quality of the Finished Cosmetic Product 4-4.1 to 4-4.3
	Microbial enumeration tests	Test Procedures for compliance testing: European Pharmacopoeia 9.8th edition (2019) Chapter 2.6.12 (07/2010:20612) British Pharmacopoeia (2019), App. XVI B-2
	Test for specified microorganisms	European Pharmacopoeia 9.8th edition (2019) Chapter 2.6.13 (04/2010:20613) British Pharmacopoeia (2019), App. XVI B-1
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 9.8th edition (2019) Chapter 5.1.3 (01/2011: 50103) British Pharmacopoeia (2019), App. XVI C (Criteria B) (Count by Pour Plate Method)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-397; Effective date of termination: 10 February 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD
特定測試或量度的特性	OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has b	een terminated
Microbiological examination :-	
Microbiological quality:	Acceptance criteria: USP<1111> 42th edition (2019) Examination procedures:
Microbial enumeration tests	USP<61> 42th edition (2019)
Test for specified microorganisms	USP<62> 42th edition (2019)
Microbiological quality:	Acceptance criteria: European Pharmacopoeia 9.8th edition (2019) Chapter 5.1.4 (04/2019:50104) revised 9.7 Examination procedures:
Test for specified microorganisms	European Pharmacopoeia 9.8th edition (2019) Chapter 2.6.13 (04/2010:20613)
Microbial enumeration tests	European Pharmacopoeia 9.8th edition (2019) Chapter 2.6.12 (07/2010:20612)
Microbiological quality:	Acceptance criteria: British Pharmacopoeia (2019), App. XVI D Examination procedures:
Test for specified microorganisms Microbial enumeration tests	British Pharmacopoeia (2019), App. XVI B-1 British Pharmacopoeia (2019), App. XVI B-2
- Sterility tests	European Pharmacopoeia, 9.8th edition (2019), Chapter 2.6.1 (04/2011:20601 corrected 7.7) British Pharmacopoeia, 2019, Appendix XVI A
- Sterility tests	United States Pharmacopoeia, 42th Edition (2019), Chapter 71
	Microbiological examination :- Microbiological quality: Microbial enumeration tests Test for specified microorganisms Microbiological quality: Test for specified microorganisms Microbial enumeration tests Microbiological quality: Test for specified microorganisms Microbial enumeration tests - Sterility tests

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-397; Effective date of termination: 21 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Chemical tests :-	
All toys, children's product surface coating materials	Chemical tests : Migration of soluble elements antimony, arsenic, chromium, selenium, cadmium, mercury, barium, lead	ISO 8124-3: 2010/Amd.1:2014 ISO 8124-3: 2010 + A1:2014 + A2:2018

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-397; Effective date of termination: 10 February 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

香港九龍青山道五百七十六號製衣中心二字樓

香港九龍青山道五百七十六號製衣中心二字樓 Toys and Children's Products 玩具及兒童產品			
SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
Accreditation of the follo	wing tests has been terminated		
Microbiological tests :-			
Microbiological examination of non- sterile products:	The European Cosmetic Regulation 1223/2009/EC (Annex I Part A Item 3) and The SCCS Notes of Guidance for the Testing of Cosmetics Ingredients and Their Safety Evaluation (9 th Revision, April 2016) Section 4-4 Guidelines on Microbiological Quality of the Finished Cosmetic Product 4-4.1 to 4-4.3		
Microbial enumeration tests	<i>Test Procedures for compliance testing:</i> European Pharmacopoeia 9.8th edition (2019) Chapter 2.6.12 (07/2010:20612) British Pharmacopoeia (2019), App. XVI B-2		
Test for specified microorganisms	European Pharmacopoeia 9.8th edition (2019) Chapter 2.6.13 (04/2010:20613) British Pharmacopoeia (2019), App. XVI B-1		
Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 9.8th edition (2019) Chapter 5.1.3 (01/2011: 50103) British Pharmacopoeia (2019), App. XVI C (Criteria B) (Count by Pour Plate Method)		
	Toys and Children's P SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性 Accreditation of the follor Microbiological tests :- Microbiological examination of non- sterile products: Microbial enumeration tests Test for specified microorganisms Efficacy of Antimicrobial Preservation		

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-397; Effective date of termination: 10 February 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has bee	n terminated
	Microbiological tests :-	
Тоу	Microbiological examination of non- sterile products:	EC type approval protocol No. 2 (European Co-ordination of Notified Bodies NB-TOYS/2016/014 under the Safety of Toys Directive) Microbiological safety of toys containing aqueous media REV 3 (18 February 2016)
	Microbial enumeration tests	<i>Test Procedures for compliance testing:</i> European Pharmacopoeia 9.8th edition (2019) Chapter 2.6.12 (07/2010:20612)
	Test for specified microorganisms	European Pharmacopoeia 9.8th edition (2019) Chapter 2.6.13 (04/2010:20613)
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 9.8th edition (2019) Chapter 5.1.3 (01/2011: 50103)
Toy cosmetics, liquids, pastes, putties, gels, and powders < <i>Excluding the following</i> > - avian feather products	Cleanliness of Materials - Microbial Enumeration Tests	ASTM F963-17 Cl. 4.3.6.3 and 8.4.1 <i>Test Procedures for compliance testing:</i> USP< 61 > 42th edition (2019)
	- Tests for Specified Microorganisms	USP< 62 > 42th edition (2019)
Toy cosmetics, liquids, pastes, putties, gels, and powders	Preservative effectiveness	ASTM F963-17 Cl. 4.3.6.4 and 8.4.2.2 & 8.4.2.3 <i>Test Procedures for compliance testing:</i> USP< 51 > 42th edition (2019)
Products for babies that are put in the mouth when used and that contain a filling	Sterility Tests	Canada Consumer Product Safety Act (CCPSA) Schedule 2 Item 4 <i>Test Procedures for compliance testing:</i> United States Pharmacopoeia, 42th edition (2019), Chapter 71

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
	EMC tests :- Emission tests	
Sound and television broadcast receiver and associated equipment	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of disturbance power 30 MHz to 300 MHz Measurement of disturbance voltage at antenna terminals 30 MHz to 2150 MHz Measurement of the wanted signal and disturbance voltage at the RF output terminals 30 MHz to 2150 MHz 	CISPR 13: 2009 EN 55013: 2013 <i>Excluding the following ></i> for the above two standards Cl. 4 (tests for television receiver for broadcasr satellite transmission), 5.8 and 5.9; Annex A (tests for digital sound receiver)
Household appliance, electric tool and similar apparatus, electric and electronic toy with rated voltage not more than 250 V	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of disturbance power 30 MHz to 300 MHz 	AS/NZS CISPR14.1: 2013 CISPR 14-1: 2005 + A1: 2008 + A2: 2011 EN 55014-1: 2006 + A1: 2009 + A2: 2011 < <i>Excluding the following</i> > for the above three standards Cl. 7.3.1.10, 7.3.1.11, 7.3.1.12, 7.3.1.13, 7.3.5, 7.3.7.10,
Lighting equipment and luminaire	 Measurement of insertion loss 150 kHz to 1605 kHz Measurement of conducted disturbance voltages at mains terminals 9 kHz to 30 MHz Measurement of conducted disturbance voltages at load and control terminals 150 kHz to 30 MHz Measurement of radiated electromagnetic disturbances 9 kHz to 300 MHz 	AS/NZS CISPR 15: 2006 CISPR 15: 2005 + A1: 2006 + A2: 2008 EN 55015: 2006 + A1: 2007 + A2: 2009 <i>Excluding the following</i> > for the above three standards C1. 5.7, 5.9 and 5.10
Information technology equipment	- Measurement of terminal disturbance voltage - 0.15 MHz to 30 MHz	AS/NZS CISPR 22: 2009 CISPR 22: 2008 EN 55022: 2010 < <i>Excluding the following</i> > for the above three standards C1. 9.6 (tests for telecommunications terminal equipment having a digital interface) and 10.9

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
	EMC tests :- (cont'd) Emission tests	
Electrical equipment for measurement	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of harmonic current Measurement of voltage changes, voltage fluctuations and flicker 	EN 61326-1: 2013 IEC 61326-1: 2012 (Note: The above Part 1 standards should be used in conjunction with specific product standard as detailed in the relevant Part 2 of EN 61326 or IEC 61326)
Equipment with test and measurement circuits that are not EMC protected for operational and/or functional reasons	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of harmonic current Measurement of voltage fluctuations and flicker 	EN 61326-2-1: 2013 IEC 61326-2-1: 2012
Equipment used for testing, measuring or monitoring of protective measures in low-voltage distribution systems	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of harmonic current Measurement of voltage fluctuations and flicker 	EN 61326-2-2: 2013 IEC 61326-2-2: 2012
Electrical and electronic equipment having input current up to and including 16A for connection to systems of 220V to 250V single phase at 50 Hz and 60Hz	- Measurement of harmonic current	EN 61000-3-2: 2014 IEC 61000-3-2: 2014 <i>Excluding the following</i> for the above two standards Cl. 7 (tests for professional equipment), C.12, C.14 and C.15
Electrical and electronic equipment having input current up to and including 16A for connection to systems of 220V to 250V single phase at 50 Hz	Measurement of voltage changes, voltage fluctuations and flicker - Short-term flicker indicator, Pst - Long-term flicker indicator, Plt - Relative voltage change, d(t) - Relative steady-state voltage change, dc - Maximum relative voltage change, dmax - Maximum time duration during the observation period that the voltage deviation d(t) exceeds the limit for dc, Tmax	EN 61000-3-3: 2008 IEC 61000-3-3: 2008 <i>Excluding the following></i> for the above two standards Cl. 4.2.2 (simulation method) and 4.2.3 (analytical method)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
	EMC tests :- (cont'd) Emission tests	
Electrical and electronic equipment having input current up to and including 16A for connection to systems of 220V to 250V single phase at 50 Hz	Measurement of voltage changes, voltage fluctuations and flicker - Short-term flicker indicator, Pst - Long-term flicker indicator, Plt - Relative voltage change, d(t) - Relative steady-state voltage change, dc - Maximum relative voltage change, dmax	EN 61000-3-11: 2000
Electrical and electronic apparatus intended for use in residential, commercial and light-industrial environment for which no dedicated product or product-family emission standard exists	 Measurement of terminal disturbance voltage 0.15 MHz to 30 MHz Harmonics current Voltage fluctuation and flicker 	BS EN 61000-6-3: 2007 + A1: 2011 EN 61000-6-3: 2006 + A1: 2010 AS/NZS 61000.6.3: 2007

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
	EMC tests :- (cont'd) Immunity tests	
Electrical and electronic equipment	 Electrostatic discharge 8 kV air discharge 4 kV contact discharge 	EN 61000-4-2: 2009 IEC 61000-4-2: 2008
	 Radiated, radio frequency electromagnetic fields 80 MHz to 1000 MHz, 3V/m 1400 MHz to 2000 MHz, 3 V/m 2000 MHz to 2700 MHz, 1 V/m 	EN 61000-4-3: 2006 + A1: 2008 + A2: 2010 IEC 61000-4-3: 2006 + A1: 2007 + A2: 2010
	 Electrical fast transients/bursts 4 kV (max.) 5/50ns, 5kHz 	EN 61000-4-4: 2004 + A1: 2010 IEC 61000-4-4: 2004 + A1: 2010
	- Surges - 6 kV(max.)	EN 61000-4-5: 2006 IEC 61000-4-5: 2005 <i>Excluding the following ></i> for the above two standards Cl. 6.2, 6.3.2, 7.3, 7.4, 7.5 and 7.6
	 Conducted disturbance induced by radio-frequency fields 150 kHz to 230 MHz, 3V 	EN 61000-4-6: 2009 IEC 61000-4-6: 2008 <i>Excluding the following ></i> for the above two standards Cl. 7.3, 7.4 and 7.5
	- Voltage dips, short interruptions and voltage variations	EN 61000-4-11: 2004 IEC 61000-4-11: 2004 <i>Excluding the following ></i> for the above two standards Cl. 5.2

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been to	erminated
	EMC tests :- (cont'd) Immunity tests	
Electrical equipment for measurement	 Electrostatic discharge Electromagnetic field Burst Surge Conducted RF Voltage dip and interruptions 	EN 61326-1: 2013 IEC 61326-1: 2012 <i>Excluding the following></i> for the above two standards Cl. 6.2 Table 2 and Table 3 (Note: The above Part 1 standards should be used in conjunction with specific product standard as detailed in the relevant Part 2 of EN 61326 or IEC 61326)
Equipment with test and measurement circuits that are not EMC protected for operational and/or functional reasons	 Electrostatic discharge Electromagnetic field Burst Surge Conducted RF Voltage dip and interruptions 	EN 61326-2-1: 2013 IEC 61326-2-1: 2012 < <i>Excluding the following></i> for the above two standards Cl. 6.2 Table 2 and Table 3
Equipment used for testing, measuring or monitoring of protective measures in low-voltage distribution systems	 Electrostatic discharge Electromagnetic field Burst Surge Conducted RF Voltage dip and interruptions 	EN 61326-2-2: 2013 IEC 61326-2-2: 2012 <i>Excluding the following></i> for the above two standards Cl. 6.2 Table 2 and Table 3

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been t	erminated
	EMC tests :- (cont'd) Immunity tests	
Electrical and electronic apparatus intended for use in residential, commercial and light-industrial environment for which no dedicated product or product-family immunity standard exists	 Radio-frequency electromagnetic field Electrostatic discharge Fast transients Radio-frequency common mode Surges Voltage dips Voltage interruptions 	BS EN 61000-6-1: 2007 EN 61000-6-1: 2007 IEC 61000-6-1: 2005
Household appliance, electric tool and similar apparatus	 Electrostatic discharge Fast transients Injected currents Radio frequency electromagnetic fields Surges Voltage dips and interruptions 	EN 55014-2: 1997 + A1: 2001 + A2: 2008 CISPR 14-2: 1997 + A1: 2001 + A2: 2008
Information technology equipment	 Electrostatic discharges Electrical fast transients Continuous radiated disturbances Continuous conducted disturbances Surges Voltage dips and interruptions 	EN 55024: 2010 < <i>Excluding the following></i> Cl. 4.2.4 and 5(tests for telecommunications terminal equipment having a digital interface); Annex F
Lighting equipment and luminaire	 Electrostatic discharges Radio-frequency electromagnetic fields Fast transients Injected currents Surges Voltage dips and interruptions Voltage fluctuations 	EN 61547: 2009 IEC 61547: 2009

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been to	erminated
	EMC tests :- (cont'd)	
Household and similar electrical appliance	- Measurement of electromagnetic fields	EN 62233: 2008 IEC 62233: 2005 < Excluding the following > for the above two standards Cl. 5.5.3, 5.5.4, and A.2 (tests for dental hygiene appliances)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	en terminated
	Telecommunications equipment tests :-	
Radio equipment		
Private land Mobile Radio (PMR) and ancillary equipment <i>Excluding the following></i> - Equipment using continuous bit streams - Non-speech equipment	 Conducted emission Harmonic current emissions Voltage fluctuations and flicker Radio frequency electromagnetic field Electrostatic discharge Fast transients, common mode Radio frequency, common mode Transients and surges in the vehicular environment Voltage dips and interruptions Surge 	ETSI EN 301 489-5: 2002 in conjunction with ETSI EN 301 489-1: 2011
Digital Enhanced Cordless Telecommunications (DECT) equipment	 Conducted emission Harmonic current emissions Voltage fluctuations and flicker Radio frequency electromagnetic field Electrostatic discharge Fast transients, common mode Radio frequency, common mode Transients and surges in the vehicular environment Voltage dips and interruptions Surge 	ETSI EN 301 489-6: 2008 in conjunction with ETSI EN 301 489-1: 2011

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been t	erminated
Radio equipment (cont'd)	Telecommunications equipment tests :- (cont'd)	
Broadband data transmission system equipment operating in the 2.4GHz ISM band and using wide band modulation techniques	 Conducted emission Harmonic current emissions Voltage fluctuations and flicker Radio frequency electromagnetic field Electrostatic discharge Fast transients, common mode Radio frequency, common mode Transients and surges in the vehicular environment Voltage dips and interruptions Sur 	ETSI EN 301 489-17: 2012 in conjunction with ETSI EN 301 489-1: 2011
Short-Range Devices (SRD) operating on frequencies between 9 kHz and 6 GHz	 Conducted emission Harmonic current Voltage fluctuations and flicker Radio frequency electromagnetic field Electrostatic discharge Fast transients, common mode Radio frequency, common mode Transients and surges in the vehicular environment Voltage dips and interruptions Surges 	ETSI EN 301 489-3: 2002 in conjunction with ETSI EN 301 489-1: 2011

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been t	erminated
	EMC tests :- Emission tests	
Sound and television broadcast receiver and associated equipment	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of radiated disturbances 30 MHz to 1 GHz Measurement of disturbance voltage at antenna terminals 30 MHz to 2150 MHz Measurement of the wanted signal and disturbance voltage at the RF output terminals 30 MHz to 2150 MHz 	CISPR 13: 2009 EN 55013: 2013 < <i>Excluding the following</i> > for the above two standards Cl. 4 (tests for television receiver for broadcasr satellite transmission), 5.8 and 5.9; Annex A (tests for digital sound receiver)
Household appliance, electric tool and similar apparatus, electric and electronic toy with rated voltage not more than 250 V	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz 	AS/NZS CISPR14.1:2013 CISPR 14-1: 2005 + A1:2008 + A2:2011 EN 55014-1: 2006 + A1:2009 + A2:2011 < <i>Excluding the following</i> > for the above three standards Cl. 7.3.1.10, 7.3.1.11, 7.3.1.12, 7.3.1.13, 7.3.5, 7.3.7.10,
Lighting equipment and luminaire	 Measurement of conducted disturbance voltages at mains terminals 9 kHz to 30 MHz Measurement of conducted disturbance voltages at load and control terminals 150 kHz to 30 MHz 	AS/NZS CISPR 15: 2006 CISPR 15: 2005 + A1:2006 + A2:2008 EN 55015: 2006 + A1:2007 + A2:2009 < <i>Excluding the following</i> > for the above three standards Cl. 5.7, 5.9 and 5.10

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been t	erminated
	EMC tests :- (cont'd) Emission tests	
Information technology equipment	- Measurement of terminal disturbance voltage	AS/NZS CISPR 22: 2009
mornarion teennoisgy equipment	- 0.15 MHz to 30 MHz	CISPR 22:2008
	- Measurement of radiated disturbances	EN 55022:2010
	- 30 MHz to 1 GHz	<pre><excluding following="" the=""></excluding></pre>
		for the above three standards
		Cl. 9.6 (tests for telecommunications terminal equipment
		having a digital interface) and 10.9
Electrical equipment for measurement	- Measurement of terminal disturbance voltages	EN 61326-1: 2013
	- 150 kHz to 30 MHz	IEC 61326-1: 2012
	- Measurement of radiated disturbances	(Note: The above Part 1 standards should be used in
	- 30 MHz to 1 GHz	conjunction with specific product standard as detailed
		in the relevant Part 2 of EN 61326 or IEC 61326)
Equipment with test and measurement circuits	- Measurement of terminal disturbance voltages	EN 61326-2-1: 2013
that are not EMC protected for operational	- 150 kHz to 30 MHz	IEC 61326-2-1: 2012
and/or functional reasons	- Measurement of radiated disturbances	
	- 30 MHz to 1 GHz	
Equipment used for testing, measuring or	- Measurement of terminal disturbance	EN 61326-2-2: 2013
monitoring of protective measures in	voltages	IEC 61326-2-2: 2012
low-voltage distribution systems	- 150 kHz to 30 MHz	
	- Measurement of radiated disturbances	
	- 30 MHz to 1 GHz	
Electrical and electronic apparatus intended	- Measurement of radiated disturbances	AS/NZS 61000.6.3: 2007
for use in residential, commercial and	- 30 MHz to 1 GHz	BS EN 61000-6-3: 2007 + A1: 2011
light-industrial environment for which	- Measurement of terminal disturbance	EN 61000-6-3: 2007 + A1:2011
no dedicated product or product-family	voltage	IEC 61000-6-3: 2006 + A1:2010
emission standard exists	- 0.15 MHz to 30 MHz	

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Accreditation of the following test has been to	erminated	
Telecommunications equipment tests :-		
 Test for transmitter: Frequency error Transmitter power (conducted) Maximum effective radiated power Frequency deviation Adjacent and alternate channel power Unwanted emissions in the spurious domain Intermodulation attenuation 	ETSI EN 300 086:2016	
 Test for receiver: Maximum usable sensitivity (conducted) Maximum usable sensitivity (field strength) Co-channel rejection Adjacent channel selectivity Spurious response rejection Intermodulation response rejection Blocking or desensitization Spurious radiations 		
 Test for transmitter: Frequency error Effective radiated power Maximum permissible frequency deviation Adjacent and alternate channels power Radiated unwanted emissions in the spurious domain Test for receiver: Average usable sensitivity (Speech, field strength) Adjacent channel selectivity Intermodulation response rejection Blocking or desensitization Spurious radiations 	ETSI EN 300 296-1: 2013 ETSI EN 300 296-2: 2013	
	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性 Accreditation of the following test has been to Telecommunications equipment tests :- - Test for transmitter: - Frequency error - Transmitter power (conducted) - Maximum effective radiated power - Frequency deviation - Adjacent and alternate channel power - Unwanted emissions in the spurious domain - Intermodulation attenuation - Test for receiver: - Maximum usable sensitivity (conducted) - Maximum usable sensitivity (field strength) - Co-channel rejection - Adjacent channel selectivity - Spurious response rejection - Intermodulation response rejection - Blocking or desensitization - Spurious radiations - Test for transmitter: - Frequency error - Effective radiated power - Maximum permissible frequency deviation - Adjacent and alternate channels power - Radiated unwanted emissions in the spurious domain - Test for receiver: - Average usable sensitivity (Speech, field strength) - Adjacent channel selectivity - Intermodu	

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
Radio equipment (cont'd)	Telecommunications equipment tests :- (cont'd)	
- Private land Mobile Radio (PMR) and ancillary equipment	- Radiated emission - Conducted emission	ETSI EN 301 489-5:2002 <i>Excluding the following ></i> Cl. 6.1 (tests for equipment using continuous bit streams and non-speech equipment) and 6.3 (tests for equipment using continuous bit streams and non-speech equipment) in conjunction with ETSI EN 301 489-1:2011
- Short-Range Device (SRD) operating on frequencies between 9 kHz and 6 GHz	- Radiated emission - Conducted emission	ETSI EN 301 489-3: 2002 in conjunction with ETSI EN 301 489-1: 2011
- Short Range Device (SRD) operating in the frequency range of 25 MHz to 1000 MHz	 Transmitter requirements Receiver requirements 	ETSI EN 300 220-2: 2012 < <i>Excluding the following</i> > Cl. 4.2.1.11 in conjunction with ETSI EN 300 220-1: 2012 < <i>Excluding the following</i> > Cl. 9 Cl. 9

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-396; Effective date of termination: 7 January 2022)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
Radio equipment (cont'd)	Telecommunications equipment tests :- (cont'd)	
- Broadband data transmission system equipment operating in the 2.4GHz ISM band and using wide band modulation	- Radiated emission - Conducted emission	ETSI EN 301 489-17: 2012 in conjunction with ETSI EN 301 489-1: 2011
techniques	 Transmitter essential radio test suites RF output power, duty cycle, Tx-sequence, Tx-Gap, medium utilization Power spectral density Accumulated transmit time, frequency occupation and hopping sequence Hopping frequency separation Adaptivity (channel access mechanism) Occupied channel bandwidth Transmitter unwanted emissions in the out-of-band domain Transmitter unwanted emissions in the spurious domain Receiver essential radio test suites Receiver spurious emissions 	ETSI EN 300 328: 2015
- 5 GHz high performance RLAN system equipment	 Transmitter essential radio test suites Carrier frequencies Occupied Channel Bandwidth RF output power, Transmit Power Control (TPC) and power density Transmitter unwanted emissions outside 5GHz RLAN bands Transmitter unwanted emissions within 5GHz RLAN bands Dynamic Frequency Selection (DFS) Adaptivity (channel access mechanism) Receiver essential radio test suites Receiver spurious emissions 	ETSI EN 301 893: 2015
Digital Enhanced Cordless Telecommunications (DECT) equipment	- Radiated emission - Conducted emission	ETSI EN 301 489-6: 2008 in conjunction with ETSI EN 301 489-1: 2011

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-395; Effective date of termination: 29 October 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	en terminated
Products made from textile	Amine (Azo colourants):- 1) 4-aminodiphenyl 2) benzidine 3) 4-chloro-o-toluidine	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 43 as amended by Commission Regulation (EC) No. 552/2009 and (EU) no. 126/2013 <i>Test procedures for compliance testing:</i>
	 4) 2-naphthylamine 5) o-aminoazotoluene 6) 5-nitro-o-toluidine 7) 4-chloroaniline 8) 4-methoxy-m-phenylenediamine 9) 4,4'-diaminodiphenylmethane 10) 3,3'-dichlorobenzidine 11) 3,3'-dimethoxybenzidine 12) 3,3'-dimethylbenzidine 13) 4,4'-methylene-di-o-toluidine 14) p-cresidine 15) 4,4'-methylene-bis-(2-chloro-aniline) 16) 4,4'-thiodianiline 18) o-toluidine 19) 4-methyl-m-phenylenediamine 20) 2,4,5-trimethylaniline 	EN 14362-1: 2012 BS EN 14362-1: 2012
	 21) 2-methoxyaniline 22) 4-aminoazobenzene (screening) 22) 4-aminoazobenzene 	EN 14362-3: 2012 (for determination of 4-aminoazobenzene) BS EN 14362-3: 2012 (for determination of 4-aminoazobenzene) Techniques used are GC-MSD and HPLC-DAD for all test methods listed above.

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-395; Effective date of termination: 29 October 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has bee	n terminated
Products made from leather	Amine (Azo colourants):-	
	 4-aminodiphenyl benzidine 4-chloro-o-toluidine 2-naphthylamine o-aminoazotoluene 5-nitro-o-toluidine 4-nethory-m-phenylenediamine 4.4'-diaminodiphenylmethane 3.3'-dichlorobenzidine 3.3'-dimethoxybenzidine 3.3'-dimethoybenzidine 4.4'-methylene-di-o-toluidine p-cresidine 4.4'-methylene-bis-(2-chloro-aniline) 4.4'-thiodianiline o-toluidine 9.4.4'-thiodianiline 0.2,4.5-trimethylaniline 2methoxyaniline 24-aminoazobenzene (screening) 	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 43 as amended by Commission Regulation (EC) no. 552/2009 and (EU) no. 2020/2096 <i>Test procedures for compliance testing:</i> EN ISO 17234-1: 2015
	22) 4-aminoazobenzene	EN ISO 17234-2: 2011 (for determination of 4-aminoazobenzene) Techniques used are GC-MSD and HPLC-DAD for all test methods listed above.

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-395; Effective date of termination: 29 October 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has be	en terminated
Products made from leather	Amine (Azo colourants):-	
	 4-aminodiphenyl benzidine 4-chloro-o-toluidine 2-naphthylamine o-aminoazotoluene 5-nitro-o-toluidine 4-chloroaniline 4-methoxy-m-phenylenediamine 4,4'-diaminodiphenylmethane 3,3'-dichlorobenzidine 3,3'-dimethoxybenzidine 3,3'-dimethylbenzidine 3,3'-dimethylbenzidine 4,4'-methylene-di-o-toluidine 9-cresidine 4,4'-methylene-bis-(2-chloro-aniline) 4,4'-oxydianiline o-toluidine 4,4'-thiodianiline o-toluidine 2,4,5-trimethylaniline 2,4-aminoazobenzene (screening) 2,4-xylidine 2,6-xylidine 	BS EN ISO 17234-1: 2015 EN ISO 17234-1: 2015 ISO 17234-1: 2015
	22) 4-aminoazobenzene	BS EN ISO 17234-2: 2011 (for determination of 4-aminoazobenzene) ISO 17234-2:2011 (for determination of 4-aminoazobenzene) Techniques used are GC-MSD and HPLC-DAD for all test methods listed above.

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-395; Effective date of termination: 29 October 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
All toys, children's product surface coating materials	Chemical tests :- - Migration of soluble elements antimony, arsenic, chromium, selenium, cadmium, mercury, barium, lead	AS/NZS 8124.3: 2012/Amdt 1: 2016
Toys	- Migration of certain elements	BS EN 71-3: 2013 + A3: 2018 EN 71-3: 2013 + A3: 2018 (E)
Category III toy materials: Scraped-off materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Technique used: ICP-OES
	Chromium (VI) Chromium (III) (by calculation)	Technique used: IC-ICP-MS
	Organic Tin: Methyl tin, Butyltin, Dibutyl tin, Tributyl tin Tetrabutyl tin, n-Octy tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Technique used: GC-MS

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-394; Effective date of termination: 8 October 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Chinese Medicine 中藥		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been to	erminated
	Toxic elements :-	
Proprietary Chinese Medicines and Chinese Herbal Medicines	Arsenic, Cadmium, Lead, Mercury	In-house Method FC062.TP (ICP-MS)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-394; Effective date of termination: 8 October 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
	Trace Metals:-	
Tap water	Cadmium, Chromium, Lead, Nickel	APHA 22e 3030E, 3125B

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-394; Effective date of termination: 5 October 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
	Food composition tests:-	
Crude oils	Fatty acids (free)	AOAC Official Methods 940.28 (2005)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-392; Effective date of termination: 17 September 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been t	erminated
Specific Products	Performance tests : -	
- Protective gloves against mechanical risks	- Safety tests	BS EN 388: 2016 + A1: 2018 < <i>Excluding the following</i> > C1.4.2 <i>in conjunction with</i> BS EN 420: 2003 + A1: 2009 < <i>Excluding the following</i> > C1.4.3 <i>in conjunction with</i> EN 420: 2003 + A1: 2009 < <i>Excluding the following</i> > C1.4.3, 4.5

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-392; Effective date of termination: 17 September 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
	Electrical tests :-	
Electric toy	- Safety tests	BS EN IEC 62115: 2020 + A11: 2020 < <i>Excluding the following</i> > for the above standard Cl. 16.1 (component tests to other standards), 19.2 Optical Radiation (Annex E)
Electrically powered infant swing	- Safety tests	ASTM F2088-13 Cl. 6.1 and 7.1
		ASTM F2088-15 Cl. 6.1 and 7.1

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-392; Effective date of termination: 17 September 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
Тоу	Flammability tests :-	NF EN 71-2: 2011 + A1: 2014 < Excluding the following> for the above standard Tests for flammable gas, extremely flammable liquid, highly flammable liquid, and flammable gel MS ISO 8124-2: 2008 < Excluding the following> for the above standard Tests for flammable gas, highly flammable liquid,
Тоу	Physical and mechanical tests :- 機械及物理性能測試 - Safety tests - Safety requirements and test methods	highly flammable solid and flammable gel AS/NZS ISO 8124.1: 2019 ISO 8124-1: 2018 < <i>Excluding the following></i> for the above two standards Cl. 4.28 and 4.29(f) MS ISO 8124-1: 2011 < <i>Excluding the following></i> Cl. 4.27 and 4.28(e)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS005-392; Effective date of termination: 17 September 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Unit 7-10, Ground Floor, Trans Asia Centre, 18 Kin Hong Street, Kwai Chung, New Territories, Hong Kong 香港新界葵涌健康街 18 號恆亞中心地下 7-10 號單位

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been to	erminated
	Safety and performance tests :-	
Carrier		
- Hand held infant carrier		16 CFR Part 1225 in conjunction with ASTM F2050-13a
Children's chair and stool		ASTM F2613-19
High chair		16 CFR Part 1231 in conjunction with ASTM F404-18
		ASTM F404-18a
Infant swing		16 CFR Part 1223 in conjunction with ASTM F2088-13
		ASTM F2088-19

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-389; Effective date of termination: 31 May 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Miscellaneous 雜類		
ITEM TESTED OR MEASURED 测试或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
Domestic gas appliances	Safety tests :-	
- Domestic gas appliances not connected to a flue (for LPG and Town gas)	 basic requirements general construction gas soundness ignition flame stability heat input gas regulator performance combustion flame failure device surface temperature electrical insulation resistance basic requirements general construction gas soundness ignition flame stability heat input combustion flame failure device electrical insulation resistance 	In-house general testing requirement for domestic gas appliances not connected to a flue GTR-01: August 2016 In-house general testing requirement for quality inspection of domestic gas appliances GTR-03: August 2016

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-389; Effective date of termination: 31 May 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

	Miscellaneous 雜類	
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	n terminated
Domestic gas appliances (cont'd)	Safety tests :- (cont'd)	
- Domestic gas appliances connected to a flue (for LPG and Town gas)	 basic requirements general construction gas soundness water soundness ignition flame stability heat input gas regulator performance combustion flame failure device surface temperature overheating of water (for instantaneous water heaters) electrical insulation resistance soundness of combustion circuit of room-sealed appliances combustion products discharge failure devices of fan powered appliances 	In-house general testing requirement for domestic gas appliances connected to a flue GTR-02: August 2016
	 basic requirements general construction gas soundness water soundness ignition flame stability heat input combustion flame failure device electrical insulation resistance 	In-house general testing requirement for quality inspection of domestic gas appliances GTR-03: August 2016

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-389; Effective date of termination: 31 May 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

	Miscellaneous 雜類	
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
Domestic gas appliances (cont'd)	Safety tests :- (cont'd)	
- Portable hotplates fuelled by disposable LPG cylinders	 basic requirements general construction gas soundness ignition flame stability gas consumption combustion flame failure device surface temperature electrical insulation resistance over-pressure sensitive safety device 	In-house general testing requirement for domestic gas appliances not connected to a flue GTR-01: August 2016 with Supplement GTR-01-S1: August 2012
	 basic requirements general construction gas soundness ignition flame stability gas consumption combustion flame failure device electrical insulation resistance over-pressure sensitive safety device 	In-house general testing requirement for quality inspection of domestic gas appliances GTR-03: August 2016 with Supplement GTR-03-S1: August 2012

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-388; Effective date of termination: 24 May 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

	Food 食品	
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has be	en terminated
	Toxicological tests :-	
Food containers (ceramic ware)	Leachable lead and cadmium	US FDA Compliance Policy Guides 7117.06 and 7117.07 Sections 545.400 & 545.450 (2005) <i>Test procedure for compliance testing:</i> - ASTM C738-94 (Reapproved 2016)

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-387; Effective date of termination: 2 March 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

香港九龍青山道五百七十六號製衣中心二字樓

Testing Required by the China C	ompulsory Certification System (Co	CC)中國強制性產品認證制度規定的檢測
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	en terminated
Toys and children's products 兒童用品		
- Children ride-on cars 童車類產品		
- Child tricycle	All required tests as specified in CNCA-13C-068: 2010	GB 14747: 2006*
- 兒童三輪車	CNCA-13C-068: 2010 有關規定的所有檢測	GB 14747: 2006*
 Wheeled child conveyance <<i>Excluding the following></i> Conveyances with exposed metal surface 	All required tests as specified in CNCA-13C-068: 2010	GB 14748: 2006*
- 兒童推車 <i><不包括></i> - 有暴露金屬表面的推車	CNCA-13C-068: 2010 有關規定的所有檢測	GB 14748: 2006*
 Baby walking frame <i>Excluding the following></i> Walking frames with exposed metal surface 	All required tests as specified in CNCA-13C-068: 2010	GB 14749: 2006*
- 嬰兒學步車 <i><不包括></i> - 有暴露金屬表面的學步車	CNCA-13C-068: 2010 有關規定的所有檢測	GB 14749: 2006*

* Physical and mechanical tests are carried out at Unit 7-10, Ground Floor, Trans Asia Centre, 18 Kin Hong Street, Kwai Chung, New Territories, Hong Kong. 機械及物理性能測試在香港新界葵涌健康街 18 號恆亞中心地下 7-10 號單位進行。

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-387; Effective date of termination: 2 March 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
Toys and children's products (cont'd) 兒童用品(續上)		
- Children ride-on cars (cont'd) 童車類產品(續上)		
- Toys bicycle	All required tests as specified in CNCA-13C-068: 2010	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014
		GB 6675.4-2014
- 玩具自行車	CNCA-13C-068: 2010 有關規定的所有檢測	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014
- Electric children ride-on car	All required tests as specified in CNCA-13C-068: 2010	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014 GB 19865-2005
- 電動童車	CNCA-13C-068: 2010 有關規定的所有檢測	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014 GB 19865-2005
- Other toys car	All required tests as specified in CNCA-13C-068: 2010	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014
- 其他玩具車輛	CNCA-13C-068: 2010 有關規定的所有檢測	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-387; Effective date of termination: 2 March 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Testing Required by the China	Compulsory Certification System (CCC)中國強制性產品認證制度規定的檢測
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	peen terminated
Toys and children's products (cont'd) 兒童用品(續上)		
 Electric toys <i>Excluding the following></i> toys containing gas or liquid imitation weapon toys chemical toys cosmetic toys toys with direct food contact percussion caps 	All required tests as specified in CNCA-13C-069: 2010	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014 GB 19865-2005
 電玩具類產品 (不包括) 含氣體或液體玩具 / 仿真武器玩具 / 化學遊戲玩具 / 玩具化妝品 / 與食品直接接觸的玩具 / 玩具火藥帽 	CNCA-13C-069: 2010 有關規定的所有檢測	GB 6675.1-2014 GB 6675.3-2014 GB 6675.4-2014 GB 19865-2005

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-387; Effective date of termination: 2 March 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014 GB 6675.1-2014
GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014 GB 6675.1-2014
GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014 GB 6675.1-2014
GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014
GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014
GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-387; Effective date of termination: 2 March 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Testing Required by the China	Compulsory Certification System (CCC)中國強制性產品認證制度規定的檢測
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
Toys and children's products (cont'd) 兒童用品(續上)		
 Projectile toys <i>Excluding the following></i> toys containing gas or liquid imitation weapon toys chemical toys cosmetic toys toys with direct food contact percussion caps 	All required tests as specified in CNCA-13C-072: 2010	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014
 彈射玩具類產品 <li< td=""><td>CNCA-13C-072: 2010 有關規定的所有檢測</td><td>GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014</td></li<>	CNCA-13C-072: 2010 有關規定的所有檢測	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014
 Dolls <i>Excluding the following></i> toys containing gas or liquid imitation weapon toys chemical toys cosmetic toys toys with direct food contact percussion caps 	All required tests as specified in CNCA-13C-073: 2010	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014
 - 娃娃玩具類產品 <td>CNCA-13C-073: 2010 有關規定的所有檢測</td><td>GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014</td>	CNCA-13C-073: 2010 有關規定的所有檢測	GB 6675.1-2014 GB 6675.2-2014 GB 6675.3-2014 GB 6675.4-2014

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-386; Effective date of termination: 1 February 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

	Textiles and Garments 紡織品	及成衣
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
General textiles and garments	Care performance tests :- - Appearance after wash/ commercial dry cleaning	In-house Method SLHK-T-TMDD04-2018
	- Dimensional stability to commercial dry	In-house Method SLHK-T-TMDD07-2018
	 Assessing properties of drycleanability for: dimensional stability colour fastness colour fastness of specimen staining on multifibre adjacents colour fastness to water spotting seam pucker loss of finish (water resistance to ISO 811:1981) loss of finish (flame resistance) crease retention creasing propensity wrinkle recovery surface abrasion performance of components, trims, accessories and adornments distortion (skewness, differential shrinkage) felting adhesion of fusible interlinings and bonded fabrics frayed of seams handle pilling 	BS EN ISO 3175-1: 2010 ISO 3175-1: 2010
	 Procedure for testing performance when cleaning and finishing using tetrachloroethene 	BS EN ISO 3175-2: 2010 ISO 3175-2: 2010

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-386; Effective date of termination: 1 February 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

	Textiles and Garments 紡織品	口及成衣
ITEM TESTED OR MEASURED 测试或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Care performance tests :- (cont'd)	
General textiles and garments	 Procedure for testing performance when cleaning and finishing using simulated wetcleaning 	BS EN ISO 3175-4: 2003 + Corr. 1: 2009 ISO 3175-4: 2003 + Corr. 1: 2009
	- Dimensional stability to hand washing	In-house Method SLHK-T-TMDD06-2018
	- Dimensional stability to washing	AATCC Test Method 135-2018 AATCC Test Method 150-2018
	- Wash and wear performance	AATCC Test Method 88B-2018 AATCC Test Method 88C-2018 AATCC Test Method 124-2018 AATCC Test Method 143-2018
General textiles and garments	Colour fastness tests :- - Actual laundering/commercial dry cleaning	In-house Method SLHK-T-TMDD05-2018
	- Dryheat	AATCC Test Method 117-2013
	- Rubbing/Crocking (Rotary vertical crockmeter)	AATCC Test Method 116-2013
Other materials - Leather	- Rubbing	BS EN ISO 11640: 2012 EN ISO 11640: 2012 ISO 11640: 2012 IULTCS/IUF 450: 2012
General textiles and garments 一般紡織品及成衣	- Saliva 耐唾液堅牢度	GB/T 18886-2002
	- Sea water 耐海水色牢度	GB/T 5714: 1997

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-386; Effective date of termination: 1 February 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

	Textiles and Garments 紡織。	品及成衣
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	en terminated
General textiles and garments	Construction tests :- - Distortion in bowed and skewed fabrics	BS 2819: 1990 (1995)
General textiles and garments	- Distortion in bowed and skewed fabrics	JIS L1096-1999 Section 8.11
		JIS £1070-1777 Section 8.11
	- Fabric weight	JIS L1096- 1999 Section 8.4
		AS 2001.2.13-1987
	- Fabric width	ASTM D3774 - 96(2012)
		JIS L1096- 1999 Section 8.2
		AS 2001.2.12-1987
	- Threads per unit length, woven	AS 2001.2.5-1991
		ASTM D3775 - 17
		BS 2862: 1984 (1990) Methods A, B and C
		JIS L1096- 1999 Section 8.6
	- Twist of yarn	ASTM D1422 - 99(2008)
	Twist of yan	ASTM D1422 - 99(2000) ASTM D1423 - 02(2008)
		BS EN ISO 2061: 2010
		EN ISO 2061: 1995
		ISO 2061: 2010
		AS 2001.2.14-1987
	- Type of weave	In-house Method SLHK-T-TMDQ10-2008
	- Weft knit, Stitch density	AS 2001.2.6-1981
		BS 5441: 1988
	- Yarn linear density:	
	a) woven and weft knit fabric	ASTM D1059 - 01
		JIS L1096- 1999 Section 8.8
	b) yarn in skein form	AS 2001.2.23 - 1990
	o) yanı in skeni torin	ASTM D1907/D1907M - 12
		BS 2010: 1963 (1986)
Children's upper outwear	- Measurement of drawstrings	ASTM F1816-97(2009)
Children's clothing	- Measurement of cords and drawstrings	CNS 15291 - 2009
童装	繩索和拉帶安全要求	

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-386; Effective date of termination: 1 February 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性 editation of the following tests has been c performance tests : - permeability asion resistance Martindale tester Stoll flat abrasion tester Flex abrasion tester	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術 terminated ASTM D737 - 04(2016) JIS L1096-1999 Section 8.27.1 Method A AS 2001.2.25- 1990 JIS L1096- 1999 Section 8.17.5 Method E BS EN ISO 12947-2: 1998 AS 2001.2.27-1990 AS 2001.2.26-1990
c performance tests : - permeability asion resistance Martindale tester Stoll flat abrasion tester	ASTM D737 - 04(2016) JIS L1096-1999 Section 8.27.1 Method A AS 2001.2.25- 1990 JIS L1096- 1999 Section 8.17.5 Method E BS EN ISO 12947-2: 1998 AS 2001.2.27-1990
permeability asion resistance Martindale tester Stoll flat abrasion tester	JIS L1096-1999 Section 8.27.1 Method A AS 2001.2.25- 1990 JIS L1096- 1999 Section 8.17.5 Method E BS EN ISO 12947-2: 1998 AS 2001.2.27-1990
permeability asion resistance Martindale tester Stoll flat abrasion tester	JIS L1096-1999 Section 8.27.1 Method A AS 2001.2.25- 1990 JIS L1096- 1999 Section 8.17.5 Method E BS EN ISO 12947-2: 1998 AS 2001.2.27-1990
asion resistance Martindale tester Stoll flat abrasion tester	AS 2001.2.25- 1990 JIS L1096- 1999 Section 8.17.5 Method E BS EN ISO 12947-2: 1998 AS 2001.2.27-1990
Martindale tester Stoll flat abrasion tester	JIS L1096- 1999 Section 8.17.5 Method E BS EN ISO 12947-2: 1998 AS 2001.2.27-1990
Stoll flat abrasion tester	JIS L1096- 1999 Section 8.17.5 Method E BS EN ISO 12947-2: 1998 AS 2001.2.27-1990
	BS EN ISO 12947-2: 1998 AS 2001.2.27-1990
	AS 2001.2.27-1990
Flex abrasion tester	AS 2001.2.26-1990
	ASTM D3885 - 07a(2015)
	JIS L1096-1999 Section 8.17.1 Method A2
Taber abrasion tester	ASTM D3884 - 09
	ASTM D4685 - 07(2011)e1
	JIS L1096-1999 Section 8.17.3 Method C
	JIS L1018-1990 Section 6.18.3 Method C
id moisture temperature properties of tile fabrics	AATCC Test Method 195-2012
ng resistance	
Pilling box method	BS 5811: 1986 (1997)
elastomeric pilling	ASTM D3514/D3514M - 10
release performance	AATCC Test Method 130- 2015
tch & recovery	ASTM D3107 - 07(2015)
	BS 4294:1968
	BS 4952: 1992
	JIS L1096- 1999 Section 8.14 (Method B, B1 & B2)
ical wicking tests	AATCC Test Method 197-2013
er repellency (spray rating)	AATCC Test Method 22-2014
	EN 24920: 1992
	AS 2001.2.16-1987
	tid moisture temperature properties of tile fabrics ng resistance Pilling box method elastomeric pilling release performance tch & recovery

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-386; Effective date of termination: 1 February 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
General textiles and garments	Fabric performance tests : - (cont'd) - Wrinkle recovery by recovery angle method	AATCC Test Method 66- 2008 Option 2
	- Water resistance a) rain test	AATCC Test Method 35- 2013
	b) hydrostatic pressure test	AATCC Test Method 127-2014 Method A Option 2 BS EN 20811:1992 (1996) EN 20811: 1992 ISO 811: 1981
General textiles and garments	Feather and down analysis :- - Components in plumage	BS EN 12131: 1998
- Feather and down 羽毛和羽绒	- Filling power	EN 12131: 1998 BS EN 12130: 1998 EN 12130: 1998
	- Testing methods for down and feather 羽毛和羽绒檢驗方法	GB/T 10288-2003

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-386; Effective date of termination: 1 February 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been t	terminated
	Fibre analysis :-	
General textiles and garments	- Fibre content	AATCC Test Method 20-2013
	(qualitative method)	
	- Fibre content	AATCC Test Method 20A-2014
	(quantitative method - mechanical	AS 2001.7-2005
	separation and chemical analysis)	BS EN ISO 1833-3: 2010
		EN ISO 1833-3: 2010
		ISO 1833-3: 2006
		BS EN ISO 1833-6: 2010
		EN ISO 1833-6: 2010
		EN ISO 1833-6: 2007
		BS EN ISO 1833-9: 2010
		EN ISO 1833-9: 2010
		ISO 1833-9: 2006
		BS EN ISO 1833-10: 2010
		EN ISO 1833-10: 2010
		ISO 1833-10: 2006
		BS EN ISO 1833-12: 2010
		EN ISO 1833-12: 2010
		ISO 1833-12: 2006
		BS EN ISO 1833-13: 2010
		EN ISO 1833-13: 2010
		ISO 1833-13: 2006
		BS EN ISO 1833-14: 2010
		EN ISO 1833-14: 2010
		ISO 1833-14: 2006
		BS EN ISO 1833-16: 2010
		EN ISO 1833-16: 2010
		ISO 1833-16: 2006
		BS EN ISO 1833-17: 2006
		EN ISO 1833-17: 2006
		ISO 1833-17: 2006
		BS EN ISO 1833-18: 2010
		EN ISO 1833-18: 2010
		ISO 1833-18: 2006
	- Fibre content (quantitative method - microscopic analysis)	AATCC Test Method 20A-2014
	- Degree of mercerization of cotton fibre - barium activity number method	AATCC Test Method 89-2012
	- Absorbency of textile	AATCC Test Method 79-2014 Option A

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-386; Effective date of termination: 1 February 2021)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Flommability tosts :	
Specific Products	Flammability tests :-	
- Blanket	- Horizontal test	ASTM D 4151 -10
- Carpet and rugs	- Methenamine tablet test	CAN/CGSB-4.2 No. 27.6-M91
- Upholstered furniture	- Cigarette test	California Technical Bulletin 116 – 1980 State of California, Department of Consumer Affairs, Bureau of Home Furnishings and Thermal Insulation
	Strength tests :-	
General textiles and garments	- Bursting strength by diaphragm bursting	AS 2001.2.4 - 1990 Method A
	method	ASTM D3786/D3786M - 13
	- Seam Slippage	BS3320: 1988
	- Seam strength	ASTM D1683/D1683M - 17e1
	- Tearing strength by Tongue tear (wing-rip) method	BS 4303: 1968
	- Tearing strength (Elmendorf)	AS 2001.2.8-2001
		ASTM D1424 - 09(2013)e1
		ISO 9290: 1990 Method A
	- Tensile strength	AS 2001.2.3-2001 ASTM D5035 - 11(2015)
	- Single thread strength	AS 2001.2.7-1987

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-385; Effective date of termination: 18 December 2020)

Intertek Testing Services Hong Kong Ltd.

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	terminated
Toys and childcare articles	Accreditation of the following test has been Chemical tests:- - Dibutyl Phthalate (DBP) - Di-(2ethylhexyl) phthalate (DEHP) - Benzyl Butyl Phthalate (BBP) - Di-n-octyl phthalate (DNP) - Diisononyl phthalate (DINP) - Diisodecyl phthalate (DIDP)	terminated US Public Law 110 -314 Consumer Product Safety Improvement Act 2008 <i>Test Procedures for Compliance testing:</i> CPSC Test Method: CPSC-CH-C1001-09.3 Standard Operating Procedure for Determination of Phthalates, April 1, 2010 (Extraction and analysis method: CPSC-CH-C1001-09.3) <i>< Excluding the following ></i> Optional Sample Pre-Screen Using Infrared (IR) Spectrometry

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-384; Effective date of termination: 27 November 2020)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

10	ys and Children's Products 玩	具久兄重産而
ITEM TESTED OR MEASURED 测试或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
Тоу	Flammability tests :-	Japan Toy Safety Standard ST2016 First Edition (2016.4. Part 2 (based on English version provided by JTA in April 2016) <i>Excluding the following></i> Tests for flammable gas, extremely flammable liquid, highly flammable liquid and flammable liquid
	Physical and mechanical tests :-	
Тоу	- Safety tests	ISO 8124-1: 2014
		<excluding following="" the=""></excluding>
		Cl. 4.28 and 4.29(e)
		AS/NZS ISO 8124.1: 2016
		<pre><excluding following="" the=""></excluding></pre>
		Cl. 4.28 and 4.29(e)
		Japan Toy Safety Standard ST2016 Second Edition (2018.5.30) Part 1 (based on English version provided b JTA) <i><excluding following="" the=""></excluding></i> Cl. 4.23(e)
	Safety and performance tests :-	
Babies' dummy / Pacifier / Soother		Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section Method M-09 (2017)

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-384; Effective date of termination: 27 November 2020)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Unit 7-10, Ground Floor, Trans Asia Centre, 18 Kin Hong Street, Kwai Chung, New Territories, Hong Kong 香港新界葵涌健康街 18 號恆亞中心地下 7-10 號單位

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 测试或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has be	en terminated
	Safety and performance tests	
Carriage and stroller		16 CFR Part 1227 in conjunction with ASTM F833-15
		ASTM F833-15
- Hand held infant carrier		ASTM F2050-16
- Sling carrier		16 CFR Part 1228 in conjunction with ASTM F2907-15
		ASTM F2907-15
Children's chair and stool		16 CFR Part 1232 in conjunction with ASTM F2613-17a
		ASTM F2613-17a
Crib / play yard		
- Full-size baby crib		ASTM F1169-13
		16 CFR Part 1219 in conjunction with ASTM F1169-13
- Non-full-size baby crib		16 CFR Part 1220 in conjunction with ASTM F406-17
- Non-full-size baby crib / play yard		ASTM F406-17
- Play yard		16 CFR Part 1221 in conjunction with ASTM F406-13
Expansion gate and expandable enclosure		ASTM F1004-16b

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-384; Effective date of termination: 27 November 2020)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Unit 7-10, Ground Floor, Trans Asia Centre, 18 Kin Hong Street, Kwai Chung, New Territories, Hong Kong 香港新界葵涌健康街 18 號恆亞中心地下 7-10 號單位

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has bee	n terminated
	Safety and performance tests	
Infant bath seat		16 CFR Part 1215 in conjunction with ASTM F1967-13
		ASTM F1967-13
Infant bouncer seat		16 CFR Part 1229 in conjunction with ASTM F2167-17
		ASTM F2167-17
Infant swing		ASTM F2088-15
Baby walker / infant walker		ASTM F977-12
Stationary activity center		ASTM F2012-16
Toddler bed		16 CFR Part 1217 in conjunction with ASTM F1821-16
		ASTM F1821-16

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 9 June 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been term	inated
	Product performance tests:-	
- LED modules for lighting	Product performance tests: Lumen maintenance - Correlated colour temperature - Chromaticity Shift	IES LM-80-08

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

Testing Required by the China Compulsory Certification System (CCC) 中國強制性產品認證制度規定的檢測		
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been ter	minated
Household and similar use appliances 家用和類似用途設備		
 Fans <i>Excluding the following></i> Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 Appliances with parts of natural or synthetic rubber as supplementary Insulation 	EMC tests as specified in CNCA-C07-01: 2017	GB 4343.1-2009
 - 電風扇 <不包括> - 外殼防護等級 IP5X, IP6X, IPX1, IPX2,IPX6 及 IPX8 的設備 - 含有天然或合成橡膠作為附加絕緣 的設備 	CNCA-C07-01: 2017 有關規定的電磁兼容檢測項目	GB 4343.1-2009
 Appliances for skin or hair care <i>Excluding the following></i> Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 Appliances with parts of natural or synthetic rubber as supplementary insulation Appliance with heater for detachbable curlers 	EMC tests as specified in CNCA-C07-01: 2017	GB 4343.1-2009
 皮膚和毛髮護理器具 (不包括>) 外殼防護等級 IP5X, IP6X, IPX1, IPX2,IPX6及 IPX8 的設備 含有天然或合成橡膠作為附加絕緣 的設備 含有可拆卸卷發夾的加熱器的設備 	CNCA-C07-01: 2017 有關規定的電磁兼容檢測項目	GB 4343.1-2009

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
Household and similar use appliances 家用和類似用途設備		
 Electric irons <i>Excluding the following></i> Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 Appliances with parts of natural or synthetic rubber as supplementary insulation 	EMC tests as specified in CNCA-C07-01: 2017	GB 4343.1-2009
 電熨斗 <td>CNCA-C07-01: 2017 有關規定的電磁兼容檢測項目</td><td>GB 4343.1-2009</td>	CNCA-C07-01: 2017 有關規定的電磁兼容檢測項目	GB 4343.1-2009
 Electric rice cooker <i>Excluding the following></i> Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 Appliances with parts of natural or synthetic rubber as supplementary insulation 	EMC tests as specified in CNCA-C07-01: 2017	GB 4343.1-2009
 電飯鍋 (不包括>) 外殼防護等級 IP5X, IP6X, IPX1, IPX2,IPX6及 IPX8 的設備 含有天然或合成橡膠作為附加絶緣 的設備 	CNCA-C07-01: 2017 有關規定的電磁兼容檢測項目	GB 4343.1-2009

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been term	ninated
	Product performance tests:-	
Audio, video and related equipment		
- Television sets, video recording equipment, set top boxes (STBs), audio equipment and multi- function equipment for	- Measurement of electrical power consumption in standby mode	IEC 62301: 2005 EN 62301: 2005
consumer use	- Measurement for power consumption	IEC 62087: 2008 EN 62087: 2009
- Television	- Performance tests	The Hong Kong Voluntary Energy Efficiency Labelling Scheme for Televisions (August 2013) issued by EMSD
Lamps and light fittings		
- Compact fluorescent lamps (for bulb diameter up to 165 mm and lamp power up to 100 W)	 Luminous flux Colour temperature Colour rendering index	IES LM-66-00
Household frost-free refrigerating appliances	 Performance tests: Measurement of storage volumes of compartments 	ISO 8561: 1995 + A1: 1997 Section 7
	 Measurement of storage temperatures of compartments 	Section 13
	- Energy consumption test	Section 15
	- Temperature rise test	Section 16
	- Freezing test - Ice-making test	Section 17 Section 18
Household refrigerating appliances with rated total storage volume not exceeding 500L	- Performance tests:	Mandatory Energy Efficiency Labelling Scheme- Code of Practice on Energy Labelling of Products (October 2014 Edition) issued by EMSD Cl. 8

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been term	inated
	Safety tests :-	
Audio, video and similar electronic apparatus	- Compliance inspection and safety tests	BS EN 60065: 2002 + A12: 2011 EN 60065: 2002 + A1: 2006 + A11: 2008 + A2: 2010 + A12: 2011 IEC 60065: 2001 + A1: 2005 + A2: 2010 for the above three standards < <i>Excluding the following</i> > Cl. 4.2.9, 4.3.13, 6.1, 9.1.1.1 (charge measurement above 200V), and 18
Electric cables		
 PVC insulated flexible cables of rated voltage up to 300/500 V with following number and cross-sectional area of conductors: 2 x 1.0 mm² to 1.5 mm² 3 x 1.0 mm² to 1.5 mm² 	- Compliance inspection and safety tests	BS 6500: 2000 with AMD13631, AMD14200, AMD15407, AMD15651 and AMD16644 < <i>Excluding the following</i> > Cl. 7.9.8, 7.10 and 8; Ageing treatment in oxygen bomb
 Rubber insulated flexible cables of rated voltage up to 300/500 V with following number and cross-sectional area of conductors: 2 x 1.0 mm² to 1.5 mm² 3 x 1.0 mm² to 1.5 mm² 	- Compliance inspection and safety tests	BS 6500: 2000 with AMD13631, AMD14200, AMD15407, AMD15651 and AMD16644 < <i>Excluding the following</i> > Cl. 6.9.10, 6.10 and 8; Ageing treatment in oxygen bomb
 Rubber insulated flexible cables of rated voltage up to 450/750 V with following number and cross-sectional area of conductors: 2 x 1.0 mm² to 1.5 mm² 3 x 1.0 mm² to 1.5 mm² 	- Compliance inspection and safety tests	IEC 60245-4: 1994 + A1: 1987 + A2: 2003 in conjunction with IEC 60245-1: 2003 + A1: 2007 and IEC 60245-2: 1994 < <i>Excluding the following</i> > Ageing treatment in oxygen bomb

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has bee	en terminated
Electrical accessories		
- 10A 250V plugs	- Compliance inspection and safety tests	AS/NZS 3112:2011 + A1:2012 + A2:2013 + A3: 2016 < <i>Excluding the following</i> > Cl. 2.13.10
- Rewirable and non-rewirable 13 A fused plugs	- Compliance inspection and safety tests	BS 1363-1: 1995 + A4: 2012 MS 589: Part 1: 1997 MS 589-1: 2011
- 13A switched and unswitched socket outlets	- Compliance inspection and safety tests	BS 1363-2: 1995 + A4: 2012 MS 589-2: Part 2: 1997 MS 589-2: 2011 SS 145: Part 2: 2010
- Adaptors for use with 13A socket outlets	- Compliance inspection and safety tests	BS 1363-3: 1995 + A4: 2012 MS 589: Part 3: 1998 MS 589-3: 2012
- 13A fused connection units	- Compliance inspection and safety tests	BS 1363-4: 1995 + A4: 2012
- 13A fused conversion plugs	- Compliance inspection and safety tests	BS 1363-5: 2008
- Electrical wiring accessories	- Compliance inspection and safety tests	MS 1144: 1998 < <i>Excluding the following</i> > Cl. 13.4

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been t	terminated
Electrical accessories (cont'd)	Safety tests :- (cont'd)	
- Bayonet lampholders to B22 specification	- Compliance inspection and safety tests	BS 5042: 1987 BS EN 61184: 2008 + A1: 2011 EN 61184: 2008 + A1: 2011 IEC 61184: 2008 + A1: 2011
- Lampholders to B22 specification	- Measurements and general tests	Verification of compliance with IEC 60061-2: 1969 with Supplements A, B, C, D, E, F, G, H, J, K, L, M and N for standard sheets 7005-10 and 7005-20 by the method stated in IEC 61184: 1997
- Boxes and enclosures for electrical accessories for household and similar fixed electrical installations	- Compliance inspection and safety tests	IEC 60670-1: 2002

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
Household and similar electrical appliances	Safety tests :- (cont'd)	
- Appliances for heating liquids (with rated voltage not more than 250 V)	- Compliance inspection and safety tests	EN 60335-2-15: 2002 + A1: 2005 + A2: 2008+ A11: 2012 IEC 60335-2-15: 2002 + A1: 2005 + A2: 2008 < <i>Excluding the following</i> > for the above two standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 19.4 (pressure cooker), 22.1 (tests for IP5X, IP6X), 22.7 (pressure cooker), 22.32 (oxygen bomb test), 22.46 and 22.108 (pressure cooker)
- Appliances for skin or hair care (with rated voltage not more than 250 V)	- Compliance inspection and safety tests	IEC 60335-2-23: 1996 + A1: 2000 < <i>Excluding the following</i> > Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 19.2 (heater for hair rollers), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
 Deep fat fryers, frying pans and similar appliances (having a recommended maximum quantity of oil not exceeding 51, and with rated voltage not more than 250V) 	- Compliance inspection and safety tests	IEC 60335-2-13: 2002+A1: 2004+A2: 2008 < <i>Excluding the following></i> Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
 Electric irons, including those with a separate water reservoir or boiler having a capacity not exceeding 51 (with rated voltage not more than 250V) 	- Compliance inspection and safety tests	EN 60335-2-3: 2002 + A1: 2005 + A2: 2008 + A11: 2010 IEC 60335-2-3: 2002 + A1: 2004 + A2: 2008 < <i>Excluding the following></i> for the above two standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Kitchen machines (with rated voltage not more than 250 V)	- Compliance inspection and safety tests	IEC 60335-2-14: 2002 < <i>Excluding the following</i> > Cl. 11.7.110, 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 20.101 (hand-held mixer), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	a terminated
Household and similar electrical appliances	Safety tests :- (cont'd)	
- Room heaters (with rated voltage not more than250 V for single-phase appliances and 480 V for other appliances)	- Compliance inspection and safety tests	IEC 60335-2-30: 2002+A1: 2004+A2: 2007 <i>Excluding the following></i> Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
 Shavers, hair clippers and similar appliances (with rated voltage not more than 250V) 	- Compliance inspection and safety tests	EN 60335-2-8: 2003+A1: 2005+A2: 2008 IEC 60335-2-8: 2002+A1: 2005+A2: 2008 <i>Excluding the following></i> for the above two standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Spin extractors (with rated voltage not more than 250V for single-phase appliances)	- Compliance inspection and safety tests	IEC 60335-2-4: 2002 < <i>Excluding the following</i> > Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
- Tumble dryers (with rated voltage not more than 250V for single-phase appliances)	- Compliance inspection and safety tests	IEC 60335-2-11: 2003 + A1: 2003 + A2: 2006 < <i>Excluding the following</i> > Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46
 Vacuum cleaners (with rated voltage not more than 250V) Excluding the following> products with motorized cleaning head products with current carrying hose, automatic battery powered cleaners 	- Compliance inspection and safety tests	AS/NZS 60335.2.2: 2002 + A1: 2005 + A2: 2007 IEC 60335-2-2: 2002+A1: 2004+A2: 2006 <i>Excluding the following></i> for the above two standards Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 21.101 to 21.105 (test for current carrying hose), 22.1 (tests for IP5X, IP6X), 22.32 (oxygen bomb test) and 22.46

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 测试或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been t	erminated
Household and similar electrical appliances	Safety tests :- (cont'd)	
 Household and similar electrical appliances Washing machines (with rated voltage not more than 250V for single-phase appliances) 	- Compliance inspection and safety tests	IEC 60335-2-7: 2002 + A1: 2004 + A2: 2006 < <i>Excluding the following</i> > Cl. 15.1 (tests for IPX1, IPX2, IPX6 and IPX8), 22.1 (tests for IP5X, IP6X), 22.6 (aging test), 22.32 (oxygen bomb test) and 22.46

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Safety tests :- (cont'd)	
Information technology equipment < <i>Excluding the following></i> - Three-phase equipment - DC mains supply	- Compliance inspection and safety tests	IEC 60950-1: 2001 < <i>Excluding the following</i> > 4.2.8, 4.3.12, 4.3.13.2, 4.3.13.3, 4.3.13.4 and 4.6.2 (hot flaming oil test) AS/NZS 60950.1: 2011 + A1: 2013 < <i>Excluding the following</i> > 4.2.8, 4.3.12, 4.3.13.2, 4.3.13.3, 4.3.13.4 and 4.6.2 (hot flaming oil test)
Luminaires		
- General requirements for luminaires up to 100W	- Compliance inspection and safety tests	BS EN 60598-1: 2008 + A11: 2009 EN 60598-1: 2008 + A11: 2009 IEC 60598-1: 2008 + A11: 2009 < <i>Excluding the following</i> > for the above three standards Cl. 4.13.4, 4.20, 4.24, 4.26, 9.2 (tests for IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8) (Note: The above three standards should be used in conjunction with the product test standards as detailed in relevant Part 2 of BS EN 60598, EN 60598 or IEC 60598.)
Power transformers and power supply units		
- Transformers for toys	- Compliance inspection and safety tests	BS EN 61558-2-7: 1998 with AMD10143 EN 61558-2-7: 1997 + A11: 2002 IEC 61558-2-7: 1997 < <i>Excluding the following</i> > for the above three standards Cl. 9.1.1.2.2, 17.1.1 (tests for IP5X, IP6X. IPX1, IPX2, IPX6, IPX8), 19.9 (oxygen bomb test); Annex K

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

ITEM TESTED OR MEASURED 처 SPECIFIC TEST OR PROPERTY MEASURED ht 2, 2014, 2, 2, 6 htt SPECIFIC ATION, STANDARD METHOD OR TECHNIQUE USED #& 2, 4, 4, 2, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	Electrical and Electronic Products 電氣及電子產品		
- Switches for household and similar fixed electrical installations (up to 45A single phase) - Compliance inspection and safety tests BS EN 60669-1: 1999 + A2: 2008 EN 60669-1: 1999 + A1: 2002 + A2: 2008 EN 60669-1: 1999 + A1: 2002 + A2: 2008 IEC 60669-1: 1998 + A1: 1999 + A2: 2006 - Compliance inspection and safety tests IEC 60669-1: 1998 + A1: 1999 + A2: 2006 - Compliance inspection IEC 60669-1: 1998 + A1: 1999 + A2: 2006 - Compliance inspection IEC 60669-1: 1998 + A1: 1999 + A2: 2006 - Compliance inspection IEC 60669-1: 1998 + A1: 1999 + A2: 2006 - Compliance inspection IEC 60669-1: 1998 + A1: 1999 + A2: 2006 - Compliance inspection IEC 60669-1: 1998 + A1: 1999 + A2: 2006 - Compliance inspection		PROPERTY MEASURED	OR TECHNIQUE USED
- Switches for household and similar fixed electrical installations (up to 45A single phase) - Compliance inspection and safety tests phase) BS EN 60669-1: 1999 + A2: 2008 EN 60669-1: 1999 + A1: 2002 + A2: 2008 IEC 60669-1: 1998 + A1: 1999 + A2: 2006 < <i>Excluding the following</i> > for the above three standards		Accreditation of the following tests has been t	terminated
electrical installations (up to 45A single EN 60669-1: 1999 + A1: 2002 + A2: 2008 phase) IEC 60669-1: 1998 + A1: 1999 + A2: 2006 < Excluding the following > for the above three standards		Safety tests :- (cont'd)	
	electrical installations (up to 45A single	- Compliance inspection and safety tests	EN 60669-1: 1999 + A1: 2002 + A2: 2008 IEC 60669-1: 1998 + A1: 1999 + A2: 2006 < <i>Excluding the following</i> > for the above three standards

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司 Unit A, 9/F, Hang Cheong Factory Building, 1 Wing Ming Street, Kowloon, Hong Kong 香港九龍永明街一號恆昌工廠大廈九樓 A 室

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Product performance tests :-	
Horizontal drum type household washing machine	Performance tests: - Energy consumption - Water consumption - Washing performance - Spin extraction performance	IEC 60456: 2003 Cl. 11 Cl. 11 Cl. 8 Cl. 10
Horizontal drum type household washing machine with rated capacity exceeding 7 kg	Energy Efficiency Grading and Performance Requirements: - Energy consumption - Water consumption - Washing performance - Spin extraction performance	The Hong Kong Voluntary Energy Efficiency Labelling Scheme for Washing machine (April 2010) issued by EMSD
Horizontal drum type household washing machine with rated capacity not exceeding 7 kg	Energy Efficiency Grading and Performance Requirements: - Energy consumption - Water consumption - Washing performance - Spin extraction performance	Mandatory Energy Efficiency Labelling Scheme- Code of Practice on Energy Labelling of Products (October 2014 Edition) issued by EMSD Cl. 10
Horizontal drum type household washing machine with rated capacity not exceeding 10 kg	Water Efficiency Grading and Performance Requirements: - Energy consumption - Water consumption - Washing performance - Spin extraction performance	The Voluntary Water Efficiency Labeling Scheme on Washing Machine (March 2011 Edition) issued by Water Supplies Department

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司 Unit A, 9/F, Hang Cheong Factory Building, 1 Wing Ming Street, Kowloon, Hong Kong 香港九龍永明街一號恆昌工廠大廈九樓 A 室

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	a terminated
	Product performance tests :-	
Household frost-free refrigerating appliances	- Performance tests:	ISO 8561: 1995 + A1: 1997
8 8 8 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- Measurement of storage volumes of compartments	Cl. 7
	 Measurement of storage temperatures of compartments 	Cl. 13
	- Energy consumption test	Cl. 15
	- Temperature rise test	Cl. 16
	- Freezing test	Cl. 17
	- Ice-making test	Cl. 18
Household refrigerating appliances with rated	- Performance tests:	Mandatory Energy Efficiency Labelling Scheme-
total storage volume not exceeding 500L		Code of Practice on Energy Labelling of Products
		(October 2014 Edition) issued by EMSD
		Cl. 8

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-382; Effective date of termination: 10 November 2020)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Flat A, 2/F, Joy Fat Factory Building, 483F-G Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道四百八十三號 F-G 二樓 A 室

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
	Safety tests :	
Dec		
Batteries		
- Primary batteries		IEC 60086-5: 2011
	- Testing and requirements	Cl. 6
	- Instructions for use	Cl. 8
	- Marking	Cl. 9
- Secondary batteries containing alkaline		IEC 62133: 2002
or other non-acid electrolytes	- Specific requirements and tests	Cl. 4
	- Marking	Cl. 6

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-380; Effective date of termination: 21 August 2020)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 测试或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	EMC tests :- (cont'd) Emission tests	
Licence-exempt radio apparatus: category I equipment	 Measurement of radiated emission 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission 	RSS-210: 2016 + Amdt 2017 in conjunction with RSS-Gen: 2018 using test methods specified in ANSI C63.10: 2013
	at antenna terminal - 9 kHz to 40 GHz	
Licence-exempt radio apparatus: category II equipment	 Measurement of radiated emission 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-310: 2015 in conjunction with RSS-Gen: 2018 using test methods specified in ANSI C63.10: 2013
2 GHz Licence-exempt personal communications service devices	 Measurement of radiated emission 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-Gen: 2018
Digital Transmission System (DTSs), Frequency Hopping System (FHSs) and Licence- Exempt Local Area Network(LE-LAN) Devices	 Measurement of radiated emission 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-Gen: 2018
Wireless Power Transfer Devices	 Measurement of radiated emission 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-Gen: 2018

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-376; Effective date of termination: 29 April 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is termina	ated
	EMC tests :- Emission tests	
Consumer ISM equipment < <i>Excluding the following></i> - medical equipment	- Measurement of terminal disturbance voltages - 9 kHz to 30 MHz	AS/NZS CISPR 11: 2004 CISPR 11: 2003 + A1: 2004 + A2: 2006 EN 55011: 2007 + A2: 2007
Sound and television broadcast receivers and associated equipment < <i>Excluding the following</i> > - television receivers for broadcast satellite transmission - digital audio broadcasting receiver	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of disturbance power 30 MHz to 300 MHz Disturbance voltage at antenna terminals and wanted signal and disturbance voltage at the RF output terminals 30 MHz to 2150 MHz 	AS/NZS CISPR 13: 2004 CISPR 13: 2001 + A1: 2003 + A2: 2006 EN 55013: 2001 + A1: 2003 + A2: 2006 <excluding following="" the=""> for the above three standards C1. 5.8 and 5.9</excluding>
 Household appliances, electric tools and similar apparatus <i>Excluding the following</i> > washing machines dish-washing machines tumble dryers centrifugal dryers lifting devices automatic goods-dispensing machines entertainment machines three-phase equipment 	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of disturbance power 30 MHz to 300 MHz 	AS/NZS CISPR 14.1: 2003 CISPR 14-1: 2000 + A1: 2001 + A2: 2002 EN 55014-1: 2000 + A1: 2001 + A2: 2002
Electric and electronic toys	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of disturbance power 30 MHz to 300 MHz 	AS/NZS CISPR 14.1: 2003 CISPR 14-1: 2000 + A1: 2001 + A2: 2002 EN 55014-1: 2000 + A1: 2001 + A2: 2002
Lighting equipment and luminaires < Excluding the following> - Transport lighting - Self-contained emergency lighting luminaires - Replaceable starters for fluorescent lamps	 Measurement of insertion loss 150 kHz to 1605 kHz Measurement of conducted disturbance voltages at mains terminals, load terminals and control terminals 9 kHz to 30 MHz Measurement of radiated electromagnetic disturbances 9 kHz to 300 MHz 	AS/NZS CISPR 15: 2002 CISPR 15: 2000 + A1: 2001 + A2: 2002 EN 55015: 2000 + A1: 2001 + A2: 2002

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-376; Effective date of termination: 29 April 2020)

Intertek Testing Services Hong Kong Ltd.

Electr	ical and Electronic Products 電氣	及電子產品
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is termina	ated
	EMC tests :- (cont'd) Emission tests	
Information technology equipment < <i>Excluding the following></i> - Telecommunications terminal equipment having a digital interface - User's installation	 Measurement of terminal disturbance voltage 0.15 MHz to 30 MHz 	AS/NZS CISPR 22: 2006 CISPR 22: 2005 + A1: 2005 + A2: 2006 EN 55022: 2006 + A1: 2007
Electrical and electronic equipment having input current up to and including 16A per phase for connection to systems of 220V to 250V at 50 Hz and 60Hz < Excluding the following> - three phase equipment - arc welding equipment - professional equipment - air conditioner - high pressure cleaner	- Harmonic current	EN 61000-3-2: 2006 + A1: 2009 + A2: 2009 IEC 61000-3-2: 2005 + A1: 2008+ A2: 2009
Electrical and electronic equipment having input current up to and including 16A per phase for connection to systems of 220V to 250V at 50 Hz <i><excluding following="" the=""></excluding></i> - three phase equipment	 Voltage changes, voltage fluctuations and flicker Short-term flicker indicator, Pst Long-term flicker indicator, Plt Relative voltage change, d(t) Relative steady-state voltage change, dc Maximum relative voltage change, dmax Maximum time duration during the observation period that the voltage deviation d(t) exceeds the limit for dc, Tmax 	EN 61000-3-3: 1995 + A1: 2001 + A2: 2005 IEC 61000-3-3: 1994 + A1: 2001 + A2: 2005 <i>Excluding the following</i> for the above two standards Cl. 4.2.2 (simulation method) and 4.2.3 (analytical method)
Electrical and electronic apparatus intended for use in residential, commercial and light-industrial environment for which no dedicated product or product-family emission standard exists	 Measurement of terminal disturbance voltage 0.15 MHz to 30 MHz Harmonics current 0 kHz to 2 kHz Voltage fluctuation and flicker 0 kHz to 2 kHz 	EN 61000-6-3: 2001 + A11: 2004 AS/NZS 4251.1: 1999

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-376; Effective date of termination: 29 April 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is term	ninated	
	EMC tests :- (cont'd) Immunity tests		
Information technology equipment < Excluding the following> - Telecommunications terminal equipment having a digital interface - Automatic teller machines	 Electrostatic discharge Electrical fast transients Continuous radiated disturbances Continuous conducted disturbances Surges Voltage dips and interruptions 	CISPR 24: 1997 + A1: 2001 + A2: 2002 EN 55024: 1998 + A1: 2001 + A2: 2003	
Electrical and electronic apparatus intended for use in residential, commercial and light-industrial environment for which no dedicated product or product-family immunity standard exists	 Radio frequency electromagnetic field Electrostatic discharge Fast transient Radio frequency common mode Surge Voltage dips Voltage interruptions 	EN 61000-6-1: 2001 IEC 61000-6-1: 1997	
Lighting equipment and luminaires	 Electrostatic discharge Radio frequency electromagnetic fields Fast transients Injected currents Surges Voltage dips and interruptions Voltage fluctuations 	EN 61547: 1995 + A1: 2000 IEC 61547: 1995 + A1: 2000	

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-376; Effective date of termination: 29 April 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is ter	minated	
	EMC tests :- (cont'd) Immunity tests		
Electrical and electronic equipment	 Electrostatic discharge immunity test 8 kV air discharge 4 kV contact discharge 	EN 61000-4-2: 1995 + A1: 1998 + A2: 2001 IEC 61000-4-2: 1995 + A1: 1998 + A2: 2001	
	 Electrical fast transient/burst 4 kV (max.) 5/50ns, 5kHz 	EN 61000-4-4: 1995 + A1: 2000 + A2: 2001 IEC 61000-4-4: 1995 + A1: 2000 + A2: 2001	
	- Surge - 6 kV(max.)	EN 61000-4-5: 1995 + A1: 2001 IEC 61000-4-5: 1995 + A1: 2000 < <i>Excluding the following</i> > for the above two standards C1. 6.2, 6.3.2, 7.3, 7.4, 7.5 and 7.6	
	 Conducted disturbance induced by radio frequency fields 150 kHz to 230 MHz, 3V 	EN 61000-4-6: 1996 + A1: 2001 IEC 61000-4-6: 1996 + A1: 2000 < <i>Excluding the following</i> > for the above two standards C1. 7.3, 7.4 and 7.5	
	- Voltage dips, short interruptions and voltage variations	EN 61000-4-11: 1994 + A1: 2001 IEC 61000-4-11: 1994 + A1: 2000 <i>Excluding the following ></i> for the above two standards Cl. 5.2	

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-376; Effective date of termination: 29 April 2020)

Intertek Testing Services Hong Kong Ltd.

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-376; Effective date of termination: 29 April 2020)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品				
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
	Accreditation of the following tests is tern	ninated		
	Telecommunications equipment tests :-			
Analogue loop start terminal equipment connected to a telephone network <i>Excluding the following></i> - 4 Wire devices	Telecommunications equipment tests : Mandatory analogue interworking and non-interference requirements for customer equipment for connection to the public switched telephone network -	AS/CA S002: 2010		

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-376; Effective date of termination: 29 April 2020)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is tern	ninated	
	EMC tests :- (cont'd) Emission tests		
Consumer ISM equipment <i>Excluding the following></i> - medical equipment	 Measurement of terminal disturbance voltages 9 kHz to 30 MHz Measurement of electromagnetic radiation disturbance 9 kHz to 18 GHz 	AS/NZS CISPR 11: 2004 CISPR 11: 2003 + A1: 2004 + A2: 2006 EN 55011: 2007 + A2: 2007	
Sound and television broadcast receivers and associated equipment < <i>Excluding the following</i> > - television receivers for broadcast satellite transmission - digital audio broadcasting receiver	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of radiated disturbances 30 MHz to 1 GHz Disturbance voltage at antenna terminals and wanted signal and disturbance voltage at the RF output terminals 30 MHz to 2150 MHz 	AS/NZS CISPR 13: 2004 CISPR 13: 2001 + A1: 2003 + A2: 2006 EN 55013: 2001 + A1: 2003 + A2: 2006 < <i>Excluding the following</i> > for the above three standards Cl. 5.8 and 5.9	
Electric and electronic toys	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of radiated disturbances 30 MHz to 1 GHz 	AS/NZS CISPR 14.1: 2003 CISPR 14-1: 2000 + A1: 2001 + A2: 2002 EN 55014-1: 2000 + A1: 2001 + A2: 2002	
Lighting equipment and luminaires < <i>Excluding the following</i> > - Transport lighting - Self-contained emergency lighting luminaires - Replaceable starters for fluorescent lamps	 Measurement of conducted disturbance voltages at mains terminals, load terminals and control terminals 9 kHz to 30 MHz 	AS/NZS CISPR 15: 2002 CISPR 15: 2000 + A1: 2001 + A2: 2002 EN 55015: 2000 + A1: 2001 + A2: 2002	
 Information technology equipment <i>Excluding the following</i> > Telecommunications terminal equipment having a digital interface User's installation 	 Measurement of terminal disturbance voltage 0.15 MHz to 30 MHz Measurement of radiated disturbances 30 MHz to 1 GHz 	AS/NZS CISPR 22: 2006 CISPR 22: 2005 + A1: 2005 + A2: 2006 EN 55022: 2006 + A1: 2007	
Electrical and electronic apparatus intended for use in residential, commercial and light-industrial environment for which no dedicated product or product-family emission standard exists	 Measurement of radiated disturbances 30 MHz to 1 GHz Measurement of terminal disturbance voltage 0.15 MHz to 30 MHz 	EN 61000-6-3: 2001 + A11: 2004 AS/NZS 4251.1: 1999	

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-376; Effective date of termination: 29 April 2020)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

Electrical and Electronic Products 電氣及電子產品				
ITEM TESTED OR MEASURED 测试或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
	Accreditation of the following tests is tern	ninated		
	Telecommunications equipment tests :-			
Data transmission equipment operating in the 2.4 GHz ISM band and using wide band modulation techniques	 Transmitter essential radio test suites RF output power, duty cycle, Tx-sequence, Tx-Gap, medium utilization Power spectral density Accumulated transmit time, frequency occupation and hopping sequence Hopping frequency separation Adaptivity (channel access mechanism) Occupied channel bandwidth Transmitter unwanted emissions in the out-of-band domain Transmitter unwanted emissions in the spurious domain Receiver essential radio test suites Receiver spurious emissions 	ETSI EN 300 328: 2012		

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-375)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

	Chemical Te	sting 化學測試	
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the follow	ving tests has been terminated	
Spectacle frames and sunglasses intended to come into direct contact with skin	Release of nickel	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 27 as amended by Commission Regulation (EC) No. 552/2009 <i>Compliance test procedures for nickel release content:</i> - BS EN 16128: 2011 EN 16128: 2011 BS EN 12472: 2005 + A1: 2009 & BS EN 16128: 2011 EN 12472: 2005 + A1: 2009 & EN 16128: 2011 Partition Method)	.a. .a. .a. .a.

	Environmental Te	sting 環境測試	
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following	tests has been terminated	
	Microbial indicators :-		
Potable Water	Total Coliform counts	APHA 22e 9222 B (Membrane Filtration Method)	.b
	Fecal Coliform count	APHA 22e 9222 D (Membrane Filtration Method)	.b
	E. coli count	APHA 22e 9222 D & G (Membrane Filtration Method followed by <i>E. coli</i> Partition Method)	.b

天祥公證行有限公司

	Foo	d 食品	
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the follow	ving tests has been terminated	
	Toxicological tests :-		
Food containers (lip &rim areas of glass tumblers)	Leachable lead and cadmium	ASTM C927-80 (Reapproved 2014)	.b.
Water	Microbiological tests :-		
	Total Coliform count	APHA 22e 9222 B (Membrane Filtration Method)	.b.
	Fecal Coliform count	APHA 22e 9222 D (Membrane Filtration Method)	.b.
	E. coli count	APHA 22e 9222 D & G (Membrane Filtration Method followed by E. coli Partition Method)	.b.
Potable water	Heterotrophic Plate Count	APHA 22e 9215 A & D (Membrane Filtration Method)	.b.
General foodstuff	E. coli O157	- Confirmed by US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 4A, Aug 2016 (updated on 11/15)	.b.
	Listeria monocytogenes	BS EN ISO 11290-2: 1998 + A1: 2004 - Part 2: Enumeration method (by chromogenic agar and API Listeria)	.b.
	Salmonella	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 5, Aug 2016 (Isolation and Identification)	.b.

天祥公證行有限公司

Miscellaneous 雜類			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the follo	wing tests has been terminated	
	Microbiological tests :-		
Cosmetics, liquids, pastes, putties, gels and powders	Microbiological examination of non- sterile products:	PCPC Microbiology Guidelines (2016) Section 12 Establishing Microbiological Quality of Personal Care Products Specific Criteria	
	Microbial enumeration tests	<i>Test Procedures for compliance testing:</i> USP<61> 40th edition (2017)	
	Test for specified microorganisms	USP<62> 40th edition (2017)	
	Antimicrobial effectiveness testing	USP<51> 40th edition (2017)	
Cosmetics	Microbiological examination of non- sterile products:	(for The European Cosmetic Regulation 1223/2009/EC (Annex I Part A Item 3) and The SCCS Notes of Guidance for the Testing of Cosmetics Ingredients and Their Safety Evaluation (9th Revision, April 2016) Section 4-4 Guidelines on Microbiological Quality of the Finished Cosmetic Product 4-4.1 to 4-4.3)
	Microbial enumeration tests	Test Procedures for compliance testing:) European Pharmacopoeia 9.2th edition (2017) Chapter 2.6.12 (07/2010:20612) British Pharmacopoeia (2017), App. XVI B-2	
	Test for specified microorganisms	European Pharmacopoeia 9.2th edition (2017) Chapter 2.6.13 (04/2010:20613) British Pharmacopoeia (2017), App. XVI B-1	
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia (2017), App. XVI B-1 European Pharmacopoeia 9.2th edition (2017) Chapter 5.1.3 (01/2011: 50103) British Pharmacopoeia (2017), App. XVI C (Criteria B) (Count by Pour Plate Method)	
Cosmetics	Evaluation of antimicrobial protection	ISO 11930: 2012	

Pharmaceutical Products 藥物			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following	tests has been terminated	
	Microbiological examination :-		
Non-sterile pharmaceutical preparations and substances for pharmaceutical use	Microbiological quality:	Acceptance criteria: USP<1111> 40th edition (2017) Examination procedures:	
	Microbial enumeration tests Test for specified microorganisms	USP<61> 40th edition (2017) USP<62> 40th edition (2017)	
	Microbiological quality:	Acceptance criteria: European Pharmacopoeia 9.2th edition (2017) Chapter 5.1.4 (01/2014:50104) revised 8.5 <i>Examination procedures:</i>	
	Test for specified microorganisms	European Pharmacopoeia 9.2th edition (2017) Chapter 2.6.13 (04/2010:20613)	
	Microbial enumeration tests	European Pharmacopoeia 9.2th edition (2017) Chapter 2.6.12 (07/2010:20612)	
	Microbiological quality:	Acceptance criteria: British Pharmacopoeia (2017), App. XVI D Examination procedures:	
	Test for specified microorganisms Microbial enumeration tests	British Pharmacopoeia (2017), App. XVI B-1 British Pharmacopoeia (2017), App. XVI B-2	
Sterile pharmaceutical substances, preparation and articles for pharmaceutical use	- Sterility tests	European Pharmacopoeia, 9.2th edition (2017), Chapter 2.6.1 (04/2011:20601 corrected 7.7) British Pharmacopoeia, 2017, Appendix XVI A	
Sterile pharmaceutical substances, preparation and articles for pharmaceutical use <excluding following="" the=""> Penicillins, Cephalosporins, Sterile aerosol products, Devices with pathways labeled sterile.</excluding>	- Sterility tests	United States Pharmacopoeia, 40th Edition (2017), Chapter 71	

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
		following tests has been terminated	
	Chemical tests:-		
Tricycles intended for use by children 8 years or under – substrates	- Total lead content	 (for ANSI Z315.1-2012 Cl. 4.1.1.1 in conjunction with CPSIA Sec. 101(a) <i>Test procedures for compliance testing:-</i>) XRF spectrometry in CPSC Test Method: CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 XRF spectrometry in CPSC Test Method: CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products, November 15, 2012 	
Toys – substrate materials (not including children's jewelry)	- Total lead content	 (for ASTM F963-17 Cl. 4.3.5.2 (2) (a) <i>Test procedures for compliance testing:-</i>) XRF spectrometry in CPSC Test Method: CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 XRF spectrometry in CPSC Test Method: CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products, November 15, 2012 	
Children's metal products	- Total lead content	 (for US Public Law 110 -314 Consumer Product Safety Improvement Act 2008 <i>Test Procedures for Compliance testing</i>:) XRF spectrometry in CPSC Test Method: CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 XRF spectrometry in CPSC Test Method: CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products, November 15, 2012 	

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the fol	lowing tests has been terminated	
	Microbiological tests :-		
Toy cosmetics	Microbiological examination of non- sterile products:	(for The European Cosmetic Regulation 1223/2009/EC (Annex I Part A Item 3) and The SCCS Notes of Guidance for the Testing of Cosmetics Ingredients and Their Safety Evaluation (9 th Revision, April 2016) Section 4-4 Guidelines on Microbiological Quality of the Finished Cosmetic Product 4-4.1 to 4-4.3	
	Microbial enumeration tests	<i>Test Procedures for compliance testing:</i>) European Pharmacopoeia 9.2th edition (2017) Chapter 2.6.12 (07/2010:20612) British Pharmacopoeia (2017), App. XVI B-2	
	Test for specified microorganisms	European Pharmacopoeia 9.2th edition (2017) Chapter 2.6.13 (04/2010:20613) British Pharmacopoeia (2017), App. XVI B-1	
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 9.2th edition (2017) Chapter 5.1.3 (01/2011: 50103) British Pharmacopoeia (2017), App. XVI C (Criteria B) (Count by Pour Plate Method)	
Тоу	Microbiological examination of non- sterile products:	(for EC type approval protocol No. 2 (European Co-ordination of Notified Bodies NB-TOYS/2016/014 under the Safety of Toys Directive) Microbiological safety of toys containing aqueous media REV 3 (18 February 2016)	
	Microbial enumeration tests	<i>Test Procedures for compliance testing:</i>) European Pharmacopoeia 9.2th edition (2017) Chapter 2.6.12 (07/2010:20612)	
	Test for specified microorganisms	European Pharmacopoeia 9.2th edition (2017) Chapter 2.6.13 (04/2010:20613)	
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 9.2th edition (2017) Chapter 5.1.3 (01/2011: 50103)	

天祥公證行有限公司 2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the fo	llowing tests has been terminated	
	Microbiological tests (cont'd) :-		
Toy cosmetics, liquids, pastes, putties, gels, and powders < <i>Excluding the following</i> > - avian feather products	Cleanliness of Materials - Microbial Enumeration Tests - Tests for Specified Microorganisms	(for ASTM F963-17 Cl. 4.3.6.3 and 8.4.1 <i>Test Procedures for compliance testing:</i>) USP< 61 > 40th edition (2017) USP< 62 > 40th edition (2017)	.b. .b.
Toy cosmetics, liquids, pastes, putties, gels, and powders	Preservative effectiveness	(for ASTM F963-17 Cl. 4.3.6.4 and 8.4.2.2 & 8.4.2.3 <i>Test Procedures for compliance testing:</i>) USP< 51 > 40th edition (2017)	.b.
Products for babies that are put in the mouth when used and that contain a filling	Sterility Tests	(for Canada Consumer Product Safety Act (CCPSA) Schedule 2 Item 4 <i>Test Procedures for compliance testing:</i>) United States Pharmacopoeia, 40th edition (2017), Chapter 71	.b.

Notes:

- .a. Effective date of termination: 3 February 2020
- .b. Effective date of termination: 15 April 2020

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-374; Effective date of termination: 31 December 2019)

Intertek Testing Services Hong Kong Ltd.

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is ter	minated	
	Chemical tests :-		
Toys	- Migration of certain elements	EN 71-3: 2013 + A2: 2017 BS EN 71-3: 2013 + A1: 2014 EN 71-3: 2013 + A1: 2014 (E) BS EN 71-3: 2013 EN 71-3: 2013(E)	
Category III toy materials: Scraped-off materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Technique used: ICP-OES	
	Chromium (VI) Chromium (III) (by calculation)	Technique used: IC-ICP-MS	
	Organic Tin: Methyl tin, Butyltin, Dibutyl tin, Tributyl tin Tetrabutyl tin, n-Octy tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Technique used: GC-MS	

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Toys and Children's Products 玩具及兒童產品				
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
	Accreditation of the following tests is	terminated		
	Chemical tests :- (cont'd)			
Tricycles intended for use by children 8 years or under – surface coatings	- Soluble elements: Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ANSI Z315.1-2012 Cl. 4.1.1 in conjunction with CPSIA Sec. 101(f) and 16 CFR 1303 and ASTM F963-16 Cl. 4.3.5.2 <i>Test procedures for compliance testing:</i> - ASTM F963-16 Cl. 8.3.2 – 8.3.4		
Toys and childcare articles	 Dibutyl Phthalate (DBP) Di-(2ethylhexyl) phthalate (DEHP) Benzyl Butyl Phthalate (BBP) Di-n-octyl phthalate (DnOP) Diisononyl phthalate (DINP) Diisodecyl phthalate (DIDP) 	ISO 8124-6:2014 Method A		

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 测试或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is te	erminated	
	Chemical tests (cont'd) :-		
Toys – paint and similar surface-coating materials	- Total lead content	ASTM F963-11 4.3.5 Cl. 4.3.5.1 (1) <i>Test procedures for compliance testing:-</i> CPSC Test method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011	
	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	Cl. 4.3.5.1 (2) <i>Test procedures for compliance testing:</i> - Cl. 8.3.2 – 8.3.4	
Toys – substrate materials (not including children's jewelry)	- Total lead content	ASTM F963-11 4.3.5 Cl. 4.3.5.2 <i>Test Procedures for Compliance testing:-</i> CPSC Test Method: CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 CPSC Test Method: CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products, November 15, 2012	
	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	Cl. 4.3.5.2 <i>Test procedures for compliance testing:-</i> Cl. 8.3.5	
Metallic toys or metallic toy components (not including children's jewelry)	- Extractable Cadmium	ASTM F963-11 4.3.5 Cl. 4.3.5.2 <i>Test Procedures for Compliance testing:-</i> Cl. 8.3.5.5(3) and CPSC Test Method: CPSC-CH-E1004-11 Standard Operating Procedure for Determining Cadmium (Cd) Extractability from Children's Metal Jewelry, February 03, 2011	

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is te	erminated	
	Chemical tests (cont'd) :-		
Toys – paint and similar surface-coating materials	- Total lead content	ASTM F963-16 Cl. 4.3.5.1 (1) <i>Test procedures for compliance testing:-</i> CPSC Test method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011	
	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	Cl. 4.3.5.1 (2) <i>Test procedures for compliance testing:</i> - Cl. 8.3.2 – 8.3.4	
Toys – substrate materials (not including children's jewelry)	- Total lead content	ASTM F963-16 Cl. 4.3.5.2 (2) (a) <i>Test Procedures for Compliance testing:-</i> CPSC Test Method: CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 CPSC Test Method: CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products, November 15, 2012	
	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	Cl. 4.3.5.2 (2) (b) <i>Test procedures for compliance testing:</i> - Cl. 8.3.5	
Metallic toys or metallic toy components (not including children's jewelry)	- Extractable Cadmium	ASTM F963-16 Cl. 4.3.5.2 (2) (c) <i>Test Procedures for Compliance testing:-</i> Cl. 8.3.5.5(3) and CPSC Test Method: CPSC-CH-E1004-11 Standard Operating Procedure for Determining Cadmium (Cd) Extractability from Children's Metal Jewelry, February 03, 2011	

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-371; Effective date of termination: 4 October 2019)

Intertek Testing Services Hong Kong Ltd.

Food 食品				
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
	Accreditation of the following tests is terr	minated		
	Food composition tests:-			
Seafood	Salt (chlorine as sodium chloride)	AOAC Official Methods 937.09 (2005)		
Meat	Salt (chlorine as sodium chloride)	AOAC Official Methods 935.47 (2005)		
Canned vegetables	Sodium chloride	AOAC Official Methods 939.10B Method II (2005)		
	Metals:-			
Tap water	Iron, Zinc	APHA 21e 3030E, 3111B		
	Microbiological tests :-			
General foodstuff	Mold and yeast (total) counts	AOAC 2014.05 (2014) (General food) (Petrifilm Method)		
	Total Coliform count	AOAC 991.14 (2005) (General foods) (Petrifilm Method) AOAC 986.33 (2005) (For milk) (Petrifilm Method)		
	Coliform count	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 4, February 2013. (Pour plate: solid medium method or MPN Method)		
	Faecal Coliform count	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 4, February 2013 (MPN Method)		
	E. coli count	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 4, February 2013. (MPN Method followed by LST-MUG Method) or (MPN Method followed by completed test for <i>E. coli</i>) AOAC 991.14 (2005) (General foods) (Petrifilm Method) AOAC 998.08 (2005) (For meat, poultry and seafood) (Petrifilm Method)		

天祥公證行有限公司

Food 食品				
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
	Accreditation of the following tests is	terminated		
	Microbiological tests :- (cont'd)			
General foodstuff	E. coli O157	Confirmed by US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 4A, Feb 2011 (updated on 11/15) (for the test of AFNOR Certificate (BIO 12/25-05/09) AOAC RI Approved protocols (N°060903) - Detection Method using VIDAS automated immunoassay system)		
	Listeria monocytogenes	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 10, January 2016 - Detection by Vidas LMO2 and API Listeria		
	Salmonella	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 5, May 2014 (Isolation and Identification) AOAC Official Methods 2004.03 (2005) (Enzyme-Linked Fluorescent Assay) (ELFA) Screening Method using VIDAS automated immunoassay system)		
	<i>Staphylococcus aureus</i> count (coagulase positive)	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 12, January 2001 (Direct Plate Count Method) or (MPN Method) AOAC 2003.07 (2005) (processed and prepared foods) (Petrifilm Method) AOAC 2003.08 (2005) (dairy food) (Petrifilm Method) AOAC 2003.11 (2005) (For meat, seafood and poultry) (Petrifilm Method)		

天祥公證行有限公司

Miscellaneous 雜類				
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
	Accreditation of the following tests is te	rminated		
	Microbiological tests :-			
Cosmetics, liquids, pastes, putties, gels and powders	Microbiological examination of non- sterile products:	CTFA Microbiology Guidelines (2007) Section 12 Establishing Microbial Quality of Cosmetic Products Specific Criteria		
	Microbial enumeration tests	<i>Test Procedures for compliance testing:</i> USP<61> 38 th edition (2015)		
	Test for specified microorganisms	USP<62> 38 th edition (2015)		
	Antimicrobial effectiveness testing	USP<51> 38 th edition (2015)		
Cosmetics	Microbiological examination of non- sterile products:	The SCCS's Notes of Guidance for the Testing of Cosmetics Ingredients and Their Safety Evaluation (8 th Revision, December 2012) - Section 4-4 Guidelines on Microbiological Quality of the Finished Cosmetic Product 4-4.1 to 4-4.3, for compliance with The European Cosmetic Regulation 1223/2009		
	Microbial enumeration tests	Test Procedures for compliance testing: European Pharmacopoeia 8.5th edition (2015) Chapter 2.6.12 (07/2010:20612) British Pharmacopoeia (2015), App. XVI B-2 BS EN ISO 21149: 2009 (Pour Plate Method only) & ISO 16212: 2008 (Pour Plate Method only)		
	Test for specified microorganisms	European Pharmacopoeia 8.5th edition (2015) Chapter 2.6.13 (04/2010:20613) British Pharmacopoeia (2015), App. XVI B-1 ISO 22717: 2006, ISO 22718: 2006 & BS EN ISO 18416: 2009		
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 8.5th edition (2015) Chapter 5.1.3 (01/2011: 50103) British Pharmacopoeia (2015), App. XVI C (Criteria B) (Count by Pour Plate Method)		

天祥公證行有限公司

Miscellaneous 雜類			
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is tern	ninated	
	Microbiological tests :- (cont'd)		
Cosmetics	Enumeration of aerobic mesophilic bacteria	BS EN ISO 21149: 2009 (Pour Plate Method only)	
	Enumeration of yeast and mould	ISO 16212: 2008 (Pour Plate Method only)	
	Detection of specified microorganisms	ISO 18415: 2007	
	Detection of Candida albicans	BS EN ISO 18416: 2009	
	Detection of Escherichia coli	ISO 21150: 2006	
	Detection of Pseudomonas aeruginosa	ISO 22717: 2006	
	Detection of Staphylococcus aureus	ISO 22718: 2006	

Pharmaceutical Products 藥物			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is term	ninated	
	Microbiological examination :-		
Sterile pharmaceutical substances, preparation and articles for pharmaceutical use	- Sterility tests	European Pharmacopoeia, 8.5th edition (2015), Chapter 2.6.1 (04/2011:20601 corrected 7.7) British Pharmacopoeia, 2015, Appendix XVI A	
Sterile pharmaceutical substances, preparation and articles for pharmaceutical use <excluding following="" the=""> Penicillins, Cephalosporins, Sterile aerosol products, Devices with pathways labeled sterile.</excluding>	- Sterility tests	United States Pharmacopoeia, 38th Edition (2015), Chapter 71	

天祥公證行有限公司

Pharmaceutical Products 藥物				
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
	Accreditation of the following tests is t	terminated		
	Microbiological examination :- (cont'd)			
Non-sterile pharmaceutical preparations and substances	Microbiological quality:	Acceptance criteria: USP<1111> 38th edition (2015)		
for pharmaceutical use	Microbial enumeration tests Test for specified microorganisms	Examination procedures: USP <61> 38th edition (2015) USP <62> 38th edition (2015)		
	Microbiological quality:	<i>Acceptance criteria:</i> European Pharmacopoeia 8.5th edition (2015) Chapter 5.1.4 (01/2014:50104) revised 8.5		
	Test for specified microorganisms	Examination procedures: European Pharmacopoeia 8.5th edition (2015) Chapter 2.6.13 (04/2010:20613)		
	Microbial enumeration tests	European Pharmacopoeia 8.5th edition (2015) Chapter 2.6.12 (07/2010:20612)		
	Microbiological quality:	Acceptance criteria: British Pharmacopoeia (2015), App. XVI D		
	Test for specified microorganisms Microbial enumeration tests	<i>Examination procedures:</i> British Pharmacopoeia (2015), App. XVI B-1 British Pharmacopoeia (2015), App. XVI B-2		

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the fo	ollowing tests is terminated	
	Microbiological tests :-		
Aqueous liquid	Non-fecal coliform / Fecal coliform	APHA 22e 9221 B, C & E, 9222 B & G (Membrane Filtration Method followed by coliform & fecal coliform verification)	
	Coliform count / E. coli count	UK Toy Water Snakes (Safety) Order 1983 <i>Test procedure for compliance testing:</i> APHA 22e 9222 B & G (Membrane Filtration Method followed by coliform verification & E. coli Partition Method)	
Toys cosmetics	Microbiological examination of non- sterile products:	The SCCS's Notes of Guidance for the Testing of Cosmetics Ingredients and Their Safety Evaluation(8 th Revision, December 2012) – Section 4-4 Guidelines on Microbiological Quality of the Finished Cosmetic Product 4-4.1 to 4-4.3, for compliance with The European Cosmetic Regulation 1223/2009	
	Microbial enumeration tests	Test Procedures for compliance testing: European Pharmacopoeia 8.5th edition (2015) Chapter 2.6.12 (07/2010:20612) British Pharmacopoeia (2015), App. XVI B-2 BS EN ISO 21149: 2009 (Pour Plate Method only) & ISO 16212: 2008 (Pour Plate Method only)	
	Test for specified microorganisms	European Pharmacopoeia 8.5th edition (2015) Chapter 2.6.13 (04/2010:20613) British Pharmacopoeia (2015), App. XVI B-1 ISO 22717:2006, ISO 22718:2006 & BS EN ISO 18416:2009	
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 8.5th edition (2015) Chapter 5.1.3 (01/2011: 50103) British Pharmacopoeia (2015), App. XVI C (Criteria B) (Count by Pour Plate Method)	

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is to	erminated
	Microbiological tests :- (cont'd)	
Тоу	Microbiological examination of non- sterile products:	EC type approval protocol No. 2 (European Co- ordination of Notified Bodies NB-TOYS/2014/071 under the Safety of Toys Directive) Microbiological safety of toys containing aqueous media REV 2 (10 June 2014).
	Microbial enumeration tests	 Test Procedures for compliance testing: European Pharmacopoeia 8.5th edition (2015) Chapter 2.6.12 (07/2010:20612) BS EN ISO 21149: 2009 (Pour Plate Method only) & ISO 16212: 2008 (Pour Plate Method only)
	Test for specified microorganisms	European Pharmacopoeia 8.5th edition (2015) Chapter 2.6.13 (04/2010:20613) ISO 22717: 2006, ISO 22718: 2006 & BS EN ISO 18416: 2009
	Efficacy of Antimicrobial Preservation (Challenge Test)	European Pharmacopoeia 8.5th edition (2015) Chapter 5.1.3 (01/2011: 50103)
Toy cosmetics, liquids, pastes, putties, gels, and powders < <i>Excluding the following</i> > - avian feather products	Cleanliness of Materials - Microbial Enumeration Tests - Tests for Specified Microorganisms	ASTM F963-16 Cl. 4.3.6.3 and 8.4.1 Test Procedures for compliance testing: USP< $61 > 35^{th}$ edition (2012) USP< $62 > 35^{th}$ edition (2012)
Toy cosmetics, liquids, pastes, putties, gels, and powders	Preservative effectiveness	ASTM F963-16 Cl. 4.3.6.4 and 8.4.2.2 & 8.4.2.3 <i>Test Procedures for compliance testing:</i> USP< $51 > 35^{\text{th}}$ edition (2012)
Products for babies that are put in the mouth when used and that contain a filling	Sterility Tests	United States Pharmacopoeia, 38th Edition (2015), Chapter 71 (for compliance testing of Canada Consumer Product Safety Act (CCPSA) Schedule 2 Item 4)

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-365; Effective date of termination: 22 February 2019)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Unit 7-10, Ground Floor, Trans Asia Centre, 18 Kin Hong Street, Kwai Chung, New Territories, Hong Kong 香港新界葵涌健康街 18 號恆亞中心地下 7-10 號單位

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been to	erminated
	Safety and performance tests	
Booster seat		ASTM F2640-17e1
Changing table		ASTM F2388-17a
Crib / play yard		
- Non-full-size baby crib / play yard		ASTM F406-15
High chair		ASTM F404-17a

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-363; Effective date of termination: 24 January 2019)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	CCC)中國強制性產品認證制度規定的檢測 SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
Toys 玩具類產品		
 Electric toys <i>Excluding the following></i> toys containing gas or liquid 	All required tests as specified in CNCA-13C-069: 2010	GB 6675: 2003 + A1: 2005 GB 19865: 2005
- 電玩具類產品 <i><不包括></i> - 含氟體或液體玩具	CNCA-13C-069: 2010 有關規定的所有檢測	GB 6675: 2003 + A1: 2005 GB 19865: 2005
 Plastic toys <i>Excluding the following></i> toys containing gas or liquid 	All required tests as specified in CNCA-13C-070: 2010	GB 6675: 2003 + A1: 2005
- 塑膠玩具類產品 < 不包括 > - 含氟體或液體玩具	CNCA-13C-070: 2010 有關規定的所有檢測	GB 6675: 2003 + A1: 2005
 Metal toys <i>Excluding the following></i> toys containing gas or liquid 	All required tests as specified in CNCA-13C-071: 2010	GB 6675: 2003 + A1: 2005
-金屬玩具類產品 < 不包括 > - 含氣體或液體玩具	CNCA-13C-071: 2010 有關規定的所有檢測	GB 6675: 2003 + A1: 2005

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-363; Effective date of termination: 24 January 2019)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Testing Required by the China Compulsory Certification System (CCC) 中國強制性產品認證制度規定的檢測		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
Toys		
(cont'd)		
玩具類產品		
(續上)		
- Projectile toys	All required tests as specified in	GB 6675: 2003 + A1: 2005
<pre><excluding following="" the=""></excluding></pre>	CNCA-13C-072: 2010	
- toys containing gas or		
liquid		
-彈射玩具類產品	CNCA-13C-072: 2010	GB 6675: 2003 + A1: 2005
<不包括>	有關規定的所有檢測	
- 含氣體或液體玩具		
- Dolls	All required tests as specified in	GB 6675: 2003 + A1: 2005
<excluding following="" the=""></excluding>	CNCA-13C-073: 2010	
- toys containing gas or		
liquid		
-娃娃玩具類產品	CNCA-13C-073: 2010	GB 6675: 2003 + A1: 2005
<不包括>	有關規定的所有檢測	
- 含氟體或液體玩具		

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-362; Effective date of termination: 27 November 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
ighting apparatus 系明電器		
Fixed general purpose luminaires Excluding the following> - Luminaires with degrees of protection	- All required tests as specified in CNCA-C10-01: 2014	
IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - Luminaires with accessible current carrying parts	- Safety tests	GB 7000.1-2007
- Luminaires using metal halide lamp	- EMC tests	GB 17743-2007
固定式通用燈具 <i><不包括></i> - 外殼防護等級 IP5X, IP6X, IPX1,	- CNCA-C10-01: 2014 有關規定的 所有檢測項目	
IPX2, IPX6 及 IPX8 的燈具 - 含有外露帶電部件的燈具 - 使用金屬鹵化燈的燈具	-安全檢測項目	GB 7000.1-2007
	-電磁兼容檢測項目	GB 17743-2007
Portable general purpose luminaires <i>Excluding the following></i> - Luminaires with degrees of protection	- All required tests as specified in CNCA-C10-01: 2014	
IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - Luminaires with accessible current carrying parts	- Safety tests	GB 7000.1-2007
- Luminaires using metal halide lamp	- EMC tests	GB 17743-2007
可移式通用燈具 (不包括) - 外殼防護等級 IP5X,IP6X,IPX1,	- CNCA-C10-01: 2014 有關規定的 所有檢測項目	
IPX2, IPX6 及 IPX8 的燈具 - 含有外露帶電部件的燈具 - 使用金屬鹵化燈的燈具	-安全檢測項目	GB 7000.1-2007
	-電磁兼容檢測項目	GB 17743-2007

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-360; Effective date of termination: 26 October 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Physical and Mechanical Testing 物理及機械測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is ter	minated
Glass and glass products	Performance test :-	
- Glass containers	- Determination of relative optical retardation associated with the state of annealing	ASTM C148-14

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-360; Effective date of termination: 26 October 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is ter	minated
	Electrical tests :-	
Battery operated toys	- Safety tests	ASTM F963-16 Section 4.25

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-360; Effective date of termination: 26 October 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is ter	minated
	Flammability tests :-	
Toys 玩具	- Flammability tests 燃燒性能測試	GB 6675-2003 + A1: 2005 Section 4.2 and Annex B 4.2 及附錄 B <excluding following="" the="" 不包含=""></excluding> Tests for flammable gas, extremely flammable liquid, highly flammable liquid 易燃氣體、極度易燃液體、高度易燃 液體
Toys	- Flammability tests	ASTM F963-16 Section 4.2

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-360; Effective date of termination: 26 October 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Toys and Children's Products 玩具及兒童產品			
SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
Accreditation of the following tests is	sterminated		
Physical and mechanical tests :- 機械及物理性能測試			
- Safety requirements and test methods 安全規定及測試方法	GB 6675-2003 with amendment no. 1 <i>Excluding the following</i> Cl. A.4.27		
 Physical and mechanical tests Safety requirements Labeling requirements Instructional literature Producer's markings Test methods 	ASTM F963-16 Section 4.1, 4.3.7, 4.5 to 4.24, 4.26 to 4.41 <i><excluding following="" the=""></excluding></i> Section 5 Section 6 Section 7 Section 8		
	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性 Accreditation of the following tests is Physical and mechanical tests :- 機械及物理性能測試 - Safety requirements and test methods 安全規定及測試方法 - Physical and mechanical tests - Safety requirements and test methods 安全規定及測試方法 - Physical and mechanical tests - Safety requirements - Itabeling requirements - Instructional literature - Producer's markings		

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-360; Effective date of termination: 26 October 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is ter	rminated
	Physical and mechanical tests :- (cont'd)	
Pacifiers	- Safety requirements and test methods	Pacifiers Regulation (SOR/2016-184) Test procedure for compliance testing: Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section, Method M-09 (2016)

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-360; Effective date of termination: 26 October 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Unit 7-10, Ground Floor, Trans Asia Centre, 18 Kin Hong Street, Kwai Chung, New Territories, Hong Kong 香港新界葵涌健康街 18 號恆亞中心地下 7-10 號單位

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is te	rminated	
	Safety and performance tests :-		
Booster seat	- Safety and performance tests	ASTM F2640-14	
Changing table	- Safety and performance tests	ASTM F2388-16	
High chair	- Safety and performance tests	ASTM F404-16a	
Infant bouncer seat	- Safety and performance tests	ASTM F2167-16	
Toddler bed	- Safety and performance tests	16 CFR Part 1217 in conjunction with ASTM F1821-13	

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-359; Effective date of termination: 14 September 2018)

Intertek Testing Services Hong Kong Ltd.

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is t	reminated
	Chemical tests :-	
All toys, children's product surface coating materials	- Leachable arsenic, selenium, cadmium, antimony and barium	Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C-03: Determination of Leachable Arsenic (As), Selenium (Se), Cadmium (Cd), Antimony (Sb) and Barium (Ba) in Applied Coatings (2011-08-18) (with modification using ICP-OES for determination)
Toys made of PVC 含聚氯乙烯材料的玩具	- Phthalates: 鄰苯二甲酸酯 Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯 Di-(2-ethylhexyl) phthalate (DEHP) 鄰苯二甲酸二(2-乙基)已酯 Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸丁苄酯 Di-n-octyl phthalate (DnOP) 鄰苯二甲酸二正辛酯 Diisononyl phthalate (DINP) 鄰苯二甲酸二異壬酯 Diisodecyl phthalate (DIDP) 鄰苯二甲酸二異癸酯	GB 6675.1-2014 Cl. 5.3.7 Test Procedures for Compliance testing: GB/T 22048-2008 Method A
Toys made of PE, PP, PC, ABS and PET 含聚乙烯、聚丙烯、 聚碳酸酯、丙烯腈- 丁二烯-苯乙烯共聚物、 聚對苯二甲酸乙二醇酯 材料的玩具	- Phthalates: 鄰苯二甲酸酯 Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯 Di-(2-ethylhexyl) phthalate (DEHP) 鄰苯二甲酸二(2-乙基)已酯 Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸丁苄酯 Di-n-octyl phthalate (DIOP) 鄰苯二甲酸二正辛酯 Diisononyl phthalate (DINP) 鄰苯二甲酸二異壬酯 Diisodecyl phthalate (DIDP) 鄰苯二甲酸二異癸酯	GB 6675.1-2014 Cl. 5.3.7 <i>Test Procedures for Compliance testing:</i> In House Method HC 299.TP (GC-MSD)

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-358; Effective date of termination: 5 September 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Elect	rical and Electronic Products 電	氣及電子產品
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is tern	ninated
Licence-exempt radio apparatus: category I equipment subject to the following annexes of RSS-210: 2010: - Annex 1 - Annex 2 (except A.2.10)	EMC tests :- Emission tests - Measurement of conducted emission - 150 kHz to 30 MHz - Measurement of conducted emission at antenna terminal - 9 kHz to 40 GHz	RSS-210: 2010 in conjunction with RSS-Gen: 2010 using test methods specified in ANSI C63.4-2009
- Annex 3		
 Annex 8 Licence-exempt radio apparatus: category II equipment subject to the following sections of RSS-310: 2010: Section 3.6 Section 3.7 Section 3.8 Section 3.9 	 Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-310: 2010 in conjunction with RSS-Gen: 2010 using test methods specified in ANSI C63.4-2009
2 GHz Licence-exempt personal communications service devices	- Measurement of conducted emission - 150 kHz to 30 MHz	RSS-213: 2005 in conjunction with RSS-Gen: 2010 using test methods specified in ANSI C63.17-2006

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-358; Effective date of termination: 5 September 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is to	erminated
	EMC tests :- Emission tests	
Licence-exempt radio apparatus: category I equipment subject to the following annexes of RSS-210: 2016: - Annex 1 - Annex 2 (except A.2.10) - Annex 3 - Annex 8	 Measurement of radiated emission (at 3m chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-210: 2016 in conjunction with RSS-Gen: 2014 using test methods specified in ANSI C63.10: 2013
Licence-exempt radio apparatus: category II equipment	 Measurement of radiated emission (at 3m chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-310: 2015 in conjunction with RSS-Gen: 2014 using test methods specified in ANSI C63.10: 2013
2 GHz Licence-exempt personal communications service devices	 Measurement of radiated emission (at 3m chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-213: 2015 in conjunction with RSS-Gen: 2014 using test methods specified in ANSI C63.17-2013
Digital Transmission System (DTSs), Frequency Hopping System (FHSs) and Licence- Exempt Local Area Network(LE-LAN) Devices	 Measurement of radiated emission (at 3m chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-247: 2017 in conjunction with RSS-Gen: 2014 using test methods specified in ANSI C63.10:2013

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-357; Effective date of termination: 28 August 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is t	terminated
Household and similar use appliances 家用和類似用途設備		
Refrigerators and food freezers < <i>Excluding the following></i> - Appliance with degrees of protection	- All required tests as specified in CNCA-C07-01: 2014	
IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliances with parts of natural or synthetic rubber as supplementary	- Safety tests	GB 4706.1-2005 GB 4706.13-2008
insulation - Appliances with flammable refrigerant	- EMC tests	GB 4343.1-2009 GB 17625.1-2012
家用電冰箱和食品冷凍箱: <不包括>	- CNCA-C07-01: 2014 有關規定的 所有檢測項目	
 外殼防護等級 IP5X, IP6X, IPX1, IPX2,IPX6及 IPX8 的設備 含有天然或合成橡膠作為附加絕緣 的設備 	- 安全檢測項目	GB 4706.1-2005 GB 4706.13-2008
- 含可燃制冷劑的設備	- 電磁兼容檢測項目	GB 4343.1-2009 GB 17625.1-2012
Fans < <i>Excluding the following</i> > - Appliance with degrees of protection	- All required tests as specified in CNCA-C07-01: 2014	
IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliances with parts of natural or synthetic rubber as supplementary	- Safety tests	GB 4706.1-2005 GB 4706.27-2008
Insulation	- EMC tests	GB 4343.1-2009 GB 17625.1-2012
電風扇 <i><不包括></i> - 外殼防護等級 IP5X, IP6X, IPX1,	- CNCA-C07-01: 2014 有關規定的 所有檢測項目	
IPX2, IPX6 及 IPX8 的設備 - 含有天然或合成橡膠作為附加絶線 的設備	- 安全檢測項目	GB 4706.1-2005 GB 4706.27-2008
	- 電磁兼容檢測項目	GB 4343.1-2009 GB 17625.1-2012

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-357; Effective date of termination: 28 August 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests is t	erminated
 All required tests as specified in CNCA-C07-01: 2014 Safety tests 	GB 4706.1-2005 GB 4706.23-2007
- CNCA-C07-01: 2014 有關規定的 所有檢測項目 - 安全檢測項目	GB 4706.1-2005 GB 4706.23-2007
 All required tests as specified in CNCA-C07-01: 2014 Safety tests EMC tests 	GB 4706.1-2005 GB 4706.7-2004 GB 4343.1-2009 GB 17625.1-2012
- CNCA-C07-01: 2014 有關規定的 所有檢測項目 - 安全檢測項目 - 電磁兼容檢測項目	GB 4706.1-2005 GB 4706.7-2004 GB 4343.1-2009 GB 17625.1-2012
	PROPERTY MEASURED 特定測試或量度的特性 Accreditation of the following tests is to Accreditation of the following tests is to CNCA-C07-01: 2014 - All required tests as specified in 所有檢測項目 - 安全檢測項目 - All required tests as specified in CNCA-C07-01: 2014 有關規定的 所有檢測項目 - All required tests as specified in CNCA-C07-01: 2014 - Safety tests - EMC tests - CNCA-C07-01: 2014 有關規定的 所有檢測項目 - 安全檢測項目

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-357; Effective date of termination: 28 August 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

家用和類似用途設備(境上)- All required tests as specified in CNCA-C07-01: 2014- All required tests as specified in CNCA-C07-01: 2014- Appliance with degrees of protection IPSX, IPX, IPX1, IPX2, IPX6 and IPX8 - Appliance with heater for detachbable curlers- All required tests as specified in CNCA-C07-01: 2014- GB 4706.1-2005- Appliance with heater for detachbable curlers- EMC testsGB 4706.15-2008- Appliance with heater for detachbable curlers- CNCA-C07-01: 2014 方 開規定的 所有檢測項目- EMC tests- Appliance with heater for detachbable curlers- CNCA-C07-01: 2014 方 開規定的 所有檢測項目- GB 4706.1-2005- Appliance with heater for detachbable curlers- CNCA-C07-01: 2014 方 開規定的 所有檢測項目- GB 4706.1-2005- Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection IPSX, IPS1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliance with degrees of protection lpSX, IP6X, IPX1, IPX2, IPX6 and	ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Appliance with degrees of protection IPSX, IPX, IPX2, IPX2 and IPX3 - Appliance with heatr for detachbable curlers- All required tests as specified in CNCA-C07-01: 2014- Appliance with heatr for detachbable curlers- Safety testsGB 4706.1-2005 GB 4706.15-2008- Appliance with heatr for detachbable curlers- CNCA-C07-01: 2014 方 間規定的 所有檢測項目- Safety tests- & 友膚和毛髪箋理 器具 CF 在か - CNCA-C07-01: 2014 方 間規定的 所有檢測項目- Safety tests- & 女友育和毛髪箋理 器具 CF 在か - CNCA-C07-01: 2014 方 間規定的 所有檢測項目- Safety tests- * 分岐防護案後、IPSX, IP6X, IPX1, IPX2, IPX6 AU IPX8 か設備- CNCA-C07-01: 2014 方 間規定的 所有檢測項目- 安全檢測項目- * * # Chrose National Constraints- Safety testsGB 4706.1-2005 		Accreditation of the following tests is	terminated
-Zxcluding the following> CNCA-C07-01: 2014 -Appliance with degress of protection IPSX, IPSX, IPSX, IPSX, IPSX, PISA, and IPXS - Safety tests CB 4706.1-2005 -Appliance with degress of natural or synthetic rubber as supplementary insulation - Safety tests CB 4343.1-2009 - Appliance with heater for detachabale curlers - CNCA-C07-01: 2014 有 開規定的 所有檢測項目 - CNCA-C07-01: 2014 有 開規定的 所有檢測項目 - 外数防護等破 IPSX, IPSX, IPSX, IPSX, IPSX, DFSX, IPSX, ingt G - CNCA-C07-01: 2014 有 開規定的 所有檢測項目 CB 4706.1-2005 - 含有天然或合成標準作為附加總維 的設備 - CNCA-C07-01: 2014 有 開規定的 所有檢測項目 CB 4706.1-2005 CB 4706.1-2005 - 含素天然或合成標準作為附加總維 的設備 - CNCA-C07-01: 2014 有 開規定的 所有檢測項目 CB 4706.1-2005 CB 4706.1-2005 - 金星を松測項目 - CNCA-C07-01: 2014 - CNCA-C07-01: 2014 - CNCA-C07-01: 2014 - Appliances with parts of natural or synthetic rubber as supplementary insulation - Safety tests CB 4706.1-2005 - Appliances with parts of natural or synthetic rubber as supplementary insulation - Safety tests CB 4706.1-2005 - Appliance with agrees of protection IPSX, IPSX, IPXX,	Household and similar use appliances (cont'd) 家用和類似用途設備(續上)		
PSX. PGX. PX1, PX2, PX6 and PX3 synthetic rubber as supplementary insulation - Safety tests GB 4706.1-2005 - Appliances with parts of natural or synthetic rubber as supplementary insulation - EMC tests GB 433.1-2009 - Appliance with heater for detachbable curlers - CNCA-C07-01: 2014 有關規定的 所有檢測項目 GB 4706.1-2005 - 欠度積和毛髪護理器具 (不包括) - CNCA-C07-01: 2014 有關規定的 所有檢測項目 - GB 4706.1-2005 - 今方天然或合成橡膠作為附加絶機 的政備 - 空金檢測項目 GB 4706.1-2005 - 李有可拆卸卷檢支的加熱器的設備 的政備 - 空磁兼容檢測項目 GB 4706.1-2005 - Appliance with degrees of protection IPSX, IPSX, IPSX, IPSX, IPSX - All required tests as specified in CNCA-C07-01: 2014 - Appliance with degrees of protection IPSX, IPSX, IPSX			
insulation - Appliance with heater for detachbable curlers - EMC tests GB 4343.1-2009 - Appliance with heater for detachbable curlers - CNCA-C07-01: 2014 有關規定的 所有檢測項目 GB 4706.1-2005 - P 成於漢等級 IP5X, IP6X, IPX1, IPX2, IPX6 及這次路的設備 - 安全檢測項目 - GB 4706.1-2005 - 含有天然或合成標準作為附加絶經 - 電磁兼容檢測項目 GB 4343.1-2009 - Electric irons - 電磁兼容檢測項目 GB 4343.1-2009 - Electric irons - 電磁兼容檢測項目 - GB 4706.1-2005 - Appliance with degrees of protection IP5X, IP5X, IP5X, IP5X, P65X, IPX1, IPX2, IPX6 and IPX8 - All required tests a specified in CNCA-C07-01: 2014 - Appliance with degrees of protection IP5X, IP5X, IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - Safety tests GB 4706.1-2005 - Appliance with parts of natural or synthetic rubber as supplementary insulation - Safety tests GB 4343.1-2009 - EwC tests - Safety tests GB 4343.1-2009 - Safety tests - Safety tests GB 4343.1-2009 - Pydfiances with parts of natural or synthetic rubber as supplementary insulation - CNCA-C07-01: 2014 有關規定的 // 所有檢測項目 - Safety tests - CB 4706.1-2005 - Safety tests - Safety tests - CB 4706.1-2005 - Safety tests - Safety Kag IP5X, IP6X, IPX1, IPX2, IPX6 & IPX8 -	IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliances with parts of natural or	- Safety tests	
(不包括) 所有檢測項目 - 外极防護導級 IP5X, IP6X, IPX1, IPX2, IPX6 及 IPX8 的設備 - 安全檢測項目 GB 4706.1-2005 - 含有天然或合成標膠作為附加絶線 的設備 - 電磁兼容檢測項目 GB 4706.1-2009 - 電磁兼容檢測項目 - 電磁兼容檢測項目 GB 4706.1-2009 - Electric irons - 電磁兼容檢測項目 - GB 4706.1-2009 - Electric irons - 和I required tests as specified in CNCA-C07-01: 2014 - GB 4706.1-2005 - Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - All required tests as specified in CNCA-C07-01: 2014 - GB 4706.1-2005 - Appliances with parts of natural or synthetic rubber as supplementary insulation - Safety tests GB 4706.1-2005 - EMC tests - GB 4706.1-2005 - EMC tests GB 4706.1-2005 - 軟极防護導級 IP5X, IP6X, IPX1, IPX2, IPX6 及 IPX8 的設備 - CNCA-C07-01: 2014 有 關規定的 所有檢測項目 - GB 4706.1-2005 - 含在檢測項目 - GB 4706.1-2005 - GB 4706.1-2005 - 含全檢測項目 - GB 4706.1-2005 - GB 4706.2-2007 - 安全檢測項目 - GB 4706.1-2005 - GB 4706.2-2007 - 電磁兼容檢測項目 - GB 4706.1-2005 - GB 4706.2-2007	insulation - Appliance with heater for detachbable	- EMC tests	
IPX2, IPX6 及 IPX8 的設備 - 安全檢測項目 GB 4706.1-2005 - 含有可拆卸卷發夾的加熱器的設備 - 電磁兼容檢測項目 GB 4343.1-2009 - 含有可拆卸卷發夾的加熱器的設備 - 電磁兼容檢測項目 GB 4343.1-2009 - Electric irons - All required tests as specified in CNCA-C07-01: 2014 GB 4706.1-2005 - Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - All required tests as specified in CNCA-C07-01: 2014 GB 4706.1-2005 - Appliance with degrees of notural or synthetic rubber as supplementary insulation - Safety tests GB 4706.1-2005 - EMC tests GB 4343.1-2009 GB 17625.1-2012 - e 電熨斗 - CNCA-C07-01: 2014 有關規定的 所有檢測項目 - EMC tests - 外极防護等級 IP5X, IP6X, IPX1, IPX2, IPX6 及 IPX8 的設備 - Safety upt IPX - Safety upt IPX - 含力於或合成橡膠作為附加絶緣 的設備 - Safety ipt IPX - Safety ipt IPX - 電磁兼容檢測項目 GB 4706.1-2005 - CINCA-C2007 - 電磁兼容檢測項目 GB 4343.1-2009 - CINCA-C2007 - 電磁兼容檢測項目 - GB 4343.1-2009 - CINCA-C2007 - 電磁兼容檢測項目 - CINC	〈不包括〉		
- Electric irons- All required tests as specified in CNCA-C07-01: 2014- GB 17625.1-2012- Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliances with parts of natural or synthetic rubber as supplementary insulation- Safety testsGB 4706.1-2005 GB 4706.2-2007- 電熨斗 C不包括〉 - 外殼防護掌級 IP5X, IP6X, IPX1, IPX2, IPX6 及 IPX8 的設備 - 分殼防護掌級 IP5X, IP6X, IPX1, IPX2, IPX6 及 IPX8 的設備 - 全全檢測項目- CNCA-C07-01: 2014 有關規定的 所有檢測項目- GB 4706.1-2005 GB 4706.2-2007- 電磁兼容檢測項目- GB 4706.1-2005 GB 4706.2-2007	IPX2, IPX6 及 IPX8 的設備 - 含有天然或合成橡膠作為附加絕綠	- 安全檢測項目	
<excluding following="" the=""> - Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - Safety testsCNCA-C07-01: 2014GB 4706.1-2005 GB 4706.2-2007- Appliances with parts of natural or synthetic rubber as supplementary insulation- Safety testsGB 4706.1-2005 GB 17625.1-2012- 電熨斗 </excluding>	- 含有可拆卸卷發夾的加熱器的設備	- 電磁兼容檢測項目	
- Appliances with parts of natural or synthetic rubber as supplementary insulation GB 4706.2-2007 - EMC tests GB 4343.1-2009 - 電熨斗 - CNCA-C07-01: 2014 有關規定的 - CNCA-C07-01: 2014 有關規定的 所有檢測項目 - Sp2 k - 教殼防護等級 IP5X, IP6X, IPX1, IPX2, IPX6 及 IPX8 的設備 - Sp2 k - 含有天然或合成橡膠作為附加絶綜 - 安全檢測項目 - 電磁兼容檢測項目 GB 4343.1-2009 - 電磁兼容檢測項目 GB 4706.1-2005 - 6B 4706.2-2007 - 2007	<excluding following="" the=""></excluding>		
insulation - EMC tests GB 4343.1-2009 - 電熨斗 - CNCA-C07-01: 2014 有關規定的 GB 17625.1-2012 - 水殼防護等級 IP5X, IP6X, IPX1, 所有檢測項目 - 安全檢測項目 - 含有天然或合成橡膠作為附加絶線 - 安全檢測項目 GB 4706.1-2005 - 6 國 未容檢測項目 - 6 國 4706.2-2007	- Appliances with parts of natural or	- Safety tests	
〈不包括〉 所有檢測項目 - 外殼防護等級 IP5X, IP6X, IPX1, IPX2, IPX6及 IPX8 的設備 - 安全檢測項目 - 含有天然或合成橡膠作為附加絶緣 - 安全檢測項目 - 電磁兼容檢測項目 GB 4706.1-2005 - 電磁兼容檢測項目 GB 4343.1-2009	insulation	- EMC tests	
- 含有天然或合成橡膠作為附加絶緣 的設備 - 電磁兼容檢測項目 GB 4343.1-2009	〈不包括〉		
	- 含有天然或合成橡膠作為附加絕緣	- 安全檢測項目	
		- 電磁兼容檢測項目	

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-357; Effective date of termination: 28 August 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
Household and similar use appliances (cont'd) 家用和類似用途設備(續上)		
Oven (Grills, toasters and similar portable cooking appliances < <i>Excluding the following</i> >	- All required tests as specified in CNCA-C07-01: 2014	
 Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 Appliances with parts of natural or synthetic rubber as supplementary insulation 	- Safety tests	GB 4706.1-2005 GB 4706.14-2008
電烤箱(便携式烤架,面包片烘烤器及 類似烹調器具): <不包括>	- CNCA-C07-01: 2014 有關規定的 - 所有檢測項目	
 外殼防護等級 IP5X, IP6X, IPX1, IPX2, IPX6 及 IPX8 的設備 含有天然或合成橡膠作為附加絶緣 的設備 	- 安全檢測項目	GB 4706.1-2005 GB 4706.14-2008
Food Processing Machine (Kitchen machine) < <i>Excluding the following</i> >	- All required tests as specified in CNCA-C07-01: 2014	
 Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 Appliances with natural or synthetic rubber used as supplementary insulation Mixer 	- Safety tests	GB 4706.1-2005 GB 4706.30-2008
電動食品加工器具(食品加工機) (廚房機械)) <不包括>	- CNCA-C07-01: 2014 有關規定的 所有檢測項目	
 外殼防護等級 IP5X, IP6X, IPX1, IPX2, IPX6 及 IPX8 的設備 含有天然或合成橡膠作為附加絶緣 的設備 混合器 	一安全檢測項目	GB 4706.1-2005 GB 4706.30-2008

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-357; Effective date of termination: 28 August 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
Household and similar use appliances (cont'd) 家用和類似用途設備(續上)		
 Range hood <i>Excluding the following></i> Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 Appliances with natural or synthetic rubber used as supplementary insulation Appliances with filters of non-metallic material intended for the absorption of grease 	 All required tests as specified in CNCA-C07-01: 2014 Safety tests 	GB 4706.1-2005 GB 4706.28-2008
 吸油煙機 外殼防護等級 IP5X, IP6X, IPX1, IPX2, IPX6 及 IPX8 的設備 	- CNCA-C07-01: 2014 有關規定的 所有檢測項目 - 安全檢測項目	GB 4706.1-2005 GB 4706.28-2008
 Appliances for heating liquids <i>Excluding the following></i> Pressure cooker Appliance with degrees of protection IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 Appliances with parts of natural or synthetic rubber as supplementary 	 All required tests as specified in CNCA-C07-01: 2014 Safety tests 	GB 4706.1-2005 GB 4706.19-2008
 synthetic rubber as supplementary insulation 液體加熱器: << 不包括> 學力鍋 外殼防護等級 IP5X, IP6X, IPX1, IPX2, IPX6及 IPX8 的設備 含有天然或合成橡膠作為附加絕緣 的設備 	- CNCA-C07-01: 2014 有關規定的 所有檢測項目 - 安全檢測項目	GB 4706.1-2005 GB 4706.19-2008

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS005-357; Effective date of termination: 28 August 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
Household and similar use appliances (cont'd) 家用和類似用途設備(續上)		
Appliances for heating and cooling liquids < <i>Excluding the following></i> - Appliance with degrees of protection	- All required tests as specified in CNCA-C07-01: 2014	
IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliances with natural or synthetic rubber used as supplementary insulation	- Safety tests	GB 4706.1-2005 GB 4706.19-2008 GB 4706.13-2008
冷熱飲水機 <不包括> - 外殼防護等級 IP5X, IP6X, IPX1,	- CNCA-C07-01: 2014 有關規定的 所有檢測項目	
IPX2, IPX6 及 IPX8 的設備 - 含有天然或合成橡膠作為附加絕緣 的設備	- 安全檢測項目	GB 4706.1-2005 GB 4706.19-2008 GB 4706.13-2008
 Electric rice cooker <i>Excluding the following></i> Appliance with degrees of protection 	- All required tests as specified in CNCA-C07-01: 2014	
IP5X, IP6X, IPX1, IPX2, IPX6 and IPX8 - Appliances with parts of natural or synthetic rubber as supplementary	- Safety tests	GB 4706.1-2005 GB 4706.19-2008
insulation	- EMC tests	GB 4343.1-2009 GB 17625.1-2012
電飯鍋 <i><不包括></i> - 外殼防護等級 IP5X, IP6X, IPX1,	- CNCA-C07-01: 2014 有關規定的 所有檢測項目	
IPX2, IPX6 及 IPX8 的設備 - 含有天然或合成橡膠作為附加絕緣 的設備	- 安全檢測項目	GB 4706.1-2005 GB 4706.19-2008
	- 電磁兼容檢測項目	GB 4343.1-2009 GB 17625.1-2012

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-354; Effective Date of Termination: 29 May 2018)

Intertek Testing Services Hong Kong Ltd. 天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is term	ninated
Consumer ISM equipment < <i>Excluding the following</i> > - medical equipment	EMC tests :- Emission tests - Measurement of terminal disturbance voltages - 9 kHz to 30 MHz	CISPR 11: 1997 + A1: 1999 + A2: 2002 EN 55011: 1998 + A1: 1999 + A2: 2002
Sound and television broadcast receivers and associated equipment < <i>Excluding the following</i> > - television receivers for broadcast satellite transmission - digital audio broadcasting receiver	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of disturbance power 30 MHz to 300 MHz Disturbance voltage at antenna terminals and wanted signal and disturbance voltage at the RF output terminals 30 MHz to 2150 MHz 	AS/NZS CISPR 13: 2003 CISPR 13: 2001 + A1: 2003
Household appliances, electric tools and similar apparatus < <i>Excluding the following</i> > - washing machines - dish-washing machines - tumble dryers - centrifugal dryers - lifting devices - automatic goods-dispensing machines - entertainment machines - three-phase equipment	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of disturbance power 30 MHz to 300 MHz 	EN 55014-1: 1993 + A1: 1997 + A2: 1999
Electric and electronic toys	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of disturbance power 30 MHz to 300 MHz 	EN 55014-1: 1993 + A1: 1997 + A2: 1999

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-354; Effective Date of Termination: 29 May 2018)

Intertek Testing Services Hong Kong Ltd. 天祥公證行有限公司

香港九龍青山道五百七十六號製衣中心二字樓 Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is	terminated	
	EMC tests :- (cont'd) Emission tests		
 Information technology equipment <i>Excluding the following></i> Telecommunications terminal equipment having a digital interface User's installation 	 Measurement of terminal disturbance voltage 0.15 MHz to 30 MHz 	AS/NZS CISPR 22: 2002 CISPR 22: 1997 + A1: 2000 EN 55022: 1998 + A1: 2000 + A2: 2003	
Electrical and electronic equipment having input current up to and including 16A per phase for connection to systems of 220V to 250V at 50 Hz and 60Hz <i>< Excluding the following ></i> • three phase equipment • arc welding equipment • professional equipment • air conditioner • high pressure cleaner	- Harmonic current	IEC 61000-3-2: 1995 + A1: 1998 + A2: 1998 + A14: 2000 EN 61000-3-2: 2000 + A2: 2005 IEC 61000-3-2: 2000 + A1: 2001 + A2: 2004	

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-354; Effective Date of Termination: 29 May 2018)

Intertek Testing Services Hong Kong Ltd. 天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is terr	minated
	Telecommunications equipment tests :-	
Analogue loop start terminal equipment connected to a telephone network <i>Excluding the following></i>	- Requirements for analogue terminal equipment and terminal system	CS-03 Part I Issue 9 Amd. 4
- 4 Wire devices	- Mandatory analogue interworking and non-interference requirements for customer equipment for connection to the public switched telephone network	AS/ACIF S002: 2005 < <i>Excluding the following</i> > 5.1.7.2, 5.1.7.3, 5.2.2.2, 5.3.2, 5.3.3, 5.3.4, 5.3.5, 5.3.6.3.1, 5.5.2, 5.6, 5.7 and 5.8
	- Voice frequency performance requirements for customer equipment	AS/ACIF S004: 2008 < <i>Excluding the following</i> > 5.3, 5.4.1.2, 5.4.1.3, 5.4.1.4, 5.4.2, 5.4.3.1.2, 5.4.3.3.2, 5.4.3.3.3, 5.4.3.4.2, 5.4.3.4.3, 5.4.3.5, 5.4.3.8.3 and 5.5

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-354; Effective Date of Termination: 29 May 2018)

Intertek Testing Services Hong Kong Ltd. 天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

The state of the		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is te	rminated
	EMC tests :- Emission tests	
Licence-exempt radio apparatus: category I equipment subject to the following annexes of RSS-210: 2015: - Annex 1 - Annex 2 (except A.2.10) - Annex 3 - Annex 8	 Measurement of radiated emission (at 3m chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-210: 2015 in conjunction with RSS-Gen: 2014 using test methods specified in ANSI C63.10: 2013
Digital Transmission System (DTSs), Frequency Hopping System (FHSs) and Licence- Exempt Local Area Network(LE-LAN) Devices	 Measurement of radiated emission (at 3m chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	RSS-247: 2015 in conjunction with RSS-Gen: 2014 using test methods specified in ANSI C63.10:2013

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-354; Effective Date of Termination: 29 May 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

ITEM TESTED OR MEASURED 測試或量度項目	trical and Electronic Products 霍 SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is te	
	EMC tests :- (cont'd) Emission tests	
Consumer ISM equipment <i>Excluding the following></i> - medical equipment	 Measurement of terminal disturbance voltages 9 kHz to 30 MHz Measurement of electromagnetic radiation disturbance (at 3m chamber) 9 kHz to 18 GHz 	CISPR 11: 1997 + A1: 1999 + A2: 2002 EN 55011: 1998 + A1: 1999 + A2: 2002
Sound and television broadcast receivers and associated equipment < <i>Excluding the following</i> > - television receivers for broadcast satellite transmission - digital audio broadcasting receiver	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of radiated disturbances (at 3m chamber) 30 MHz to 1 GHz Disturbance voltage at antenna terminals and wanted signal and disturbance voltage at the RF output terminals 30 MHz to 2150 MHz 	AS/NZS CISPR 13: 2003 CISPR 13: 2001 + A1: 2003
Electric and electronic toys	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of radiated disturbances (at 3m chamber) 30 MHz to 1 GHz 	EN 55014-1: 1993 + A1: 1997 + A2: 1999
Information technology equipment < <i>Excluding the following</i> > - Telecommunications terminal equipment having a digital interface - User's installation	 Measurement of terminal disturbance voltage 0.15 MHz to 30 MHz Measurement of radiated disturbances (at 3m chamber) 30 MHz to 1 GHz 	AS/NZS CISPR 22: 2002 CISPR 22: 1997 + A1: 2000 EN 55022: 1998 + A1: 2000 + A2: 2003

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-354; Effective Date of Termination: 29 May 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
	Telecommunications equipment tests :-	
Radio equipment exempted from licensing < <i>Excluding the following</i> > 76-77 GHz Band	 Test for transmitter: Carrier power Power spectral density Spurious emissions (at 3m chamber) 	HKTA 1035 Issue 6 (2011)

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-354; Effective Date of Termination: 29 May 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Workshop No. 3, G/F, World-wide Industrial Centre, 43-47 Shan Mei Street, Fotan, Shatin, N.T., Hong Kong 香港新界沙田火炭山尾街 43-47 號環球工業中心地下 3 號

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is ter	minated
	Telecommunications equipment tests :- (cont'd)	
Land mobile service radio equipment with an internal or external RF connector intended primarily for analogue speech	 Test for transmitter: Frequency error Transmitter power (conducted) Maximum effective radiated power (at 3m chamber) Frequency deviation Adjacent and alternate channel power Unwanted emissions in the spurious domain (at 3m chamber) Intermodulation attenuation Test for receiver: Maximum usable sensitivity (conducted) Co-channel rejection Adjacent channel selectivity Spurious response rejection Intermodulation response rejection 	ETSI EN 300 086-1:2010
Land mobile service radio equipment with an internal or external RF connector intended primarily for analogue speech	 Blocking or desensitization Spurious radiations (at 3m chamber) Test for transmitter: Frequency error Transmitter power (conducted) Maximum effective radiated power (at 3m chamber) Adjacent and alternate channel power Unwanted emissions in the spurious domain (at 3m chamber) Intermodulation attenuation Test for receiver: Maximum usable sensitivity (conducted) Maximum usable sensitivity (field 	ETSI EN 300 086-2: 2010
	 Maximum usable sensitivity (field strength) Co-channel rejection Adjacent channel selectivity Spurious response rejection Intermodulation response rejection Blocking or desensitization Spurious radiations (at 3m chamber) 	

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-353; Effective Date of Termination: 18 May 2018)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

	Textiles and Garments 紡織品	品及成衣
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is ter	minated
	Care performance tests :-	
General textiles and garments 一般紡織品及成衣	- Appearance after wash/ commercial dry cleaning	In-house Method SLHK-T-TMDD04-2015
	- Dimensional stability to commercial dry cleaning	In-house Method SLHK-T-TMDD07-2015
	- Dimensional changes on drycleaning in Perchloroethylene : machine method	AATCC Test Method 158-2011
	- Dimensional stability to hand washing	In-house Method SLHK-T-TMDD06-2015
	- Dimensional stability to washing 洗滌後尺寸變化測定	AATCC Test Method 135-2015 AATCC Test Method 150-2012 GB/T 8629-2001
	- Wash and wear performance	AATCC Test Method 88B-2014 AATCC Test Method 88C-2014 AATCC Test Method 124-2014 AATCC Test Method 143-2014
	Chemical analysis :-	
	- pH value	AATCC Test Method 81-2012
	Colour fastness tests :-	
	- Acid spotting	AATCC Test Method 6-2011 AS 2001.4.12-1981
	- Actual laundering/commercial dry cleaning	In-house Method SLHK-T-TMDD05-2015
	- Alkaline spotting	AATCC Test Method 6-2011
	- Bleaching with hypochlorite	AS 2001.4.11-1982
	- Chlorinated water	AS/NZS 2001.4.5-1998
	- Dry cleaning 耐乾洗色牢度	GB/T 5711-1997 AS 2001.4.16-1981

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests i	s terminated
	Colour fastness tests :- (cont'd)	
General textiles and garments 一般紡織品及成衣	- Hot pressing	AS 2001.4.6-1990 CAN/CGSB-4.2 No. 31-2004
	- Light (xenon arc lamp tester)	CAN/CGSB-4.2 No.18.3- 97 Method 2 AS 2001.4 B02: 2001 Method 2
	- Non-chlorine bleach (soaking test)	In-house Method SLHK-T-TMDF25-2008
	- Perspiration 汗液堅牢度	GB/T 3922-1995 AS 2001.4 E04-2005 CAN/CGSB-4.2 No.23-M90-2004
	- Rubbing/Crocking	AATCC Test Method 8-2013 BS EN ISO 105-X12: 2002 DIN EN ISO 105-X12: 2002 ISO 105-X12: 2001 AS 2001.4.3-1995 CAN/CGSB-4.2 No. 22: 2004
	- Rubbing/Crocking (Rotary vertical crockmeter)	BS EN ISO 105-X16: 2002 DIN EN ISO 105-X16: 2003 ISO 105-X16: 2001
	- Sea water	AS 2001.4 E02-2001 CAN/CGSB-4.2 No. 21-M90-2004
	- Water	AS 2001.4 E01- 2001 CAN/CGSB-4.2 No. 20-M89: 2004
	- Washing (full temperature range)	AS 2001.4.15-2006 CAN/CGSB-4.2 No. 19.1: 2004
	- Water spotting	AS/NZS 2001.4.4-1998

天祥公證行有限公司

	Textiles and Garments 紡織品	品及成衣
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is ter	rminated
	Construction tests :-	
General textiles and garments	- Distortion in bowed and skewed fabrics	ASTM D3882 - 08(2012)e1
	- Fabric weight	ASTM D3776/3776M - 09a(2013) DIN 53854: 1975
	- Threads per unit length, woven	ASTM D3775 – 12
	Fabric performance tests : -	
General textiles and garments	- Air permeability	ASTM D737 - 04(2012)
	- Abrasion resistance	
	a) Martindale tester	ASTM D4966 - 12e1
	b) Stoll flat abrasion tester	ASTM D3886-99(2011)e1
	c) Flex abrasion tester	ASTM D3885 - 07a(2011)
	- Fabric stiffness by circular bend procedure	ASTM D4032 - 08(2012)
	- Pilling resistance	
	a) Pilling box method	BS 5811: 1979
	b) Random tumbler tester	ASTM D3512/D3512M-10 (Reapproved 2014)
	- Soil release performance	AATCC Test Method 130-2010
	- Stretch & recovery	ASTM D2594 - 04(2012 ASTM D3107 - 07(2011) ASTM D4964 - 96(2012)e1
	- Water repellency (spray rating)	AATCC Test Method 22-2010 BS 3702: 1982 (1987) BS EN 24920: 1992 (1996)
	- Water resistance rain test	AATCC Test Method 35-2006

天祥公證行有限公司

	Textiles and Garments 紡織品	占及成衣
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is ter	minated
	Fibre analysis :-	
General textiles and garments	- Fibre content (quantitative method - mechanical separation and chemical analysis)	ISO 1833-4: 2006 ISO 1833-7: 2006 ISO 1833-11: 2006
	- Fibre diameter (animal fibres, yarn and fabric only)	ISO 137: 1975
	- Absorbency of textile	AATCC Test Method 79-2010 Option A
	Flammability tests :-	
	- 45 degree angle test	ASTM D1230 - 10
	Strength tests :-	
General textiles and garments	- Bursting strength by diaphragm bursting method	BS 4768: 1972 (1997) ISO 2960: 1974
	- Pocket reinforcement	ASTM D7506/D7506M-12
	- Seam strength	ASTM D1683/D1683M-11a
	- Seam slippage	BS 3320: 1979
	- Tearing strength by Single rip tear method	ASTM D2261-13
	- Tensile strength	BS 2576: 1989 (1995) ISO 5081: 1977 ISO 5082: 1982 ASTM D5034-09(2013) ASTM D5035-11
	- Tearing strength (Elmendorf)	ASTM D1424 - 09(2013)
	- Single thread strength	ASTM D2256/D2256M - 10e1

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-352)

Intertek Testing Services Hong Kong Ltd.

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is te	rminated
Products made from leather	Amine (Azo colourants):-	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 43 as amended by
	1) 4-aminodiphenyl	Commission Regulation (EC) No. 552/2009 and
	2) benzidine	(EU) no. 126/2013
	3) 4-chloro-o-toluidine	(10) 10. 120/2015
	4) 2-naphthylamine	
	5) o-aminoazotoluene	
	6) 5-nitro-o-toluidine	
	7) 4-chloroaniline	
	8) 4-methoxy-m-phenylenediamine	
	9) 4,4'-diaminodiphenylmethane	
	10) 3,3'-dichlorobenzidine	
	11) 3,3'-dimethoxybenzidine	
	12) 3,3'-dimethylbenzidine	
	13) 4,4'-methylene-di-o-toluidine	
	14) p-cresidine	
	15) 4,4'-methylene-bis-(2-chloro-aniline)	
	16) 4,4'-oxydianiline	
	17) 4,4'-thiodianiline	
	18) o-toluidine	
	19) 4-methyl-m-phenylenediamine	
	20) 2,4,5-trimethylaniline	
	21) 2-methoxyaniline	
	22) 4-aminoazobenzene	

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Chemical Testing 化學測試			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is te	rminated	
Products made from leather or polyester, and textile	Amine (Azo colourants):-	German Ordinance on Commodities Annex I, No. 7	
products	1) 4-aminodiphenyl	Test procedures for compliance testing for	
	2) benzidine	leather products:	
	3) 4-chloro-o-toluidine	64 LFGB B 82.02-3(V) 2004 ((for determination of	
	4) 2-naphthylamine	the first 20 amines listed on the left and does not	
	5) o-aminoazotoluene	include 2-methoxyaniline)	
	6) 5-nitro-o-toluidine		
	7) 4-chloroaniline	Test procedures for compliance testing for	
	8) 4-methoxy-m-phenylenediamine	polyester products:	
	9) 4,4'-diaminodiphenylmethane10) 3,3'-dichlorobenzidine	64 LFGB B 82.02-4 2004	
	11) 3,3'-dimethoxybenzidine	Test procedures for compliance testing for textile	
	12) 3,3'-dimethylbenzidine	products:	
	13) 4,4'-methylene-di-o-toluidine	64 LFGB B82.02-2 2004	
		UT LI'UD D02.02-2 2004	
	14) p-cresidine		
	15) 4,4'-methylene-bis-(2-chloro-aniline)	Techniques used are GC-MSD and HPLC-DAD for	
	16) 4,4'-oxydianiline	all test methods listed above.	
	17) 4,4'-thiodianiline		
	18) o-toluidine		
	19) 4-methyl-m-phenylenediamine		
	20) 2,4,5-trimethylaniline		
	21) 2-methoxyaniline		
	, <u>,</u>		

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Chemical Testing 化學測試			
ITEM TESTED OR MEASURED 测试或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is term	minated	
Products made from leather or polyester, and textile	Amine (Azo colourants) :	<i>Test method for leather products:</i> In House method HC109.TP	
products	4-aminodiphenyl benzidine	(GC-MSD and HPLC-DAD)	
	4-chloro-o-toluidine	Test method for polyester products:	
	2-naphthylamine o-aminoazotoluene	In House method HC107.TP (GC-MSD and HPLC-DAD)	
	2-amino-4-nitrotoluene	(GC-MSD and HPLC-DAD)	
	p-chloroaniline	Test method for textile products:	
	2,4-diaminoanisole 4,4'-diaminodiphenylmethane	In House method HC108.TP (GC-MSD and HPLC-DAD)	
	3,3'-dichlorobenzidine 3,3'-dimethoxybenzidine		
	3,3'-dimethylbenzidine		
	3,3'-dimethyl-4,4'-diaminodiphenylmethane		
	p-cresidine 4,4'-methylene-bis-(2-chloroaniline)		
	4,4 - methylene-ois-(2-chioroannine) 4,4'-oxydianiline		
	4,4'-thiodianiline		
	o-toluidine		
	2,4-diaminotoluene		
	2,4,5-trimethylaniline p-aminoazobenzene		
	2-methoxyaniline		
	2,4-xylidine		
	2,6-xylidine		

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Chemical Testing 化學測試		
SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Accreditation of the following tests is tern	ninated	
Cadmium	German Chemicals Prohibition Ordinance paragraph 18: Cadmium	.a.
Cadmium	Switzerland Notification on the Material Regulation (STOV) No. 22 (1991)	.a.
	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性 Accreditation of the following tests is tern Cadmium	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性 SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術 Accreditation of the following tests is terminated German Chemicals Prohibition Ordinance paragraph 18: Cadmium Cadmium Switzerland Notification on the Material Regulation

Environmental Testing 環境測試			
SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
Accreditation of the following tests is to	erminated		
Microbial indicators :-			
Total Coliform counts	APHA 22e 9222 B (Membrane Filtration Method)		
Fecal Coliform count	APHA 22e 9222 D (Membrane Filtration Method)		
E. coli count	APHA 22e 9222 D & G (Membrane Filtration Method followed by <i>E. coli</i> Partition Method)		
	DoE (1983) Bacteriological & Examination of Drinking Water Supplies 1982, Sections 7.8 & 7.9, (Membrane Filtration Procedure: Section 7.8, 7.9.4.1 & 7.9.4.2; Bacterial Confirmation: in-situ urease test)		
	The microbiology of water 1994 Part 1 - drinking water, Report on Public Health and Medical Subjects No. 71 (Membrane Filtration Procedure: Section 7.7.4 & 7.7.5, Bacterial Confirmation: in-situ urease test)		
	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性 Accreditation of the following tests is to Microbial indicators :- Total Coliform counts Fecal Coliform count		

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

	Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is termin	nated	
	Food composition tests:-		
Milk	Fat	AOAC Official Methods 989.05 (2005)	.c.
Ice cream	Fat	AOAC Official Methods 952.06 (2005)	.c.

Тоу	s and Children's Products 玩具	及兒童產品	
ITEM TESTED OR MEASURED 测试或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is term	ninated	
	Chemical tests :-		
Finger paints	- Migration of the elements	EN 71-7: 2002 Cl. 4.4 and 5.4	.b.
	Antimony, arsenic, barium, cadmium, chromium, lead, mercury, selenium	BS EN 71-7: 2002 Cl. 4.4 and 5.4 <i>Test procedure for compliance testing:</i>	.b.
	entonnum, lead, mercury, selentum	EN 71-3: 1994 Cl. 8.9	.b.
Coloured toys	- Colour fastness tests	German Method Section 64 LFGB B82.10-1: Dec. 2011	.b.
Liquid paint, surface coating, PVC/plastics & metals	- Cadmium	German Chemicals Prohibition Ordinance paragraph 18: Cadmium	.a.
Plastics	- Cadmium	Switzerland Notification on the Material Regulation (STOV) No. 22 (1991)	.a.

Notes:

- .a. Effective date of termination: 18 January 2018
- .b. Effective date of termination: 2 February 2018
- .c. Effective date of termination: 6 March 2018

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-351; Effective Date of Termination: 18 January 2018)

Intertek Testing Services Hong Kong Ltd.

ITEM TESTED OR MEASURED 測試或量度項目	ys and Children's Products : SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests ha	s been terminated
	Electrical tests :-	
Battery operated toys	- Safety tests	ASTM F963-11 Section 4.25
	Flammability tests :-	
Toys	- Flammability tests	ASTM F963-11 Section 4.2
	Physical and mechanical tests :-	
Toys	 Physical and mechanical tests Safety requirements Labeling requirements Instructional literature Producer's markings Test methods 	ASTM F963-07 (e1) Section 4.5 to 4.24, 4.26 to 4.29, 4.31 to 4.37 and 4.39 Section 5 Section 6 Section 7 Section 8
Toys	 Physical and mechanical tests Safety requirements Labeling requirements Instructional literature Producer's markings Test methods 	ASTM F963-11 Section 4.1, 4.5 to 4.24. 4.26 to 4.39 Section 5 Section 6 Section 7 Section 8

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-349; Effective Date of Termination: 1 December 2017)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Т	he accreditation of the following tests has h	been terminated	
	Safety tests :-		
Audio, video and similar electronic apparatus	- Compliance inspection and safety tests	IEC 60065: 1985 with Amd. Nos. 1, 2 and 3 IEC 60065: 1998	
	-		
	-		

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-349; Effective Date of Termination: 1 December 2017)

Intertek Testing Services Hong Kong Ltd.

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Т	he accreditation of the following tests ha	ns been terminated
	Safety tests :-	
Batteries		
- Primary batteries	- Testing and requirements	IEC 60086-5: 2005 IEC 60086-5: 2011 6 8
	- Marking	9
 Secondary batteries containing alkaline or other non-acid electrolytes 	- Specific requirements and tests - Marking	IEC 62133: 2002 4 6
	 Specific requirements and tests Marking 	IEC 62133: 2012 7 and 8 10
- Primary and secondary lithium cells and batteries	- Test methods and requirements - Marking	IEC62281:2012 6 9
- Primary lithium metal and lithium ion cells and small batteries	 Altitude simulation Thermal test Vibration Shock External short circuit Impact Forced discharge 	UN Recommnendations on the Transport of Dangerous Goods, Manual of Tests and Criteria (2009) Section 38.3
- Rechargeable lithium metal and lithium ion cells and small batteries	 Altitude simulation Thermal test Vibration Shock External short circuit Impact Overcharge Forced discharge 	UN Recommnendations on the Transport of Dangerous Goods, Manual of Tests and Criteria (2009) Section 38.3

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-349; Effective Date of Termination: 1 December 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electric	cal and Electronic Products	電氣及電子產品
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Т	he accreditation of the following tests has	been terminated
	Safety tests :-	
Electrical accessories		
- 10A 250V plugs	- Compliance inspection and safety tests	AS/NZS 3112: 2004 + A1: 2006
- 10A 250V socket outlet without switches	- Compliance inspection and safety tests	AS/NZS 3112: 2004 + A1: 2006
- 10A 250V electrical portable outlet devices without lampholders	- Compliance inspection and safety tests	AS/NZS 3105:2012

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-349; Effective Date of Termination: 1 December 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品		
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Т	he accreditation of the following tests has	been terminated
Household and similar electrical appliances	Safety tests :-	
- General requirements for electrical appliances with rated voltage not more than 250 V for single phase appliances and 480V for other appliances	- Compliance inspection and safety tests	AS/NZS 60335.1: 2002 + A1: 2004 + A2: 2007 + A3: 2007 + A4: 2011 EN 60335-1: 2002 + A1: 2004 + A2: 2006 + A11: 2004 + A12: 2006 + A13: 2008 + A14: 2010 + A15: 2011 IEC 60335-1: 2001 + A1: 2004 + A2: 2006
- Appliances for heating liquids (with rated voltage not more than 250 V)	- Compliance inspection and safety tests	AS/NZS 60335.2.15: 2002 + A1: 2003 + A2: 2003 + A3: 2006 + A4: 2009
- Appliances for skin or hair care (with rated voltage not more than 250 V)	- Compliance inspection and safety tests	EN 60335-2-23: 1996 + A1: 2001 AS/NZS 60335.2.23: 2004 + A1: 2008
 Battery chargers (with rated voltage not more than 250V and input power up to 1 kW) 	- Compliance inspection and safety tests	BS EN 60335-2-29: 1997 EN 60335-2-29: 1996 + A11: 1997 IEC 60335-2-29: 1994
 Deep fat fryers, frying pans and similar appliances (having a recommended maximum quantity of oil not exceeding 51, and with rated voltage not more than 250V) 	- Compliance inspection and safety tests	EN 60335-2-13: 2003+A1: 2004+A2: 2008
 Electric irons, including those with a separate water reservoir or boiler having a capacity not exceeding 51 (with rated voltage not more than 250V) 	- Compliance inspection and safety tests	AS/NZS 60335.2.3: 2002 + A1: 2005 + A2: 2009
 Grills, toasters and similar portable cooking appliances (with rated voltage not more than 250 V) 	- Compliance inspection and safety tests	AS/NZS 60335.2.9: 2002 + A1: 2004 + A2: 2005 + A3: 2005 + A4: 2006

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-349; Effective Date of Termination: 1 December 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品					
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術			
The	The accreditation of the following tests has been terminated				
Household and similar electrical appliances	Safety tests :-				
 Kitchen machines (with rated voltage not more than 250 V) < <i>Excluding the following></i> Mixer 	- Compliance inspection and safety tests	EN 60335-2-14: 2003 AS/NZS 60335.2.14: 2007 + A1: 2009			
- Massage appliances (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.32:2004 + A1:2008			
 Portable heating tools and similar appliances (with rated voltage not more than 250V) <i>Excluding the following></i> Glue guns, heat guns, household film-welding appliances and soldering irons 	- Compliance inspection and safety tests	AS/NZS 60335.2.45:2004 + A1:2009			
 Refrigerating appliances (with rated voltage not more than250 V for single-phase appliances and 480 V for other appliances) <i>Excluding the following></i> absorption type refrigerators 	- Compliance inspection and safety tests	EN 60335-2-24: 2003 + A1: 2005 + A2: 2007 + A11: 2004 + A12: 2009			
- Room heaters (with rated voltage not more than250 V for single-phase appliances and 480 V for	- Compliance inspection and safety tests	EN 60335-2-30: 2003+A1: 2004+A2: 2007			
- Shavers, hair clippers and similar appliances (with rated voltage not more than 250V)	- Compliance inspection and safety tests	AS/NZS 60335.2.8: 2004 + A1: 2006 + A2:2009			
- Spin extractors (with rated voltage not more than 250V for single-phase appliances)	- Compliance inspection and safety tests	AS/NZS 60335.2.4: 2002 +A1: 2004 + A2: 2006 EN 60335-2-4: 2002			

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-349; Effective Date of Termination: 1 December 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
The	e accreditation of the following tests has b	een terminated	
Household and similar electrical appliances	Safety tests :-		
 Surface cleaning appliances for household use employing liquids or steam (with rated voltage not more than 250V) 	- Compliance inspection and safety tests	EN 60335-2-54: 2003 + A1: 2004 + A2: 2007 +A11: 2006	
- Tumble dryers (with rated voltage not more than 250V for single-phase appliances)	- Compliance inspection and safety tests	EN 60335-2-11: 2003 + A1: 2004 + A2: 2006 + A11: 2008	
- Unvented (closed) storage water heater (with rated pressure up to1000 kPa (10 bar) and rated voltage not more 250 V for single-phase appliances and 480 V for other appliances)	- Compliance inspection and safety tests	BS EN 60335-2-21: 1999 with AMD11023, AMD13941 and AMD14246 IEC 60335-2-21: 1997	
 Vacuum cleaners (with rated voltage not more than 250V) <i>Excluding the following></i> products with motorized cleaning head products with current carrying hose, automatic battery powered cleaners 	- Compliance inspection and safety tests	EN 60335-2-2: 2003+A1: 2004+A2: 2006 + A11: 2010	
- Washing machines (with rated voltage not more than 250V for single-phase appliances)	- Compliance inspection and safety tests	A\$/NZ\$ 60335.2.7: 2009 EN 60335-2-7: 2003 + A1: 2004 + A2: 2006 + A11: 2010	

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-349; Effective Date of Termination: 1 December 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
The	e accreditation of the following tests has b	been terminated	
Information technology equipment	Safety tests : Compliance inspection and safety tests	IEC 60950: 1999	
 <i><excluding following="" the=""></excluding></i> Three-phase equipment DC mains supply 	Compliance inspection and survy esta	AS/NZS 60950.1: 2003 + Amd. 1: 2006 + Amd. 2: 2008 + Amd. 3: 2008	
Luminaires			
- General requirements for luminaires up to 100W	- Compliance inspection and safety tests	IEC 60598-1: 1999	
- Lighting chains	- Compliance inspection and safety tests	IEC 60598-2-20: 2010	
- Portable general purpose luminaires up to 100 W	- Compliance inspection and safety tests	BS 4533: Section 102.4: 1990 IEC 60598-2-4: 1979 with Amd. Nos. 1, 2 and 3	
Power transformers and power supply units			
- General requirements	- Compliance inspection and safety tests	BS EN 61558-1: 1998 with AMD10136, AMD 14659 and AMD 15086 EN 61558-1: 1997 + A1: 1998 + A11: 2003 IEC 61558-1: 1997 + A1: 1998	

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-349; Effective Date of Termination: 1 December 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Flat A, 2/F, Joy Fat Factory Building, 483F-G Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道四百八十三號 F-G 二樓 A 室

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Th	e accreditation of the following tests ha	s been terminated	
	Safety tests :-		
	Safety tests :-		
Batteries			
- Primary batteries		IEC 60086-5: 2005	
	- Testing and requirements	Cl. 6	
	- Instructions for use	Cl. 8	
	- Marking	Cl. 9	
- Primary lithium metal and lithium ion cells	- Altitude simulation	UN Recommendations on the Transport of Dangerous	
and small batteries	- Thermal test	Goods, Manual of Tests and Criteria (2009)	
	- Vibration	Section 38.3	
	- Shock		
	- External short circuit		
	- Impact		
	- Forced discharge		
- Rechargeable lithium metal and lithium ion	- Altitude simulation	UN Recommnendations on the Transport of Dangerous	
cells and small batteries	- Thermal test	Goods, Manual of Tests and Criteria (2009)	
	- Vibration	Section 38.3	
	- Shock		
	- External short circuit		
	- Impact		
	- Overcharge		
	- Forced discharge		

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-348)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Environmental Testing 環境測試			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
The accreditation of the following tests has been terminated			
Water other than tap water	Trace Metals:- Cadmium, Chromium, Lead, Nickel	APHA 22e 3030E, 3125B	.2.

	Food	食品	
ITEM TESTED OR MEASURED 测試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	The accreditation of the follow	ving tests has been terminated	
Water other than tap water Tap water	Metals:- Cadmium, Chromium, Copper, Iron, Lead, Zinc Cadmium, Chromium, Copper, Lead	APHA 21e 3030E, 3111B APHA 21e 3030E, 3111B	.2.
Meat	Food composition tests:- Fat (crude)	AOAC Official Methods 960.39 (b) (2005)	.2.
Nuts and nut products Meat	Fat (crude) Moisture	AOAC Official Methods 948.22 (b) (2005) Indirect Method AOAC Official Methods 950.46B (a) (2005)	.2.

	Miscella	neous 雜類	
ITEM TESTED OR MEASURED SPECIFIC TEST OR PROPERTY MEASURED 測試或量度項目 特定測試或量度的特性		SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
The accreditation of the following tests has been terminated			
Cosmetics	Microbiological tests :- Microbial enumeration tests	BS EN ISO 21149: 2009 (Surface Spread & Membrane Filtration methods) & ISO 16212: 2008 (Surface Spread & Membrane Filtration methods) [for compliance testing of The SCCS's Notes of Guidance for the Testing of Cosmetics Ingredients and Their Safety Evaluation (8 th Revision, December 2012) - Guidelines on Microbiological Quality of the Finished Cosmetic Product, for compliance with The European Cosmetic Regulation 1223/2009]	

天祥公證行有限公司 2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	The accreditation of the follow	ving tests has been terminated	
Aqueous liquid	Microbiological tests :- Non-fecal coliform / Fecal coliform	Australian N. S. W. Government Gazette No. 12 of 29 January 1999 pursuant to Section 31 of the Fair Act. 1987 on liquid Filled Toys and other children or Infants Products	.1
Toy cosmetics	Microbial enumeration tests	BS EN ISO 21149: 2009 (Surface Spread & Membrane Filtration methods) & ISO 16212: 2008 (Surface Spread & Membrane Filtration methods) [for compliance testing of The SCCS's Notes of Guidance for the Testing of Cosmetics Ingredients and Their Safety Evaluation (8 th Revision, December 2012) - Guidelines on Microbiological Quality of the Finished Cosmetic Product, for compliance with The European Cosmetic Regulation 1223/2009]	.2
Тоу	Microbial enumeration tests	British Pharmacopoeia (2015), App. XVI B-2 BS EN ISO 21149: 2009 (Surface Spread & Membrane Filtration methods) & ISO 16212: 2008 (Surface Spread & Membrane Filtration methods) [for compliance testing of EC type approval protocol No. 2 (European Co-ordination of Notified Bodies NB-TOYS/2014/071 under the Safety of Toys Directive) Microbiological safety of toys containing aqueous media REV 2 (10 June 2014)]	.2 .2
	Test for specified microorganisms	British Pharmacopoeia (2015), App. XVI B-1 [for compliance testing of EC type approval protocol No. 2 (European Co-ordination of Notified Bodies NB-TOYS/2014/071 under the Safety of Toys Directive) Microbiological safety of toys containing aqueous media REV 2 (10 June 2014)]	.2
	Efficacy of Antimicrobial Preservation (Challenge Test)	British Pharmacopoeia (2015), App. XVI C (Criteria B) (Count by Pour Plate Method) [for compliance testing of EC type approval protocol No. 2 (European Co-ordination of Notified Bodies NB-TOYS/2014/071 under the Safety of Toys Directive) Microbiological safety of toys containing aqueous media REV 2 (10 June 2014)]	.2
Toy cosmetics, liquids, pastes, putties, gels, and powders	Cleanliness of materials	ASTM F963-11 Cl. 4.3.6.3 and 8.4.1 USP< 61 > 38 th edition (2015) USP< 62 > 38 th edition (2015)	.1 .1 .1
	Preservative effectiveness	ASTM F963-11 Cl. 4.3.6.3 and 8.4.2 USP< 51 > 38 th edition (2015)	.1 .1

Note:

- .1. Effective date of termination: 27 September 2017
- .2. Effective date of termination: 2 October 2017
- .3. Effective date of termination: 20 October 2017

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-345; Effective Date of Termination: 7 August 2017)

Intertek Testing Services Hong Kong Ltd.

Food 食品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	The accreditation of the following tests has been	terminated	
Water	Chloride	APHA 21e 4500 – Cl [°] B	

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-342; Effective date of termination: 11 July 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	The accreditation of the following tests has been	n terminated	
Bassinet and cradle	- Safety and performance tests	ASTM F2194-13a	
Booster seat	- Safety and performance tests	ASTM F2640-14	
Carriage and stroller	- Safety and performance tests	16 CFR Part 1227 in conjunction with ASTM F833-13b	
		ASTM F833-15	
Carriage and stroller	- Safety and performance tests	Canada Carriages and Strollers Regulations, SOR/85-379 Sections 4, 5-15 and schedule I - IX	
Changing table			
Changing table	- Safety and performance tests	ASTM F2388-15	
Expansion gate and expandable enclosure	- Safety and performance tests	ASTM F1004-16	
Frame child carrier	- Safety and performance tests	16 CFR Part 1230 in conjunction with ASTM F2549-14a	
		ASTM F2549-14a	
Bassinets and cradles	- Safety and performance tests	16 CFR Part 1218 in conjunction with ASTM F2194-13	
Full-size baby crib	- Safety and performance tests	16 CFR Part 1219 in conjunction with ASTM F1169-13	
		ASTM F1169-13 < <i>Excluding the following</i> > Cl. 5.12	
Hand held infant carrier	- Safety and performance tests	16 CFR Part 1225 in conjunction with ASTM F2050-13a	
		ASTM F2050-13a	
High chair	- Safety and performance tests	ASTM F404-15	

Intertek Testing Services Hong Kong Ltd. 天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

香港九龍青山道五百七十六號製衣中心二字樓

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	The accreditation of the following tests has been	n terminated	
Infant bath seat	- Safety and performance tests	16 CFR Part 1215 in conjunction with ASTM F1967-13	
		ASTM F1967-13	
Infant bouncer seat	- Safety and performance tests	ASTM F2167-15	
Infant swing	- Safety and performance tests	16 CFR Part 1223 in conjunction with ASTM F2088-13	
		ASTM F2088-15	
Infant walker	- Safety and performance tests	16 CFR Part 1216 in conjunction with ASTM F977-12	
		ASTM F977-12	
Soft Infant and toddler carrier	- Safety and performance tests	16 CFR Part 1226 in conjunction with ASTM F2236-14	
		ASTM F2236-14	
Non-full-size baby crib	- Safety and performance tests	16 CFR Part 1220 in conjunction with ASTM F406-10a	
Non-full-size baby crib / play yard	- Safety and performance tests	ASTM F406-13	
Play yard	- Safety and performance tests	16 CFR Part 1221 in conjunction with ASTM F406-13	
Sling carrier	- Safety and performance tests	ASTM F2907-15	
Stationary activity center	- Safety and performance tests	ASTM F2012-13	
Toddler bed	- Safety and performance tests	16 CFR Part 1217 in conjunction with ASTM F1821-13	
		ASTM F1821-15	
Tricycles	- Safety and performance tests	ANSI Z315.1-2012	

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS005-341; Effective date of termination: 6 July 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	The accreditation of the following tests has be	een terminated	
	EMC tests :- Emission tests		
Unintentional radiators subject to 47 CFR Part 15 < <i>Excluding the following</i> > - cable terminal devices - cable ready consumer electronics equipment - access broadband over power line	 Measurement of radiated emission (at OATS) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 30 MHz to 2150 MHz Verification of negligible radiated emission 	47 CFR Part 15 Subparts A and B using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009 (Note: the above test methods for measurement at OATS shall be used in conjunction with in-house method CEHK-025R2: August 2012) In-house method CEHK-025R2: August 2012	
	from the EUT overlapping with background emissions of the OATS		
Encoders and decoders for emergency alert systems	 Measurement of radiated emission (at OATS) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz 	47 CFR Part 11 Subpart B in conjunction with 47 CFR Part 15 Subparts A and B using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009 (Note: the above test methods for measurement at OATS shall be used in conjunction with in-house method CEHK-025R2: August 2012)	
	- Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS	In-house method CEHK-025R2: August 2012	

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS005-341; Effective date of termination: 6 July 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	The accreditation of the following tests has be	een terminated	
	EMC tests :- (cont'd) Emission tests		
Low power transmitters operating at frequencies above 1 GHz with the exception of spread spectrum devices < <i>Excluding the following</i> > - field disturbance sensors operating within the band of 10.5 GHz to 10.55 GHz & 24.075 GHz to 24.175 GHz	 Measurement of radiated emission (at OATS) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz Verification of negligible radiated emission 	47 CFR Part 15 Subpart A and C using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009 (Note: the above test methods for measurement at OATS shall be used in conjunction with in-house method CEHK-025R2: August 2012) In-house method CEHK-025R2: August 2012	
 intentional radiators operating within the band of 24.0 to 24.25 GHz, 57 GHz to 64 GHz & 92 GHz to 95 GHz Wideband vehicular radar system within the band of 16.2 GHz to 17.7 GHz & 23.12 GHz to 29.0 GHz Vehicle-mounted field disturbance sensors operating within the band of 46.7 GHz to 46.9 GHz & 76.0 to 77.0 GHz 	from the EUT overlapping with background emissions of the OATS		
Low power transmitters operating at frequencies below 1 GHz with the exception of spread spectrum devices	 Measurement of radiated emission (at OATS) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz Verification of negligible radiated emission 	47 CFR Part 15 Subpart A and C using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009 (Note: the above test methods for measurement at OATS shall be used in conjunction with in-house method CEHK-025R2: August 2012) In-house method CEHK-025R2: August 2012	
	from the EUT overlapping with background emissions of the OATS		

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS005-341; Effective date of termination: 6 July 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Electrical and Electronic Products 電氣及電子產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	The accreditation of the following tests has be	een terminated	
	EMC tests :- (cont'd) Emission tests		
Unlicensed personal communication service devices	 Measurement of radiated emission (at OATS) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	47 CFR Part 15 Subpart A and D using test methods specified in ANSI C63.4-2009, ANSI C63.10-2009 and ANSI C63.17-2006 (Note: the above test methods for measurement at OATS shall be used in conjunction with in-house method CEHK-025R2: August 2012)	
	 Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS 	In-house method CEHK-025R2: August 2012	
Unlicensed national information infrastructure devices and lower power transmitters using spread spectrum techniques	 Measurement of radiated emission (at OATS) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	47 CFR Part 15 Subpart A, C and E using test methods specified in ANSI C63.4-2009 and ANSI C63.10: 2009 (Note: the above test methods for measurement at OATS shall be used in conjunction with in-house method CEHK-025R2: August 2012)	
	- Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS	In-house method CEHK-025R2: August 2012	
Consumer ISM equipment subject to 47 CFR Part 18 < <i>Excluding the following</i> > - medical equipment	 Measurement of radiated emission (at OATS) 9 kHz to 40 GHz Measurement of conducted emission 9 kHz to 30 MHz Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS 	47 CFR Part 18 using test methods specified in FCC/OET MP-5: 1986 (Note: the above test methods for measurement at OATS shall be used in conjunction with in-house method CEHK-025R2: August 2012) In-house method CEHK-025R2: August 2012	

List of test for which accreditation has been terminated (Notification letter No.: HOKLAS005-340; Effective date of termination: 29 May 2017)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong 香港九龍青山道五百七十六號製衣中心二字樓

Food 食品				
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
The	The accreditation of the following tests has been terminated			
	Toxicology tests :-			
Food containers (ceramic ware)	Leachable lead and cadmium	ASTM C738-94 (Reapproved 2011)		
Food containers (ceramic and glassware)	Leachable lead and cadmium	Canada Consumer Product Safety Act Glazed Ceramic and Glassware Regulation SOR/98-176, SOR/2007-30 and SOR/2009-179		

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Th	e accreditation of the following tests has been terr	ninated	
All toys, children's product surface coating materials Surface coating on furniture and other articles for children, pencils and artists' brushes	Chemical tests :- - Migration of soluble elements antimony, arsenic, chromium, selenium, cadmium, mercury, barium, lead - Total lead content	AS/NZS ISO 8124.3: 2012 Canada Act Surface Coating Materials Regulations (SOR/2011-14) sections 7.2 and 7.3	

Intertek Testing Services Hong Kong Ltd. 天祥公證行有限公司

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Th	e accreditation of the following tests has been terr	ninated	
	Chemical tests :- (cont'd)	Japan Toy Safety Standard ST2012, First Edition, (2012.9.27) Part 3; 2nd Revision (2013.3.22) for material test of rubber pacifiers (Clause 1.10) and 5th Revision (2015.11.26) for free formaldehyde test of textile products used for toys (Clause 1.6)	
All toys' materials	- Colouring matters	Cl. 1.1	
Toys that are made of materials which are mainly composed of polyethylene, polyvinyl chloride or acetyl cellulose (excluding parts on which paint coating is applied)	 Consumption of potassium permanganate and residue on evaporation Heavy metals Arsenic Cadmium (excluding materials mainly composed of polyethylene) 	Cl. 1.2	
Decalcomania, folded paper and rubber-made toys (excluding rubber pacifiers)	- Heavy metals - Arsenic	Cl. 1.3	
Vinyl chloride resin coating	 Consumption of potassium permanganate Residue after evaporation Heavy metals: 8 elements (antimony, arsenic, barium, cadmium, chromium, lead, mercury and selenium) 	Cl. 1.4	
The Paint coating applied to the body or the components of the toys (excluding the printing ink used for paper containers)	 Heavy metals: 8 elements (antimony, arsenic, barium, cadmium, chromium, lead, mercury and selenium) 	Cl. 1.5	
Textile products used for toys	- Free formaldehyde	Cl. 1.6	
Ink and the like used for the graphic instruments that are provided with the toys such as pencils, ball-point pens, markers, crayons, pastels, water colours, chalks, etc.	 Colouring matters Heavy metals: 8 elements (antimony, arsenic, barium, cadmium, chromium, lead, mercury and selenium) 	Cl. 1.8	
Rubber pacifiers	 Material test: Cadmium and Lead Dissolution test: Phenol, Formaldehyde, Zinc, Heavy metals and Residue on evaporation 	Cl. 1.10	
Metals used for toy (neither painted nor covered)	Lead	Cl. 1.11	

Intertek Testing Services Hong Kong Ltd. 天祥公證行有限公司

2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

香港九龍青山道五百七十六號製衣中心二字樓

香港九龍育山道五百七十六號聚衣中心二字樓 Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The accreditation of the following tests ha	as been terminated
Toys	- Flammability tests	AS/NZS ISO 8124.2: 2009
Toys	- Flammability tests	Japan Toy Safety Standard ST2012 (2012.9) Part 2 (based on English version provided by JTA in September 2012)
Toys	- Physical and mechanical tests	AS/NZS ISO 8124.1: 2013
Toys	- Physical and mechanical tests	Japan Toy Safety Standard ST 2012 (2012.9) Part 1 (based on English version provided by JTA in September 2012)
Pacifiers	- Physical and mechanical tests	Hazardous Products (Pacifiers) Regulation Consumer and Affairs Canada Part B : Test Methods Section, Method M-09 (2015)

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-339; Effective Date of Termination: 19 April 2017)

Intertek Testing Services Hong Kong Ltd.

Toys and Children's Products 玩具及兒童產品					
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術			
	The accreditation of the following tests has been terminated				
All toys, children's product surface coating materials	- DEHP	ASTM F963-11 4.3.8 <i>Test procedures for compliance testing:</i> ASTM D3421-75 (with modification)			
Tricycles intended for use by children 8 years or under – surface coatings	- Total lead content - Soluble elements: Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ANSI Z315.1-2006 CI. 4.1.1 in conjunction with 16 CFR 1303 and ASTM F963 CI. 4.3.5.2 <i>Test procedures for compliance testing:</i> - CPSC Test method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011 <i>Test procedures for compliance testing:</i> - ASTM F963-08 CI. 4.3.5.2			

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS005-329; Effective date of termination: 15 September 2016)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Intertek Testing Services Hong Kong Ltd. (Laboratory at Garment Centre)			
TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The a	accreditation of the following tests has been	terminated
PHYSICAL and			
	Glass and glass products		
MECHANICAL TESTING 物理及機械測試	Glass and glass products - Glass containers with base dimension not exceeding 137 mm and height up to 250 mm	Optical retardation	ASTM C148-12

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS005-329; Effective date of termination: 15 September 2016)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

Intertek Testing Services Hong Kong Ltd. (Laboratory at Garment Centre) TEST ITEM, MATERIAL SPECIFIC TEST OR SPECIFICATION, STANDARD METHOD			
TEST CATEGORY 測試類別	TTEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
		accreditation of the following tests has been	
TOYS and CHILDREN'S PRODUCTS 玩具及兒童產品	Electrically powered infant swings	Electrical safety tests	ASTM F2088-12a Sections 6.1 and 7.1
	Toys	Physical and mechanical tests	Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section Method M00.4 (2013) Method M04 (2005) Method M05 (2010)
	Pacifiers	Physical and mechanical tests	Hazardous Products (Pacifiers) Regulation Consumer and Affairs Canada Part B : Test Methods Section Method M-09 (2011)
	Toys	Physical and mechanical tests	ISO 8124-1: 2009
	Toys	Physical and mechanical tests	ISO 8124-1: 2012
	Toys	Physical and mechanical tests	EN 71-1: 2011 +A3: 2014

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS005-329; Effective date of termination: 15 September 2016)

Intertek Testing Services Hong Kong Ltd.

天祥公證行有限公司

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	ices Hong Kong Ltd. (Laborat SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The a	accreditation of the following tests has been t	erminated
TOYS and CHILDREN'S PRODUCTS 玩具及兒童產品	Baby dummy	Safety and performance tests	AS 2432-2009
лж д и <u>т</u> и	Bassinet and cradle	Safety and performance tests	ASTM F2194-13
	Carriage and stroller	Safety and performance tests	ASTM F833-13b
	Changing table	Safety and performance tests	ASTM F2388-09
	Expansion gate and expandable enclosure	Safety and performance tests	ASTM F1004-13
	High chair	Safety and performance tests	ASTM F404-14
	Infant bouncer seat	Safety and performance tests	ASTM F2167-14
	Infant swing	Safety and performance tests	ASTM F2088-13
	Sling carrier	Safety and performance tests	ASTM F2907-14a
	Toddler bed	Safety and performance tests	ASTM F1821-13

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-327; Effective date of termination: 15 June 2016)

	Intertek Testing Serv	rices Hong Kong Ltd. (Labora	atory at Garment Centre)
TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The	accreditation of the following tests has been	terminated
ELECTRICAL and			
ELECTRONIC		EMC tests :	
PRODUCTS 索鸟马索了名日		Immunity tests	
电气及电子产品	Sound and television	- Input immunity	EN 55020: 1994 + A11: 1996 + A12: 1999 + A13: 199
	broadcast receivers and	- RF voltage (common mode)	+ A14: 1999
	associated equipment	- Screening effectiveness	CISPR 20: 2002 + A1: 2002
	1 1	- Electrical transients	EN 55020: 2002 + A1: 2003 + A2: 2005
		- Induced voltages	
		- Radiated fields	CISPR 20: 2006
		- Electrostatic discharge	EN 55020: 2007

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-327; Effective date of termination: 29 June 2016)

		ices Hong Kong Ltd. (Laborat	
TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The a	accreditation of the following tests has been te	erminated
ELECTRICAL and			
ELECTRONIC		EMC tests :- (cont'd)	
PRODUCTS		Emission tests	
(cont'd) 電氣及電子產品	TT 1 11 1		A 9 AUZC CHEDD 14 1 2010
电积及电力座的 (續上)	Household appliances, electric tools and similar	- Measurement of terminal disturbance voltages	AS/NZS CISPR14.1: 2010
	apparatus	- 148.5 kHz to 30 MHz	
		- Measurement of disturbance power	
		- 30 MHz to 300 MHz	
		- Measurement of radiated disturbance (at	
		OATS)	
		- 30 MHz to 1 GHz	
	Electric and electronic toys	- Measurement of terminal disturbance	AS/NZS CISPR14.1: 2010
		voltages	
		 - 148.5 kHz to 30 MHz - Measurement of disturbance power 	
		- 30 MHz to 300 MHz	
		- Measurement of radiated disturbance (at	
		OATS)	
		- 30 MHz to 1 GHz	

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-327; Effective date of termination: 29 June 2016)

TEST CATEGORY 測試類別	ITTEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	ices Hong Kong Ltd. (Laborat SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
		accreditation of the following tests has been to	
ELECTRICAL and ELECTRONIC PRODUCTS (cont'd)		EMC tests :- (cont'd) Emission tests	
(cont d) 電氣及電子產品 (續上)	Electronic measuring equipment	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of radiated disturbances at OATS 30 kHz to 1 GHz Measurement of harmonic current Measurement of voltage fluctuations and flicker 	EN 61326-1: 2006 IEC 61326-1: 2005
	Electronic measuring equipment for EMC unprotected applications	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of radiated disturbances at OATS 30 kHz to 1 GHz Measurement of harmonic current Measurement of voltage fluctuations and flicker 	EN 61326-2-1: 2006 IEC 61326-2-1: 2005
	Electronic measuring equipment used in low-voltage distribution system	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of radiated disturbances at OATS 30 kHz to 1 GHz Measurement of harmonic current Measurement of voltage fluctuations and flicker 	EN 61326-2-2: 2006 IEC 61326-2-2: 2005

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-327; Effective date of termination: 29 June 2016)

		rices Hong Kong Ltd. (Labora	
TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The	accreditation of the following tests has been	a terminated
ELECTRICAL and			
ELECTRONIC		EMC tests :- (cont'd)	
PRODUCTS		Immunity tests	
(cont'd)			
電氣及電子產品	Electronic measuring	- Electrostatic discharge	EN 61326-1: 2006
(續上)	equipment	- Electromagnetic field	IEC 61326-1: 2005
		- Burst - Surges	
		- Conducted RF	
		- Voltage dips and interruptions	
	Electronic measuring	- Electrostatic discharge	EN 61326-2-1: 2006
	equipment for EMC	- Electromagnetic field	IEC 61326-2-1: 2005
	unprotected applications	- Burst	
		- Surges	
		Conducted RFVoltage dips and interruptions	
		- voltage dips and interruptions	
	Electronic measuring	- Electrostatic discharge	EN 61326-2-2: 2006
	equipment used in	- Electromagnetic field	IEC 61326-2-2: 2005
	low-voltage distribution	- Burst	
	system	- Surges	
		- Conducted RF	
		- Voltage dips and interruptions	
	Sound and television	- Input immunity	EN 55020: 1994 + A11: 1996 + A12: 1999 + A13: 199
	broadcast receivers and	- RF voltage (common mode)	+ A14: 1999
	associated equipment	- Screening effectiveness	CISPR 20: 2002 + A1: 2002
		Electrical transientsInduced voltages	EN 55020: 2002 + A1: 2003 + A2: 2005
		- Radiated fields	CISPR 20: 2006
		- Electrostatic discharge	EN 55020: 2007

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-327; Effective date of termination: 29 June 2016)

	-		World-wide Industrial Centre)
TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
测武狈加		村皮,冽,或,或,里及的村住 accreditation of the following tests has been te	
ELECTRICAL and			
ELECTRONIC PRODUCTS 電氣及電子產品	Encoders and decoders for Emergency alert systems	EMC tests :- Emission tests - Measurement of radiated emission (and 3m Chamber) - 9 kHz to 40 GHz - Measurement of conducted emission	47 CFR Part 11 Subpart B in conjunction with 47 CFR Part 15 Subparts A and B using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009
		- 150 kHz to 30 MHz	
	Unintentional radiators subject to 47 CFR Part 15	 Measurement of radiated emission (3m Chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 30 MHz to 2150 MHz 	47 CFR Part 15 Subparts A and B using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009
	Low power transmitters operating at frequencies below 1 GHz with the exception of spread spectrum devices	 Measurement of radiated emission (3m Chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement of conducted emission at antenna terminal 9 kHz to 40 GHz 	47 CFR Part 15 Subpart A and C using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-327; Effective date of termination: 29 June 2016)

Interte	k Testing Services He ITEM, MATERIAL	ong Kong Ltd. (Laboratory at SPECIFIC TEST OR	World-wide Industrial Centre) SPECIFICATION, STANDARD METHOD
CATEGORY	OR PRODUCT TESTED	PROPERTY MEASURED	OR TECHNIQUE USED
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The a	accreditation of the following tests has been	terminated
ELECTRICAL and			
ELECTRONIC		EMC tests :- (cont'd)	
PRODUCTS		Emission tests	
(cont'd)			
電氣及電子產品 (續上)	Low power transmitters	- Measurement of radiated emission (3m	47 CFR Part 15 Subpart A and C
(領上)	operating at frequencies above 1 GHz with the	Chamber) - 9 kHz to 40 GHz	using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009
	exception of spread spectrum	- Measurement of conducted emission	
	devices	- 150 kHz to 30 MHz	
		- Measurement at antenna terminal	
		- 9 kHz to 40 GHz	
	Unlicensed Personal	- Measurement of radiated emission (3m	47 CFR Part 15 Subpart A and D
	Communication Service	Chamber)	using test methods specified in
	devices	- 9 kHz to 40 GHz	ANSI C63.4-2009, ANSI C63.10-2009 and
		 Measurement of conducted emission 150 kHz to 30 MHz 	ANSI C63.17-2006
		- Measurement at antenna terminal	
		- 9 kHz to 40 GHz	
	Unlicensed National	- Measurement of radiated emission (3m	47 CFR Part 15 Subpart A, C and E
	Information Infrastructure	Chamber)	using test methods specified in
	devices and lower power	- 9 kHz to 40 GHz	ANSI C63.4-2009 and ANSI C63.10:2009
	transmitters using spread	- Measurement of conducted emission	
	spectrum techniques	 - 150 kHz to 30 MHz - Measurement at antenna terminal 	
		- Measurement at antenna terminar - 9 kHz to 40 GHz	

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-327; Effective date of termination: 29 June 2016)

Intertek Testing Services Hong Kong Ltd. (Laboratory at World-wide Industrial CentreTESTITEM, MATERIALSPECIFIC TEST ORSPECIFICATION, STANDARD MECATEGORYOR PRODUCT TESTEDPROPERTY MEASUREDOR TECHNIQUE USED				
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術	
	The a	accreditation of the following tests has been t	erminated	
ELECTRICAL and				
ELECTRONIC PRODUCTS (cont'd)		EMC tests :- (cont'd) Emission tests		
電氣及電子產品 (續上)	Licence-exempt radio apparatus: category I equipment subject to the following annexes of RSS-210: 2010: - Annex 1 - Annex 2 (except A.2.10) - Annex 3 - Annex 8	 Measurement of radiated emission (3m Chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement at antenna terminal 9 kHz to 40 GHz 	RSS-210: 2010 in conjunction with RSS-Gen: 2010 using test methods specified in ANSI C63.4-2009	
	Licence-exempt radio apparatus: category II equipment subject to the following sections of RSS-310: 2010: - Section 3.6 - Section 3.7 - Section 3.8 - Section 3.9	 Measurement of radiated emission (3m Chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement at antenna terminal 9 kHz to 40 GHz 	RSS-310: 2010 in conjunction with RSS-Gen: 2010 using test methods specified in ANSI C63.4-2009	
	2 GHz Licence-exempt personal communications service devices	 Measurement of radiated emission (3m Chamber) 9 kHz to 40 GHz Measurement of conducted emission 150 kHz to 30 MHz Measurement at antenna terminal 9 kHz to 40 GHz 	RSS-213: 2005 in conjunction with RSS-Gen: 2010 using test methods specified in ANSI C63.4-2009	

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-327; Effective date of termination: 29 June 2016)

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	World-wide Industrial Centre) SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The a	accreditation of the following tests has been to	erminated
ELECTRICAL and ELECTRONIC PRODUCTS (cont'd) 電氣及電子產品 (續上)	Household appliances, electric tools and similar	EMC tests :- (cont'd) Emission tests - Measurement of terminal disturbance voltages	AS/NZS CISPR14.1:2010
	apparatus	 - 148.5 kHz to 30 MHz - Measurement of radiated disturbance (3m Chamber) - 30 MHz to 1 GHz 	
	Electric and electronic toys	 Measurement of terminal disturbance voltages 148.5 kHz to 30 MHz Measurement of radiated disturbance (at 3m Chamber) 30 MHz to 1 GHz 	AS/NZS CISPR14.1:2010
	Electronic measuring equipment	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of radiated disturbances at 3m Chamber 30 MHz to 1 GHz 	EN 61326-1: 2006 IEC 61326-1: 2005
	Electronic measuring equipment for EMC unprotected applications	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of radiated disturbances 3m Chamber 30 MHz to 1 GHz 	EN 61326-2-1: 2006 IEC 61326-2-1: 2005
	Electronic measuring equipment used in low-voltage distribution system	 Measurement of terminal disturbance voltages 150 kHz to 30 MHz Measurement of radiated disturbances at 3m Chamber 30 MHz to 1 GHz 	EN 61326-2-2: 2006 IEC 61326-2-2: 2005

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-327; Effective date of termination: 29 June 2016)

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	Vorld-wide Industrial Centre) SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The a	accreditation of the following tests has been terr	ninated
ELECTRICAL and ELECTRONIC PRODUCTS		Telecommunications equipment tests :-	
(cont'd) 電氣及電子產品 (續上)	Low Power Radio Microphones Including Associated Receiving Equipment for Use in the VHF/UHF Band	 Test For Transmitter: Frequency error Transmitter output power (3m Chamber) Maximum permissible frequency deviation Spurious emissions (3m Chamber) Test For Receiver: Receiver spurious emissions (3m Chamber) 	HKTA 1008 Issue 3 (2003)
	Data transmission equipment operating in the 2.4 GHz ISM band and using wide band modulation Techniques	 Transmitter essential radio test suites Frequency range Equivalent isotropic radiated power (at 3m Chamber) Maximum e.i.r.p. spectral density (at 3m Chamber) Transmitter spurious emissions (at 3m Chamber) Receiver essential radio test suites Receiver spurious emissions (3m Chamber) 	ETSI EN 300 328: 2006

Annex III List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-326)

Effective date of termination: 13 May 2016

Intertek Testing Services Hong Kong Ltd.

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
测試類別	测試項目、材料或產品	PROPERTY MEASURED 特定測試或量度的特性	规範、標準方法或應用技術
		tion of the following tests has been	
CHEMICAL			
TESTING	Products made from leather	Amine (Azo colourants):-	
化學測試	or polyester, and textile		
	products	1) 4-aminodiphenyl	
		2) benzidine	
		3) 4-chloro-o-toluidine	Test procedures for compliance testing for
		4) 2-naphthylamine5) o-aminoazotoluene	<i>leather products:</i> EN ISO 17234-1: 2010 (for determination of the
		6) 5-nitro-o-toluidine	first 21 amines listed on the left in leather products)
		7) 4-chloroaniline	inst 21 annies isted on the left in featier products)
		8) 4-methoxy-m-phenylenediamine	
		9) 4,4'-diaminodiphenylmethane	
		10) 3,3'-dichlorobenzidine	
		11) 3,3'-dimethoxybenzidine	
		12) 3,3'-dimethylbenzidine	
		13) 4,4'-methylene-di-o-toluidine	
		14) p-cresidine15) 4,4'-methylene-bis-(2-chloro-aniline)	
		15) 4,4 -methylene-bis-(2-chloro-aniline) 16) 4,4'-oxydianiline	
		17) 4,4 -oxydianiline	
		18) o-toluidine	
		19) 4-methyl-m-phenylenediamine	
		20) 2,4,5-trimethylaniline	
		21) 2-methoxyaniline	
		22) 4-aminoazobenzene	

Effective date of termination: 30 May 2016

Intertek Testing Services Hong Kong Ltd.

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
	测試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The accredita	tion of the following tests has b	een terminated.
TOYS and CHILDREN'S PRODUCTS 玩具及兒童產品		Chemical tests :-	
见云众儿里庄叫	Coloured toys	- Colour fastness tests	German Method Section 64 LFGB B82.10-1: Dec. 2011 DIN V53160-1: 2010 DIN V53160-2: 2010

List of test for which accreditation has been terminated (Notification letter No.: HOKLAS005-325; Effective Date of Termination: 18 May 2016)

Intertek Testing Services Hong Kong Ltd. (Laboratory at Garment Centre)				
TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	The ac	ccreditation of the following tests has been ter	minated.	
TEXTILES and GARMENTS		Care performance tests :-		
	General textiles and garments	- Appearance after wash/ commercial dry cleaning	In-house Method SLHK-T-TMDD04-2013	
		- Dimensional stability to commercial dry	In-house Method SLHK-T-TMDD07-2013	
		- Dimensional stability to hand washing	In-house Method SLHK-T-TMDD06-2013	
		- Dimensional stability to washing	AATCC Test Method 135-2012	
		- Wash and wear performance	AATCC Test Method 88B-2011 AATCC Test Method 88C-2011 AATCC Test Method 124-2011 AATCC Test Method 143-2011	
	General textiles and garments	Chemical analysis :-		
	Samons	- Released formaldehyde content	AATCC Test Method 112-2008	
	General textiles and garments	Colour fastness tests :-		
		- Acid spotting	AATCC Test Method 6-2006 BS EN ISO 105-E05: 1997 DIN EN ISO 105-E05: 1997 ISO 105-E05: 1989 + Corr. 1 JIS L0851-1967 (1992)	
		- Actual laundering/commercial dry cleaning	In-house Method SLHK-T-TMDD05-2013	
		- Alkaline spotting	AATCC Test Method 6-2006 BS EN ISO 105-E06: 1997 DIN EN ISO 105-E06: 1997 ISO 105-E06: 1989 + Corr. 1	
		- Dry cleaning	AATCC Test Method 132-2009	
		- Dryheat	AATCC Test Method 117-2009	
		- Hot pressing	AATCC Test Method 133-2009	
		- Light (detection of photochromism)	BS 1006: 1990 Part B05	

I	ntertek Testing Servi	ices Hong Kong Ltd. (Laborate	ory at Garment Centre)
TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The ac	ccreditation of the following tests has been ter	rminated.
TEXTILES and GARMENTS 紡織品及成衣		Colour fastness tests :- (cont'd)	
	General textiles and garments	- Light	AATCC Test Method 16.3-2012 Option 3 BS EN ISO 105-B02:2013 Method 2 Exposure Cycle A1 DIN EN ISO 105-B02: 2013 Method 2 Exposure Cycle A1 ISO 105-B02: 2013 Method 2 Exposure Cycle A1
		- Perspiration	AATCC Test Method 15-2009
		- Rubbing/Crocking	AATCC Test Method 8-2007 JIS L0849-2004
		- Rubbing/Crocking (Rotary vertical crockmeter)	AATCC Test Method 116-2010
	Specific Products - Textile floor covering	- Rubbing/Crocking	AATCC Test Method 165-2008
	General textiles and garments	- Sea water	AATCC Test Method 106-2009
	一般紡織品及成衣	- Water 耐水色牢度	AATCC Test Method 107-2012 GB/T 5713-1997
		- Washing (full temperature range)	AATCC Test Method 61-2010 Test Nos. 1A, 2A, 3A, 4A and 5A
		- Water spotting	AATCC Test Method 104-2010 JIS L0853-1975 (1983)
	General textiles and garments	Fabric performance tests : - - Pilling resistance b) Random tumbler tester	ASTM D3512/D3512M-10e2
		- Solar UV Protective Properties	AATCC Test Method 183-2010
		- Water resistance b) hydrostatic pressure test	AATCC Test Method 127-2008 Option 2
	General textiles and garments	Fibre analysis :- - Fibre content (quantitative method - mechanical separation and chemical analysis)	AATCC Test Method 20A-2013
		- Fibre content (quantitative method - microscopic analysis)	AATCC Test Method 20A-2013

Ι	ntertek Testing Servi	ces Hong Kong Ltd. (Laborate	ory at Garment Centre)
TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The ac	ccreditation of the following tests has been ter	minated.
TEXTILES and GARMENTS	General textiles and garments	Flammability tests :- - Vertical test	AS/NZS 1249: 1999
	Specific Products - Upholstered furniture	- Ignitability by smouldering and flaming ignition source	EN 1021-1: 2006 EN 1021-2: 2006
			California Technical Bulletin 117 – 2000 State of California, Department of Consumer Affairs, Bureau of Home Furnishings and Thermal Insulation
		- Vertical test rack and wire mesh basket tests	Section A, Parts I, II and III
		- Vertical test	Section B, Parts I and II
		- 45 degree angle test	Section C and Section E, Part I
		- Cigarette test	Section D, Parts I and II
	General textiles and garments	Strength tests: - - Seam strength	BS EN ISO 13935-2: 1999 EN ISO 13935-2: 1999 ISO 13935-2: 1999
		- Tensile strength	BS EN ISO 13934-2: 1999 EN ISO 13934-2: 1999 ISO 13934-2: 1999

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-324; Effective date of termination: 8 April 2016)

	Ŭ	ices Hong Kong Ltd. (Laborato	
TEST	ITEM, MATERIAL	SPECIFIC TEST OR	SPECIFICATION, STANDARD METHOD
CATEGORY 測試類別	OR PRODUCT TESTED 測試項目、材料或產品	PROPERTY MEASURED 特定測試或量度的特性	OR TECHNIQUE USED 規範、標準方法或應用技術
次日和认为人们			
	I ne a	accreditation of the following tests has been ter	minated
ELECTRICAL and ELECTRONIC PRODUCTS		Telecommunications equipment tests :-	
电气及电子产品	Angle Modulated Radio	- Test For Transmitter:	HKTA 1002 Issue 6 (2008)
	Transmitters and Receivers Used as Base, Repeater, Mobile and Portable Equipment Operating in	 Carrier power (at OATS) Spurious emissions (at OATS) Test For Receiver: 	(Note: the above test method for measurement at OAT shall be used in conjunction with in-house method CEHK-025R2: August 2012)
	Frequency Band 30-1000 MHz for Use in	- Receiver spurious emissions (at OATS)	
	Land Mobile Radio Service	- Test For Repeater: - Carrier power	
		- Spurious emissions (at OATS) - Intermodulation attenuation	
		- Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS	In-house method CEHK-025R2:August 2012
	VHF Transmitters Operating in the Frequency Band of 170 MHz to 174 MHz or 275 MHz to 285 MHz	 Test For Transmitter: Carrier power (at OATS) Spurious emissions (at OATS) 	HKTA 1004 Issue 4 (2003) (Note: the above test method for measurement at OAT shall be used in conjunction with in-house method CEHK-025R2: August 2012)
	for Use in the Public Paging Service	 Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS 	In-house method CEHK-025R2:August 2012
	Low Power Radio	- Test For Transmitter:	HKTA 1008 Issue 3 (2003)
	Microphones Including Associated Receiving Equipment for Use in the VHF/UHF Band	 Transmitter output power (at OATS) Spurious emissions (at OATS) Test For Receiver: Receiver spurious emissions (at OATS) 	(Note: the above test method for measurement at OAI shall be used in conjunction with in-house method CEHK-025R2: August 2012)
		 Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS 	In-house method CEHK-025R2:August 2012

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-324; Effective date of termination: 8 April 2016)

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	ices Hong Kong Ltd. (Laborato SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The a	accreditation of the following tests has been ter	minated
ELECTRICAL and ELECTRONIC PRODUCTS		Telecommunications equipment tests :-	
(cont'd) 電氣及電子產品 (續上)	Angle Modulated Radio Equipment for Use as Repeater, Base and Mobile Stations in the 800 MHz Trunked Radio	 Test For Transmitter: Carrier power (at OATS) Spurious emissions (at OATS) Test For Receiver: Receiver spurious emissions (at OATS) 	HKTA 1016 Issue 4 (2007) (Note: the above test method for measurement at OAT shall be used in conjunction with in-house method CEHK-025R2: August 2012)
		 Test for Repeater: Carrier power (at OATS) Spurious emissions (at OATS) Intermodulation attenuation 	
		- Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS	In-house method CEHK-025R2:August 2012
	TV Antenna Amplifiers	- Gain/Frequency Response - Intermodulation response rejection	HKTA 1019 Issue 3 (2011)
	Repeater Equipment for Use in the Public Mobile Radiotelephone Service (PMRS) Employing Global System for Mobile	 Test For Repeaters Spurious emissions (at OATS) 	HKTA 1020 Issue 7 (2011) (Note: the above test method for measurement at OAT shall be used in conjunction with in-house method CEHK-025R2: August 2012)
	Communications (GSM) Operating in the 900 MHz Band or in the Personal Communications Service (PCS) Operating in the 1800 MHz Band	- Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS	In-house method CEHK-025R2:August 2012

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS005-324; Effective date of termination: 8 April 2016)

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	ices Hong Kong Ltd. (Laborato specific test or property measured	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The a	ccreditation of the following tests has been ter	
ELECTRICAL and ELECTRONIC PRODUCTS		Telecommunications equipment tests :-	
(cont'd) 電氣及電子產品 (續上)	Radio Equipment Exempted From Licensing < <i>Excluding the following></i> 76-77 GHz Band	 Test For Transmitter: Spurious emissions (at OATS) 	HKTA 1035 Issue 6 (2011) (Note: the above test method for measurement at OATS shall be used in conjunction with in-house method CEHK-025R2: August 2012)
		 Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS 	In-house method CEHK-025R2:August 2012
	Radiocommunications Apparatus Operating in the 27MHz Band for Private Use	- Test For Transmitter: - Spurious emissions (at OATS)	HKTA 1041 Issue 1 (2003) (Note: the above test method for measurement at OATs shall be used in conjunction with in-house method CEHK-025R2: August 2012)
		- Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS	In-house method CEHK-025R2:August 2012
	Radiocommunications Apparatus Operating in the 409 MHz Band as Short- Range Portable Radio	 Test For Transmitter: Effective radiated power (at OATS) Spurious emissions (at OATS) Test For Receiver: Receiver spurious emissions (at OATS) 	HKTA 1044 Issue 1 (2003) (Note: the above test method for measurement at OAT shall be used in conjunction with in-house method CEHK-025R2: August 2012)
		- Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS	In-house method CEHK-025R2:August 2012

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-324; Effective date of termination: 8 April 2016)

	Intertek Testing Servio	ces Hong Kong Ltd. (Laborator	y at Garment Centre)
TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The ac	creditation of the following tests has been termi	inated
ELECTRICAL and ELECTRONIC PRODUCTS		Telecommunications equipment tests :-	
cont'd) 電氣及電子產品 續上)	Land mobile service radio equipment with an internal or external RF connector intended primarily for analogue speech	 Test For Transmitter: Maximum effective radiated power (at OATS) Unwanted emissions in the spurious domain (at OATS) Test For Receiver: 	ETSI EN 300 086-1: 2010 (Note: the above test method for measurement at OAT shall be used in conjunction with in-house method CEHK-025R2: August 2012)
		 Spurious radiations (at OATS) Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS 	In-house method CEHK-025R2:August 2012
	Land mobile service radio equipment with an internal or external RF connector intended primarily for analogue speech	 Test For Transmitter: Maximum effective radiated power (at OATS) Unwanted emissions in the spurious domain (at OATS) 	ETSI EN 300 086-2: 2010 (Note: the above test method for measurement at OAT shall be used in conjunction with in-house method CEHK-025R2: August 2012)
		- Test For Receiver: - Spurious radiations (at OATS)	
		 Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS 	In-house method CEHK-025R2:August 2012

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-324; Effective date of termination: 8 April 2016)

Intertek Testing Services Hong Kong Ltd. (Laboratory at Garment Centre) TEST ITEM, MATERIAL SPECIFIC TEST OR SPECIFICATION, STANDARD METHOD			
CATEGORY	OR PRODUCT TESTED	PROPERTY MEASURED	OR TECHNIQUE USED
測試類別	测试項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The ac	creditation of the following tests has been termi	nated
ELECTRICAL and ELECTRONIC PRODUCTS		Telecommunications equipment tests :-	
(cont'd) 電氣及電子產品 (續上)	Land mobile service radio equipment using integral antennas intended primarily	 Test For Transmitter: Effective radiated power (at OATS) Radiated unwanted emissions 	ETSI EN 300 296-1: 2013 ETSI EN 300 296-2: 2013 (Note: the above test method for measurement at OAT)
(頃上)	for analogue intended speech	in the spurious domain (at OATS)	shall be used in conjunction with in-house method CEHK-025R2: August 2012)
		Test For Receiver:Spurious radiations (at OATS)	
		- Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS	In-house method CEHK-025R2:August 2012
	Data transmission equipment operating in the 2.4 GHz ISM band and using wide band modulation techniques	 Transmitter essential radio test suites Equivalent isotropic radiated power (at OATS) Maximum e.i.r.p. spectral density (at OATS) Transmitter spurious emissions (at OATS) 	ETSI EN 300 328: 2006 (Note: the above test method for measurement at OATS shall be used in conjunction with in-house method CEHK-025R2: August 2012)
		Receiver essential radio test suites - Receiver spurious emissions (at OATS)	
		- Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS	In-house method CEHK-025R2:August 2012
	Short Range Devices (SRD) operating in the following	Transmitter requirements - Effective Radiated Power (OATS)	ETSI EN 300 220-2: 2012 < <i>Excluding the following</i> >
	frequency range:	- Transient Power (OATS)	Cl. 4.2.1.11
	- 25MHz to 1000MHz < <i>Excluding the following</i> > Listen Before Talk (LBT)	- Unwanted emissions in the spurious domain (OATS)	in conjunction with ETSI EN 300 220-1: 2012 < <i>Excluding the following</i> > Cl. 9
	Equipment	Receiver requirements - Receiver Spurious Radiation (OATS)	(Note: the above test method for measurement at OATS shall be used in conjunction with in-house method CEHK-025R2: August 2012)
		 Verification of negligible radiated emission from the EUT overlapping with background emissions of the OATS 	In-house method CEHK-025R2:August 2012

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-322; Effective date of termination: 14 April 2016)

Intertek Testing Services Hong Kong Ltd.

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
小小八大火小			
FOOD			
食品		Toxicology tests :-	
	Food containers (ceramic ware)	Leachable lead and cadmium	UK Ceramic Ware (Safety) Regulations 2006 S.I. 1179
	Food containers (lip &rim areas of glass tumblers)	Leachable lead and cadmium	ASTM C927-2009
		Microbiological tests :-	
	Water	Total Coliform count	APHA 21e 9222B (Membrane Filtration Method)
		Fecal Coliform count	APHA 21e 9222D (Membrane Filtration Method)
		E. coli count	APHA 21e 9222D & G (Membrane Filtration Method followed by E. Coli Partition Method)
	General foodstuff	Salmonella	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 5, November 2011 (Isolation and Identification)

List of test for which accreditation has been terminated (Notification letter No.: HOKLAS005-321; Effective date of termination: 18 March 2016)

Intertek Testing Services Hong Kong Ltd.

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	ices Hong Kong Ltd. (Laborate SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The a	accreditation of the following tests has been te	rminated
ELECTRICAL and ELECTRONIC PRODUCTS 電氣及電子產品	Unintentional radiators subject to 47 CFR Part 15	EMC tests :- Emission tests - Measurement of radiated emission (at semi- anechoic chamber of Hong Kong Productivity Council (HKPC)) - 9 kHz to 18 GHz	47 CFR Part 15 Subparts A and B using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009
	Low power transmitters operating at frequencies below 1 GHz with the exception of spread spectrum devices	 Measurement of radiated emission (at semi- anechoic chamber of HKPC) 9 kHz to 18 GHz 	47 CFR Part 15 Subpart A and C using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009
	Low power transmitters operating at frequencies above 1 GHz with the exception of spread spectrum devices	 Measurement of radiated emission (at semi- anechoic chamber of HKPC) 9 kHz to 18 GHz 	47 CFR Part 15 Subpart A and C using test methods specified in ANSI C63.4-2009 and ANSI C63.10-2009
	Consumer ISM equipment	 Measurement of electromagnetic radiation disturbance (at semi-anechoic chamber of HKPC) 9 kHz to 1 GHz 	CISPR 11: 1997 + A1: 1999 + A2: 2002 EN 55011: 1998 + A1: 1999 + A2: 2002 AS/NZS CISPR 11: 2004 CISPR 11: 2003 + A1: 2004 + A2: 2006 EN 55011: 2007 + A2: 2007 EN 55011: 2009 + A1: 2010 CISPR 11: 2009 + A1: 2010 AN/NZS CISPR 11: 2011
	Sound and television broadcast receivers and associated equipment	 Measurement of radiated disturbances (at semi-anechoic chamber of HKPC) 30 MHz to 1 GHz 	AS/NZS CISPR 13: 2003 CISPR 13: 2001 + A1: 2003 EN 55013: 2001 + A1: 2003 + A2: 2006 AS/NZS CISPR 13: 2004 CISPR 13: 2006 CISPR 13: 2009

List of test for which accreditation has been terminated (Notification letter No.: HOKLAS005-321; Effective date of termination: 18 March 2016)

Intertek Testing Services Hong Kong Ltd.

TEST	ITEM, MATERIAL	ices Hong Kong Ltd. (Labora specific test or	SPECIFICATION, STANDARD METHOD
CATEGORY 測試類別	OR PRODUCT TESTED 測試項目、材料或產品	PROPERTY MEASURED 特定測試或量度的特性	OR TECHNIQUE USED 規範、標準方法或應用技術
	The a	accreditation of the following tests has been t	terminated
ELECTRICAL and			
ELECTRONIC		EMC tests :- (cont'd)	
PRODUCTS		Emission tests	
(cont'd) 電氣及電子產品	Household appliances,	- Measurement of radiated disturbance (at	AS/NZS CISPR14.1: 2010
电积众电力座的 (續上)	electric tools and similar	semi-anechoic chamber of HKPC)	EN 55014-1: 2006 + A1: 2009 + A2: 2011
	apparatus	- 30 MHz to 1 GHz	CISPR 14-1: 2005 + A1: 2008 + A2: 2011
	Electric and electronic toys	- Measurement of radiated disturbance (at	AS/NZS CISPR14.1: 2010
		semi-anechoic chamber of HKPC)	EN 55014-1: 2006 + A1: 2009 + A2:2011
		- 30 MHz to 1 GHz	CISPR 14-1: 2005 + A1: 2008 + A2:2011
			AS/NZS CISPR 14.1: 2003
			CISPR 14-1: 2000 + A1: 2001 + A2: 2002
			EN 55014-1: 1993 + A1: 1997 + A2: 1999
			EN 55014-1: 2000 + A1: 2001 + A2: 2002
	Information technology	- Measurement of radiated disturbance (at	AS/NZS CISPR 22: 2002
	Equipment	semi-anechoic chamber of HKPC)	CISPR 22: 1997 + A1: 2000
		- 30 MHz to 1 GHz	EN 55022: 1998 + A1: 2000 + A2: 2003
			AS/NZS CISPR 22: 2006
			CISPR 22: 2005 + A1: 2005 + A2: 2006
			EN 55022: 2006 + A1: 2007
			EN 55022: 2010
			AS/NZS CISPR 22: 2009
			CISPR 22: 2008

List of test for which accreditation has been terminated (Notification letter No.: HOKLAS005-321; Effective date of termination: 18 March 2016)

Intertek Testing Services Hong Kong Ltd.

TEST	ITEM, MATERIAL	ices Hong Kong Ltd. (Laborato SPECIFIC TEST OR	SPECIFICATION, STANDARD METHOD
CATEGORY 測試類別	OR PRODUCT TESTED 測試項目、材料或產品	PROPERTY MEASURED 特定測試或量度的特性	OR TECHNIQUE USED 規範、標準方法或應用技術
	The a	accreditation of the following tests has been ter	minated
ELECTRICAL and ELECTRONIC PRODUCTS		Telecommunications equipment tests :-	
(cont'd) 電氣及電子產品 (續上)	Angle Modulated Radio Transmitters and Receivers Used as Base, Repeater, Mobile and Portable Equipment Operating in Frequency Band 30-1000 MHz for Use in Land Mobile Radio Service	 Test For Transmitter: Carrier power (at semi-anechoic chamber of HKPC) Spurious emissions (at semi-anechoic chamber of HKPC) Test For Receiver: Receiver spurious emissions (at semi-anechoic chamber of HKPC) Test For Repeater: Spurious emissions (at semi-anechoic chamber of HKPC) 	HKTA 1002 Issue 6 (2008)
	Low Power Radio Microphones Including Associated Receiving Equipment for Use in the VHF/UHF Band	 Test For Transmitter: Transmitter output power (at semi-anechoic chamber of HKPC) Spurious emissions (at semi-anechoic chamber of HKPC) Test For Receiver: Receiver spurious emissions (at semi-anechoic chamber of HKPC) 	HKTA 1008 Issue 3 (2003)
	Angle Modulated Radio Equipment for Use as Repeater, Base and Mobile Stations in the 800 MHz Trunked Radio	 Test For Transmitter: Carrier power (at semi-anechoic chamber of HKPC) Spurious emissions (at semi-anechoic chamber of HKPC) Test For Receiver: Receiver spurious emissions (at semi-anechoic chamber of HKPC) Test for Repeater: Carrier power (at semi-anechoic chamber of HKPC) Test for Repeater: Carrier power (at semi-anechoic chamber of HKPC) Test for Repeater: Carrier power (at semi-anechoic chamber of HKPC) 	HKTA 1016 Issue 4 (2007)

List of test for which accreditation has been terminated (Notification letter No.: HOKLAS005-321; Effective date of termination: 18 March 2016)

Intertek Testing Services Hong Kong Ltd.

Intertek Testing Services Hong Kong Ltd. (Laboratory at Garment Centre)			
TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
11012211		ccreditation of the following tests has been ter	
ELECTRICAL and			1
ELECTRONIC PRODUCTS		Telecommunications equipment tests :-	
(cont'd) 電氣及電子產品 (續上)	Repeater Equipment for Use in the Public Mobile Radiotelephone Service (PMRS) Employing Global System for Mobile Communications (GSM) Operating in the 900 MHz Band or in the Personal Communications Service (PCS) Operating in the 1800 MHz Band	 Test For Repeaters Spurious emissions (at semi-anechoic chamber of HKPC) 	HKTA 1020 Issue 7 (2011)
	Radiocommunications Apparatus Operating in the 27MHz Band for Private Use	 Test For Transmitter: Spurious emissions (at semi-anechoic chamber of HKPC) 	HKTA 1041 Issue 1 (2003)
	Radiocommunications Apparatus Operating in the 409 MHz Band as Short- Range Portable Radio	 Test For Transmitter: Effective radiated power (at semi-anechoic chamber of HKPC) Spurious emissions (at semi-anechoic chamber of HKPC) Test For Receiver: Receiver spurious emissions (at semi-anechoic chamber of HKPC) 	HKTA 1044 Issue 1 (2003)

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS005-320; Effective date of termination: 22 February 2016)

Intertek Testing Services Hong Kong Ltd.

	Intertek Testing Serv	ices Hong Kong Ltd. (Labora	atory at Garment Centre)
TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
		accreditation of the following tests has been	
TOYS and			
CHILDREN'S PRODUCTS		Electrical tests :-	
玩具及兒童產品	Battery operated toys	- Safety tests	ASTM F963 - 08 Sections 4.25, 8.17 and 8.18
		Flammability tests :-	
	Toys		ISO 8124-2: 2007
			BS EN 71-2: 2006 + A1: 2007
			EN 71-2: 2006 + A1: 2007
			BS EN 71-2: 2011
			EN 71-2: 2011
			ASTM F963-08 Section 4.2, Annex A5
		Physical and mechanical tests :-	
	Toys		BS EN 71-1: 2005 + A9: 2009
			EN 71-1: 2005 + A9: 2009
			NF EN 71-1: 2006 + A9: 2009
			BS EN 71-1: 2011
			EN 71-1: 2011 BS EN 71-1: 2011 + A2: 2013
			EN 71-1: 2011 + A2: 2013
		Safety and performance tests :-	
	Soother for babies and		BS EN 1400-1: 2002
	young children		EN 1400-1: 2002
			BS EN 1400-2: 2002
			EN 1400-2: 2002

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-319; Effective date of termination: 28 January 2015)

Intertek Testing Services Hong Kong Ltd.

TEST CATEGORY आदेर अंव फ्रा	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 변호 예약 과 특 한 아 박 바	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 坦答、標準本注志應用共任
測試類別		特定測試或量度的特性	規範、標準方法或應用技術
		tion of the following tests has bee	en terminated.
ENVIRONMENTAI			
TESTING	Water and Wastewater	Microbial indicators :-	
環境測試		- Total Coliform counts	APHA 21e 9222 B
			(Membrane Filtration Method)
		- Fecal Coliform count	APHA 21e 9222 D
			(Membrane Filtration Method)
		- E. coli count	APHA 21e 9222 D & G
			(Membrane Filtration Method followed by E. coli
			Partition Method)
			r artition method)

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	测試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The accredita	ation of the following tests has be	en terminated.
MISCELLANEOUS 雜類		Microbiological tests :-	
	Cosmetics, liquids, pastes, putties, gels and powders	 Microbial enumeration tests Test for specified microorganisms Antimicrobial effectiveness testing 	- USP<61> 36 th edition (2013) - USP<62> 36 th edition (2013) - USP<51> 36 th edition (2013)
	Cosmetics	- Microbial enumeration tests	- European Pharmacopoeia 6.8 edition (2013)
			Chapter 2.6.12 - British Pharmacopoeia (2013), App. XVI B-2
		- Test for specific microorganisms	 European Pharmacopoeia 6.7 edition (2013) Chapter 2.6.13 British Pharmacopoeia (2013), App. XVI B-1
		-Efficacy of Antimicrobial Preservation (Challenge Test)	 European Pharmacopoeia 7.0 edition (2013) Chapter 5.1.3 British Pharmacopoeia (2013), App. XVI C (Criteria B) (Count by Pour Plate Method)

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The accredita	tion of the following tests has be	een terminated.
PHARMACEUTICAL PRODUCTS 藥物		Microbiological examination :-	
12	Non-sterile pharmaceutical preparations and substances for pharmaceutical use	Microbiological quality:	Acceptance criteria: USP<1111> 36 th edition (2013) <i>Examination procedures:</i>
	for pharmaceutear use	 Microbial enumeration tests Test for specified microorganisms 	- USP <61> 36 th edition (2013) - USP <62> 36 th edition (2013)
		Microbiological quality:	Acceptance criteria: European Pharmacopoeia 6.7 edition (2013) Chapter 5.1.4 Examination procedures:
		- Test for specified microorganisms	- European Pharmacopoeia 6.7edition (2013) Chapter 2.6.13
		- Microbial enumeration tests	- European Pharmacopoeia 6.7 edition (2013) Chapter 2.6.12
		Microbiological quality:	Acceptance criteria: British Pharmacopoeia (2013), App. XVI D Examination procedures:
		 Test for specified microorganisms Microbial enumeration tests 	 British Pharmacopoeia (2013), App. XVI B-1 British Pharmacopoeia (2013), App. XVI B-2

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 坦然、博進士法之陈田井佐
測試類別	測試項目、材料或產品 The according	特定測試或量度的特性 ation of the following tests has be	規範、標準方法或應用技術
TOYS and		ation of the following tests has b	een terminateu.
CHILDREN'S PRODUCTS		Microbiological tests :-	
玩具及兒童產品	Aqueous liquid	- Non-fecal coliform / Fecal coliform	- APHA 21e 9221B, C & E, 9222B & G (Membrane Filtration Method followed by coliform & fecal coliform verification)
		- Coliform count / E. coli count	UK Toy Water Snakes (Safety) Order 1983 - APHA 21e 9222 B & G (Membrane Filtration Method followed by coliform verification & E. coli Partition Method)
	Тоу	Microbiological examination of non- sterile products:	EC type approval protocol No. 2 (European Co-ordination of Notified Bodies NB-TOYS/2012/26 under the Safety of Toys Directive) Microbiological safety of toys containing aqueous media (23 April 2012).
		- Microbial enumeration tests	 <i>Test Procedures for compliance testing:</i> European Pharmacopoeia 6.8 edition (2013) Chapter 2.6.12 British Pharmacopoeia (2013), App. XVI B-2
		- Test for specific microorganisms	 European Pharmacopoeia 6.7 edition (2013) Chapter 2.6.13 British Pharmacopoeia (2013), App. XVI B-1
		-Efficacy of Antimicrobial Preservation (Challenge Test)	 European Pharmacopoeia 7.0 edition (2013) Chapter 5.1.3 British Pharmacopoeia (2013), App. XVI C (Criteria B) (Count by Pour Plate Method)
	Toy cosmetics, liquids, pastes, putties, gels, and powders	- Cleanliness of materials	- USP< 61 > 36 th edition (2013) - USP< 62 > 36 th edition (2013)
		- Preservative effectiveness	- USP< 51 > 36 th edition (2013)

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-317; Effective date of termination: 23 November 2015)

Intertek Testing Services Hong Kong Ltd.

_TEST _CATEGORY _测試類別	ITEM, MATERIAL OR PRODUCT TESTED .测試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED .特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
		tion of the following tests has be	
CHEMICAL TESTING 化學測試			
	Products intended to come into direct contact with skin and piercing parts	Release of nickel	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 27 as amended by Commission Regulation (EC) No. 552/2009 Compliance test procedures for nickel release content: BS EN 1811:2011 incorporating Corrigendum May 20

-TEST -CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
测試類別	测试項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
TOYS and	The accredita	tion of the following tests has bee	en terminated.
CHILDREN'S PRODUCTS 玩具及兒童產品	All toys, children's product surface coating materials	- DEHP	ASTM F963-08 4.3.8
	All toys and children's products – surface coating materials	- Total lead content - Leachable arsenic, selenium, cadmium, antimony and barium	Canada Hazardous Products Act (Revised April 1997) Schedule 1, Part 1, Item 9 with amendment 21 October 2010 <i>Test procedures for compliance testing:-</i> In House Method TC003.TP Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C-03: Determination of Leachable Arsenic (As), Selenium (Se), Cadmium (Cd), Antimony (Sb) and Barium (Ba) in Applied Coatings (2011-08-18) (with modification using ICP-OES for determination)
		- Total mercury content	In House Method TC066.TP (Microwave digestion followed by ICP-MS)
	Toys – paint and similar surface-coating materials	- Total lead content	ASTM F963-07(el) 4.3.5 ASTM F963-08 4.3.5 Cl. 4.3.5.1 <i>Test procedures for compliance testing:-</i> CPSC Test method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February
		- Soluble migrated elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	25, 2011 Cl. 4.3.5.2

Annex IV

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-316; Effective date of termination: 19 November 2015)

Intertek Testing Services Hong Kong Ltd.

TEST CATEGORY 测試類別	ITEM, MATERIAL OR PRODUCT TESTED .测試項目、材料或產品	es Hong Kong Ltd. (Labora SPECIFIC TEST OR PROPERTY MEASURED .特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
	The accredita	ation of the following tests has be	en terminated.
TESTING REQUIRED BY THE CHINA COMPULSORY	Switches for household and similar fixed electrical installations	- All required tests as specified in CNCA-C02-01: 2014	
CERTIFICATION SYSTEM (CCC)		- Safety tests	GB 16915.1-2003
中國強制性產品 認證制度規定的 檢測	家用和類似用途固定 式電氣裝置的開關	- CNCA-C02-01: 2014 有關規定的 所有檢測項目	
		-安全檢測項目	GB 16915.1-2003
	Information technology equipment	- All required tests as specified in CNCA-01C-020: 2010	
		- Safety tests	GB 4943-2001
	信息技術設備	- CNCA-01C-020: 2010 有關規 定的所有檢測項目	
		-安全檢測項目	GB 4943-2001
	Fixed general purpose luminaires	- All required tests as specified in CNCA-01C-022: 2007	
	固定式通用燈具	- CNCA-01C-022: 2007 有關規定 的所有檢測項目	
	Portable general purpose luminaires	- All required tests as specified in CNCA-01C-022: 2007	
	可移式通用燈具	- CNCA-01C-022: 2007 有關規定 的所有檢測項目	

测试項目、材料或產品	PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD _OR TECHNIQUE USED _規範、標準方法或應用技術
The accredita	tion of the following tests has b	een terminated.
Television	Product performance tests :- - Performance tests	The Hong Kong Voluntary Energy Efficiency Labelling Scheme for Televisions
Household refrigerating appliances with rated total storage volume not exceeding 500L	- Performance tests:	(March 2011) issued by EMSD Mandatory Energy Efficiency Labelling Scheme- Code of Practice on Energy Labelling of Products (March 2010 Edition) issued by EMSD, Cl. 8
	Household refrigerating appliances with rated total storage volume not	Television - Performance tests Household refrigerating - Performance tests: appliances with rated total - storage volume not -

_TEST _CATEGORY _測試類別	JTEM, MATERIAL OR PRODUCT TESTED .測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED .特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED .規範、標準方法或應用技術
	The accredita	tion of the following tests has b	een terminated.
ELECTRICAL and ELECTRONIC PRODUCTS		Product performance tests :-	
(cont'd) 電氣及電子產品 (續上)	Horizontal drum type household washing machine with rated capacity not exceeding 7 kg	Energy Efficiency Grading and Performance Requirements	Mandatory Energy Efficiency Labelling Scheme- Code of Practice on Energy Labelling of Products (March 2010 Edition) issued by EMSD, Cl. 10
	Household refrigerating appliances with rated total storage volume not exceeding 500L	- Performance tests:	Mandatory Energy Efficiency Labelling Scheme- Code of Practice on Energy Labelling of Products (March 2010 Edition) issued by EMSD, Cl. 8

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS005-313; Effective date of termination: 11 August 2015)

Intertek Testing Services Hong Kong Ltd.

_TEST _CATEGORY _测試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED .特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED _規範、標準方法或應用技術
		tion of the following tests has bee	
ELECTRICAL and			
ELECTRONIC PRODUCTS 電氣及電子產品	Electric cables	Safety tests :- (cont'd)	
₽₩IX ₽ J /±uu	 PVC insulated flexible cables of rated voltage up to 300/500 V with following number and cross-sectional area of conductors: 2 x 1.0mm² to 1.5mm² 3 x 1.0mm² to 1.5mm² 	- Compliance inspection and safety tests	IEC 60227-5: 1979 + A1: 1987 + A2 in conjunction with IEC 60227-1: 1993 + A1: 1995 and IEC 60227-2: 1979 + A1 IEC 60227-5: 1997 + A1: 1997 in conjunction with IEC 60227-1: 1993 + A1: 1995 + A2: 1997 and IEC 60227-2: 1997 + A1: 2003
	Electrical accessories		
	- Rewirable and non-rewirable 13 A fused plugs	- Compliance inspection and safety tests	BS 1363: 1984 with AMD4852, AMD5052, AMD5729, AMD5820, AMD6221 and AMD6302
	- Edison screw lampholders to E27 specification	- Compliance inspection and safety tests	IEC 60238: 1996 + A1: 1997 + A2: 1997 BS EN 60238: 1999 with AMD10535, AMD10866, AMD14274 and AMD14685 EN 60238: 1998 + A1: 1999 + A2: 2002 IEC 60238: 1998 + A1: 1999 + A2: 2002 BS EN 60238: 2004 EN 60238: 2004 IEC 60238: 2004 + A1: 2008 + A2: 2011
	- Portable cable reels	- Compliance inspection and safety tests	BS EN 61242: 1998 with AMD13485, AMD15363 at AMD16403 + A11: 2004 + A12: 2006

_TEST _CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
测試類別	测試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The accredita	tion of the following tests has bee	en terminated.
ELECTRICAL and ELECTRONIC PRODUCTS 電氣及電子產品	Household and similar electrical appliances	Safety tests :- (cont'd)	
	- General requirements for electrical appliances with rated voltage not more than 250 V for single phase appliances and 480V for other appliances	- Compliance inspection and safety tests	BS EN 60335-1: 1995 with AMD8913, AMD9475, AMD10168 and AMD10353 EN 60335-1: 1994 + A1: 1996 + A11: 1995 + A12: 1996 + A13: 1998 + A14: 1998 + A15: 2000 IEC 60335-1: 1991 with Amd. Nos. 1 and 2 BS EN 60335-1: 2002 with AMD 15051, AMD 15172, AMD 15536, AMD 15626, AMD16414, AMD 16671 and AMD 16973 + A2: 2006 + A14: 2010 + A15: 2011 BS EN 60335-1: 2012
	- Air-cleaning appliances with rated voltage not more than 250V for single-phase appliances and 480V for other appliances	- Compliance inspection and safety tests	BS EN 60335-2-65: 2002 +A1: 2008 +A11: 2012
	- Appliances for heating liquids with rated voltage not more than 250 V	- Compliance inspection and safety tests	BS EN 60335-2-15: 1996 with AMD10755 EN 60335-2-15: 1996 + A1: 1999 IEC 60335-2-15: 1995 + A1: 1999 + A2: 2000 BS EN 60335-2-15: 2002
	- Appliances for skin or hair care with rated voltage not more than 250 V	- Compliance inspection and safety tests	BS EN 60335-2-23: 1991 EN 60335-2-23: 1990 + A1: 1992 + A51: 1992 IEC 60335-2-23: 1986 with Amd. No. 1 BS EN 60335-2-23: 1996 with AMD13843
	- Fans with rated voltage not more than 250 V for single-phase appliances and 480V for other appliances	- Compliance inspection and safety tests	BS EN 60335-2-80: 1997

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
则試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The accredita	tion of the following tests has bee	en terminated.
ELECTRICAL and ELECTRONIC PRODUCTS (cont'd) 乘気及乘工本只	Household and similar electrical appliances	Safety tests :- (cont'd)	
電氣及電子產品 (續上)	- Grills, toasters and similar portable cooking appliances with rated voltage not more than 250 V	- Compliance inspection and safety tests	BS EN 60335-2-9: 1991 with AMD6897 EN 60335-2-9: 1990 + A2: 1992 + A51: 1991 IEC 60335-2-9: 1986 with Amd. Nos. 1 and 2 BS EN 60335-2-9: 1996 with AMD10062, AMD10914, AMD13955 and AMD14283 EN 60335-2-9: 1995 + A1: 1998 + A2: 2000 + A11: 2000 + A12: 2002 + A13: 2002 IEC 60335-2-9: 1993 + A1: 1998 + A2: 1999 BS EN 60335-2-9: 2003 + AMD15203
	- Kitchen machines with rated voltage not more than 250 V	- Compliance inspection and safety tests	BS EN 60335-2-14: 1997 with AMD10480, AMD10504, AMD10730 and AMD11087 EN 60335-2-14: 1996 + A1: 1998 + A2: 2000 + A11: 1998 IEC 60335-2-14: 1994 + A1: 1998 + A2: 1999 BS EN 60335-2-14: 1998 + A1: 1990 + A51: 1991 + A52: 2000 + A53: 1994 + A54: 1995 IEC 60335-2-14: 1984 with Amd. Nos. 1 and 2 BS EN 60335-2-14: 2003
	- Pumps with rated voltage not more than 250V	- Compliance inspection and safety tests	EN 60335-2-41: 2003 + A1: 2006 + A2: 2010 IEC 60335-2-41: 2002 + A1: 2004 + A2: 2010
	- Refrigerating appliances with rated voltage not more than 250 V for single-phase appliances, 480 V for other appliances (excluding absorption type refrigerators)	- Compliance inspection and safety tests	BS EN 60335-2-24: 2001 + AMD13363

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD
则試類別	测試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The accredita	tion of the following tests has bee	en terminated.
ELECTRICAL and ELECTRONIC PRODUCTS (cont'd) 電氣及電子產品	Household and similar electrical appliances	Safety tests :- (cont'd)	
电规仪电丁座四 (續上)	 Spin extractors with rated voltage not more than 250 V for single-phase appliances 	- Compliance inspection and safety tests	BS EN 60335-2-4: 1995 + AMD9958 + AMD13003
	- Tumble dryers with rated voltage not more than 250 V for single-phase appliances	- Compliance inspection and safety tests	BS EN 60335-2-11: 2003 + A14582 + A14650 + A15460
	- Unvented (closed) storage water heater with rated pressure up to 1000 kPa (10 bar) and rated voltage not more 250 V for single-phase appliances and 480 V for other appliances	- Compliance inspection and safety tests	BS EN 60335-2-21: 1992 with AMD8463 and AMD8854 EN 60335-2-21: 1992 + A3: 1995 IEC 60335-2-21: 1989 + A1: 1990 + A2: 1990 + A3: 1992 BS EN 60335-2-21: 2003
	- Washing machines with voltage not more than 250 V for single-phase appliances	- Compliance inspection and safety tests	BS EN 60335-2-7: 2001 EN 60335-2-7: 2001

TEST CATEGORY	ITEM, MATERIAL	_SPECIFIC TEST OR _PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	_测試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The accredita	tion of the following tests has bee	en terminated.
ELECTRICAL and ELECTRONIC PRODUCTS		Safety tests :- (cont'd)	
(cont'd) 電氣及電子產品	Luminaires		
(續上)	- General requirements for luminaires up to 100W	- Compliance inspection and safety tests	BS EN 60598-1: 2000 with AMD13039, AMD13092, AMD13308 and AMD14413 EN 60598-1: 2000 + A11: 2002 + A12: 2004
	- Lighting chains	- Compliance inspection and safety tests	BS EN 60598-2-20: 1992 EN 60598-2-20: 1991
	- Portable general purpose luminaires up to 100 W	- Compliance inspection and safety tests	EN 60598-2-4: 1989

List of activities for which accreditation has been terminated (Notification letter no. 005-295; Effective date of termination: 23 June 2014)

Intertek Testing Services Hong Kong Ltd. (Laboratory at Garment Centre)			
TEST CATEGORY .測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED .特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED .規範、標準方法或應用技術
ELECTRICAL AND ELECTRONIC PRODUCTS		Telecommunications equipment tests :-	
電氣及電子產品	Angle Modulated Radio Transmitters and Receivers Used as Base, Repeater, Mobile and Portable Equipment Operating in Frequency Band 30-1000 MHz for Use in Land Mobile Radio Service	 Test For Transmitter: Frequency error Frequency deviation Adjacent channel power Test For Receiver: Usable sensitivity Adjacent channel selectivity Intermodulation response rejection Blocking or desensitization Spurious response rejection 	HKTA 1002 Issue 6 (2008)
	VHF Transmitters Operating in the Frequency Band of 170 MHz to 174 MHz or 275 MHz to 285 MHz for Use in the Public Paging Service	 Test For Transmitter: Frequency error Frequency deviation Adjacent channel power 	HKTA 1004 Issue 4 (2003)
	Low Power Radio Microphones Including Associated Receiving Equipment for Use in the VHF/UHF Band	 Test For Transmitter: Frequency error Maximum permissible frequency deviation 	HKTA 1008 Issue 3 (2003)
	Angle Modulated Radio Equipment for Use as Repeater, Base and Mobile Stations in the 800 MHz Trunked Radio	 Test For Transmitter: Frequency error Frequency deviation Test For Receiver: Usable sensitivity Adjacent channel selectivity Intermodulation response rejection Spurious response rejection 	HKTA 1016 Issue 4 (2007)

List of activities for which accreditation has been terminated (Notification letter no. 005-295; Effective date of termination: 23 June 2014)

Intertek Testing Services Hong Kong Ltd. (Laboratory at Garment Centre)			
_TEST _CATEGORY _測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	.SPECIFIC TESTS OR PROPERTIES MEASURED .特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED .規範、標準方法或應用技術
ELECTRICAL AND ELECTRONIC PRODUCTS		Telecommunications equipment tests :-	
電氣及電子產品	Repeater Equipment for Use in the Public Mobile Radiotelephone Service (PMRS) Employing Global System for Mobile Communications (GSM) Operating in the 900 MHz Band or in the Personal Communications Service (PCS) Operating in the 1800 MHz Band	 Test For Repeaters Intermodulation attenuation Out of band gain 	HKTA 1020 Issue 7 (2011)
	Radio Equipment Exempted From Licensing < <i>Excluding the following</i> > 76-77 GHz Band	 Test For Transmitter: Carrier power Power spectral density 	HKTA 1035 Issue 6 (2011)
	Radiocommunications Apparatus Operating in the 27MHz Band for Private Use	- Test For Transmitter: - Mean power - Emission bandwidth	HKTA 1041 Issue 1 (2003)
	Radiocommunications Apparatus Operating in the 409 MHz Band as Short- Range Portable Radio	 Test For Transmitter: Frequency error Adjacent channel power 	HKTA 1044 Issue 1 (2003)