

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS021-304; Effective date of termination: 4 March 2025)

Stanger Asia Limited

史達嘉亞洲有限公司

DD 83 Lot 549, 553, 556 Sha Tau Kok Road, Fanling, New Territories, Hong Kong

香港新界粉嶺沙頭角公路 83 區 549, 553 及 556 地段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Foundation	Compression static loading test (SLT)	Architectural Services Department General Specification for Building (2017) Section 5.29 Hong Kong Housing Authority Specification Library (2014) Cl. PIL1.T710.7 to PIL1.T920.7 & Cl. PIL1.T1010.7 to PIL1.T1110.7
	Compression static loading test on piles (SLT) using multiple hydraulic jacks and load cells	In-house method STA06
	Ultrasonic echo sounder test (UEST)	Hong Kong Concrete Institute TM3 (2009) excluding Cl. 5
Soil (other)	Pull-out test of soil nails	Hong Kong Housing Authority Specification Library (2000) SLO.T310.3 to SLO.T350.3

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS021-303; Effective date of termination: 14 October 2024)

Stanger Asia Limited

史達嘉亞洲有限公司

Rooms 503 - 504, 5/F. & 705 - 706, 7/F., Fuk Shing Commercial Building,

28 On Lok Mun Street, On Lok Tsuen, Fanling, New Territories, Hong Kong

香港新界粉嶺安樂村安樂門街 28 號福成商業大廈 5 樓 503 - 504 室及 7 樓 705 - 706 室

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following test has been terminated		
Welds (non-destructive)	Visual examination on stud shear connectors	BS 5400-6: 1999 Cl. 4.7.4

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS021-303; Effective date of termination: 14 October 2024)

Stanger Asia Limited

史達嘉亞洲有限公司

DD 83 Lot 549, 553, 556 Sha Tau Kok Road, Fanling, New Territories, Hong Kong

香港新界粉嶺沙頭角公路 83 區 549, 553 及 556 地段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Structural fixings (anchor bolts, dowel bars & spiders)	Tensile proof load test of anchor bolts (size M6 – M39) in the force range 1 kN – 150 kN Tensile proof load test of dowel bars (6 – 40 mm diameter) in the force range 1 kN – 1000 kN	In-house method DIA 08 In-house method DIA 33 (with one hour deformation measurement) In-house method DIA 09

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS021-302; Effective date of termination: 25 June 2024)

Stanger Asia Limited

史達嘉亞洲有限公司

Rooms 503 - 504, 5/F. & 705 - 706, 7/F., Fuk Shing Commercial Building, 28 On Lok Mun Street, On Lok Tsuen, Fanling, New Territories, Hong Kong

香港新界粉嶺安樂村安樂門街 28 號福成商業大廈 5 樓 503 - 504 室及 7 樓 705 - 706 室

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Welds (non-destructive)	Magnetic particle test (fluorescent method(s) using permanent magnets & A.C. yokes)	BS 6072: 1981 + Amd. 3960, 4542 & 4843 BS EN 1290: 1998 BS EN ISO 9934-1: 2001 BS EN ISO 17638: 2009 BS EN ISO 17638: 2016 in conjunction with the following specification(s): BS 5135: 1984 Table 18 & 19 BS 5400-6: 1999 Cl. 5.5.2.4.1 BS EN ISO 5817: 2003 Table 1 BS EN ISO 5817: 2007 Table 1 BS EN ISO 5817: 2014 Table 1 Buildings Department Code of Practice for the Structural Use of Steel (2011) Table 14.3b

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS021-302; Effective date of termination: 25 June 2024)

Stanger Asia Limited

史達嘉亞洲有限公司

DD 83 Lot 549, 553, 556 Sha Tau Kok Road, Fanling, New Territories, Hong Kong

香港新界粉嶺沙頭角公路 83 區 549, 553 及 556 地段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Foundation	Crosshole sonic logging test (SOLT)	ASTM D6760-02 ASTM D6760-08 ASTM D6760-14
	Pile dynamic test (PDA)	ASTM D4945-00 ASTM D4945-08 ASTM D4945-12
	Pile integrity test (PIT)	ASTM D5882-00
	Compression static loading test (SLT)	Architectural Services Department General Specification for Building (2012) Section 5.28 Buildings Department APP-18 (Feb 2012) Cl. 20-21
	Ultrasonic echo sounder test (UEST)	In-house method PIL10-KTMS
Concrete (diagnostic)	Infrared thermography for detection of building surface defects	Hong Kong Concrete Institute TM1 (2009)
Structural fixings	Tightening torque test of anchor bolts and bolt with nut in the torque range of 20 Nm – 500 Nm	In-house method DIA50

Annex II

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS021-301; Effective date of termination: 31 May 2024)

Stanger Asia Limited

史達嘉亞洲有限公司

DD 83 Lot 549, 553, 556 Sha Tau Kok Road, Fanling, New Territories, Hong Kong

香港新界粉嶺沙頭角公路 83 區 549, 553 及 556 地段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Concrete	Sampling fresh concrete on site	CS1: 1990 Section 1 + Amd. 1101
	Slump of fresh concrete	CS1: 1990 Section 2 + Amd. 1101 & 1102
	Making test cubes from fresh concrete	CS1: 1990 Section 7 + Amd. 1101 & 1102
	Curing of test specimens (Tropical zone temperature)	CS1: 1990 Section 10 + Amd. 1101
	Compressive strength of concrete cubes in the force range 20 kN - 3000 kN	CS1: 1990 Section 12 + Amd. 1201, 1202 & 1203
	Compressive strength of concrete cores in the force range 20 kN - 2000 kN	CS1: 1990 Section 15 + Amd. 1201, 1203 & 1205
	Density of hardened concrete	CS1: 1990 Section 16 + Amd. 1201 & 1203
	Flow table test	CS1: 1990 Section 22 + Amd. 1206
	Obtaining core samples	In-house Method DIA 19
	Removal of concrete cover to expose reinforcement	Hong Kong Housing Authority Materials Testing Services (2002/2004) for Maintenance & Building Materials Specification Part D Cl. 4.2.1
	Crack survey	Hong Kong Housing Authority Materials Testing Services (2002/2004) for Maintenance & Building Materials Specification Part D Cl. 4.3.14
Obtaining drilling powder samples	Hong Kong Housing Authority Materials Testing Services (2002/2004) for Maintenance & Building Materials Specification Part D Cl. 6.4	

Annex II

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS021-301; Effective date of termination: 31 May 2024)

Stanger Asia Limited

史達嘉亞洲有限公司

DD 83 Lot 549, 553, 556 Sha Tau Kok Road, Fanling, New Territories, Hong Kong

香港新界粉嶺沙頭角公路 83 區 549, 553 及 556 地段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Concrete (diagnostic)	Carbonation test	Hong Kong Housing Authority Materials Testing Services (2002/2004) for Maintenance & Building Materials Specification Part D Cl. 4.3.1 Method 1 & Method 2
	Covermeter survey	Hong Kong Housing Authority Materials Testing Services (2002/2004) for Maintenance & Building Materials Specification Part D Cl. 4.3.2 Method 1 & Method 2
	Half-cell potential measurement	ASTM C876-87 ASTM C876-91 Hong Kong Housing Authority Materials Testing Services (2002/2004) for Maintenance & Building Materials Specification Part D Cl. 4.3.4 & 4.3.5
	Resistivity measurement	Hong Kong Housing Authority Materials Testing Services (2002/2004) for Maintenance & Building Materials Specification Part D Cl. 4.3.6
	Surface hardness measurement	BS 1881: Part 202: 1986 BS EN 12504-2: 2001

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS021-295; Effective date of termination: 23 August 2023)

Stanger Asia Limited

史達嘉亞洲有限公司

DD 83 Lot 549, 553, 556 Sha Tau Kok Road, Fanling, New Territories, Hong Kong

香港新界粉嶺沙頭角公路 83 區 549, 553 及 556 地段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following test has been terminated		
Concrete (diagnostic)	Surface hardness measurement	In-house method DIA25-1

Annex II

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS021-292; Effective date of termination: 16 May 2023)

Stanger Asia Limited

史達嘉亞洲有限公司

DD 83 Lot 549, 553, 556 Sha Tau Kok Road, Fanling, New Territories, Hong Kong

香港新界粉嶺沙頭角公路 83 區 549, 553 及 556 地段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Metallic materials	Tensile test of carbon steel bars in the force range 15 kN - 1500 kN	BS 4449: 1988 Cl. 10.1 CS2: 1995 Cl. 6.1 & 6.2
	Tensile test & slip/permanent elongation test of mechanical coupler for reinforcing bar in the force range 10 kN – 2000 kN	In-house method STL07_DA In-house method STL07_DE in conjunction with the following specification(s): General specification for Civil Engineering Works (1992) Vol. 2 Cl. 15.33
	Bend test of carbon steel bars	BS 4449: 1988 Cl. 10.2 CS2: 1995 Cl. 6.1 & 6.3
	Rebend test of carbon steel bars	BS 4449: 1988 Cl. 10.3 CS2: 1995 Cl. 6.1 & 6.4

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS021-269; Effective date of termination: 18 January 2020)

Stanger Asia Limited

史達嘉亞洲有限公司

Rooms 309, 3/F., 503 - 504, 5/F. & 705 - 706, 7/F., Fuk Shing Commercial Building,

28 On Lok Mun Street, On Lok Estate, Fanling, New Territories, Hong Kong

香港新界粉嶺安樂村安樂門街 28 號福成商業大廈 3 樓 309 室, 5 樓 503 - 504 室及 7 樓 705-706 室

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Aggregates	Particle size distribution	BS 812: Section 103.1: 1985 + Amd. 6003 (Sieve analysis)

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS021-267; Effective date of termination: 26 August 2019)

Stanger Asia Limited

史達嘉亞洲有限公司

DD 83 Lot 549, 553, 556 Sha Tau Kok Road, Fanling, New Territories, Hong Kong

香港新界粉嶺沙頭角公路 83 區 549, 553 及 556 地段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following test has been terminated		
Concrete (diagnostic)	Resistivity measurement	Hong Kong Housing Authority Materials Testing Services (2004/2006) for Maintenance & Building Materials Specification Part D Cl. 4.3.6

Annex II

List of calibration for which accreditation has been terminated

(Notification letter No.: HOKLAS021-252; Effective Date of Termination: 27 December 2017)

Stanger Asia Limited

史達嘉亞洲有限公司

Rooms 309, 3/F., 503 - 504, 5/F. & 705 - 706, 7/F., Fuk Shing Commercial Building,

28 On Lok Mun Street, On Lok Estate, Fanling, New Territories, Hong Kong

香港新界粉嶺安樂村安樂門街28號福成商業大廈3樓309室,5樓503-504室及7樓705-706室

Calibration Services 校正服務		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED® 特定測試或量度的特性®	CALIBRATION AND MEASUREMENT CAPABILITY (CMC)* 校準和測量能力*
Mass and related measurements) - Force measurements - Concrete testing machine	On-site calibration in accordance with BS 1610: Part 1: 1985 (Amd. 6175), or BS 1610: Part 1: 1992 using true force method over the following range : 20 kN to 50 kN above 50 kN to 3000 kN	0.29 % 0.15 % (Calibration is conducted using Grade 1.0 load cell, load column or proving ring)
- Universal testing machine in compression mode	On-site calibration in accordance with BS 1610: Part 1: 1985 (Amd. 6175), or BS 1610: Part 1: 1992 using true force method over the following range : 1 kN to 50 kN above 50 kN to 3000 kN	0.65 % 0.18 % (Calibration is conducted using Grade 1.0 load cell, load column or proving ring)

® UNLESS OTHERWISE SPECIFIED, ACCREDITED ACTIVITIES ARE CONDUCTED AT THE LABORATORY.

* THE CALIBRATION UNCERTAINTY OF A DEVICE UNDER TEST IS USUALLY REPORTED AT 95% CONFIDENCE LEVEL AND DEPENDS ON BOTH THE CMC OF THE LABORATORY AND THE PERFORMANCE OF THE DEVICE DURING CALIBRATION.

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No.: HOKLAS021-249; Effective date of termination: 10 July 2017)

DD 83 Lot 549, 553, 556 Sha Tau Kok Road, Fanling, New Territories, Hong Kong
香港新界粉嶺沙頭角公路 83 區 549, 553 及 556 地段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Repair mortar	Bond strength of repair mortar (pull-off test)	HKHA MTS (2002/2004) for Maintenance & Building Materials Specification Part D Cl. 2.1.15 Method 1

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No.: HOKLAS021-248; Effective date of termination: 11 May 2017)

Rooms 309, 3/F., 503 - 504, 5/F. & 705 - 706, 7/F., Fuk Shing Commercial Building,
28 On Lok Mun Street, On Lok Estate, Fanling, New Territories, Hong Kong
香港新界粉嶺安樂村安樂門街 28 號福成商業大廈 3 樓 309 室, 5 樓 503 - 504 室及 7 樓 705-706 室

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Soil (other)	Pull-out test of soil nails	ArchSD Particular Specification (2003) Cl.5.6 GEO Particular Specification for soil nail pull out test (2004) Cl. 7.229A1 GEO Particular Specification for soil nail pull out test (2004) Cl. 7.229A1 (with modification)
	Soil nail performance	ArchSD Particular Specification (2003) Cl. 5.9

DD 83 Lot 549, 553, 556 Sha Tau Kok Road, Fanling, New Territories, Hong Kong
香港新界粉嶺沙頭角公路 83 區 549, 553 及 556 地段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Metallic materials (steel - reinforcing)	Tensile test of reinforcing bar with mechanical coupler (10 mm - 50 mm diameter) in the force range 15 kN – 1400 kN	KCRC major capital works standard specification (Mar 2002) Cl. 23.10.05 MTRC Materials and Workmanship Specification for Civil Engineering Works (Mar 1998) Cl. 10.22
	Preparation of structural steel sample (with parallel sides) for tensile test	BS 4360: 1986 BS 4360: 1990

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No.: HOKLAS021-240; Effective date of termination: 3 February 2016)

Stanger Asia Limited
史達嘉亞洲有限公司

Main Laboratory			
TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
CONSTRUCTION MATERIALS 建築材料	Soil (Phase II)	One-dimensional consolidation test Unconsolidated undrained triaxial compression test without pore pressure measurement Isotropically consolidated undrained triaxial compression test with pore pressure measurement Isotropically consolidated drained triaxial compression test with measurement volume change	GEOSPEC 3 : 2001 Test 14.1 GEOSPEC 3 : 2001 Test 15.1 GEOSPEC 3 : 2001 Test 15.2 GEOSPEC 3 : 2001 Test 15.3

Annex II

List of calibrations for which accreditation has been terminated

(Notification Letter: HOKLAS021-238; Effective date of termination: 14 December 2015)

Stanger Asia Limited
史達嘉亞洲有限公司

Main Laboratory			
TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	CALIBRATION AND MEASUREMENT CAPABILITY (CMC)* 校準和測量能力*
CALIBRATION SERVICES 校正服務	Mass and related measurements		
	- Pressure measurements		
	- Pressure gauge	Calibration in accordance with GEOSPEC 3: 2001 App. A.3.2 over the following ranges : 70 to 350 kPa above 350 kPa to 1000 kPa	6% 1.1%
	- Pressure transducer	Calibration in accordance with GEOSPEC 3: 2001 App. A.3.2 over the following ranges : 70 to 100 kPa above 100 kPa to 1000 kPa	1.7% 0.4%
	- Volume measurements		
	- Volume change apparatus	Calibration in accordance with GEOSPEC 3: 2001 App. A.3.3 over the following ranges : up to 95 ml	0.065 m1

Annex III

List of activity for which accreditation has been terminated

(Notification Letter: HOKLAS021-234; Effective date of termination: 14 September 2015)

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
CONSTRUCTION MATERIALS 建築材料	Ground water (chemical analysis)	Sulphate content	GEOSPEC 3 : 2001 Test 9.3

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No.: HOKLAS021-228; Effective date of termination: 24 April 2015)

Stanger Asia Limited
史達嘉亞洲有限公司

Main Laboratory			
TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
CONSTRUCTION MATERIALS 建築材料	Aggregates	Clay, silt and dust content	BS 812 : Part 1 : 1975 (Amd. 2069, 4572, 4875, 6587) (Decantation method)
		Elongation index	BS 812 : Section 105.2 : 1990
		Flakiness index	BS 812 : Section 105.1 : 1989
		Moisture content	BS 812 : Part 109 : 1990 (Oven drying method)
	Soil (Phase I)	In-situ bulk density and in-situ dry density if soils by nuclear densometer method suitable for fine- and medium-grained soils	GEOSPEC 3 : 2001 Test 11.3
		California Bearing Ratio (CBR)	BS 1377 : Part 9 : 1990 GEOSPEC 3 : 2001 Test 12.1
Soil (Phase II)	Isotropic compression test in a triaxial cell	GEOSPEC 3 : 2001 Test 14.2	

List of activity for which accreditation has been terminated

(Effective date of termination: 22 May 2015)

Main Laboratory			
TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
CONSTRUCTION MATERIALS 建築材料	Aggregates	Ten per cent fines value	BS 812 : Part 111 : 1990

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No.: HOKLAS021-227; Effective date of termination: 24 April 2015)

Stanger Asia Limited
史達嘉亞洲有限公司

Main Laboratory			
TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
CONSTRUCTION MATERIALS 建築材料	Aggregates	Clay, silt and dust content	BS 812 : Part 1 : 1975 (Amd. 2069, 4572, 4875, 6587) (Decantation method)
		Elongation index	BS 812 : Section 105.2 : 1990
		Flakiness index	BS 812 : Section 105.1 : 1989
		Moisture content	BS 812 : Part 109 : 1990 (Oven drying method)
		Particle size distribution	BS 812 : Section 103.1 : 1985 (Amd. 6003) (Sieve analysis)
		Ten per cent fines value	BS 812 : Part 111 : 1990
	Soil (Phase I)	In-situ bulk density and in-situ dry density if soils by nuclear densometer method suitable for fine- and medium-grained soils	GEOSPEC 3 : 2001 Test 11.3
		California Bearing Ratio (CBR)	BS 1377 : Part 9 : 1990 GEOSPEC 3 : 2001 Test 12.1
	Soil (Phase II)	Isotropic compression test in a triaxial cell	GEOSPEC 3 : 2001 Test 14.2

Annex II

List of activities for which accreditation has been terminated

(Notification Letter: 021-214; Effective date of termination: 21 February 2014)

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
CONSTRUCTION MATERIALS 建築材料	Ground water (chemical analysis)	pH value	GEOSPEC 3 : 2001 Test 9.5