## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-185; Effective date of termination: 11 February 2025)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-184; Effective date of termination: 18 October 2024)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣				
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術		
	Accreditation of the following test has been terminated			
	Colour fastness tests :-			
- General Textiles and Garments	- Perspiration	AATCC Test Method 15-2021  <*Excluding the following>  Instrument rating method		
	- Rubbing/crocking	AATCC Test Method 8-2016e		
	- Water	AATCC Test Method 107-2013e2		
	Construction tests:			
	- Fabric width	ASTM D3774-96(2016)		
	- Threads per unit length, woven	ASTM D3775-17e1		
	- Yarn liner density	BS ISO 7211-5: 1984 ISO 7211-5: 1984		

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-184; Effective date of termination: 18 October 2024)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been te	rminated
	Fabric performance tests :-	
- General Textiles and Garments	- Abrasion resistance a) Martindale tester	ASTM D4966-12(2016)
	- Absorbency of bleached textiles	AATCC Test Method 79-2014
- General Textiles and Garments	- Pilling resistance	ASTM D3512/D3512M-16 SN EN ISO 12945-1: 2001 BS EN ISO 12945-2: 2000 EN ISO 12945-2: 2000
	- Water resistance (Hydrostatic pressure)	AATCC Test Method 127-2014 Option 2 ISO 811: 1981
	- Water resistance (Rain test)	AATCC Test Method 35-2013
	Fibre analysis :-	
- General Textiles and Garments	- Fibre content (Quantitative method – microscopic analysis)	BS ISO 17751: 2007
	Strength tests :-	
- General Textiles and Garments	- Bursting strength	ASTM D3786/D3786M-13
	- Seam strength	ASTM D1683/D1683M-17
	- Tensile strength	ASTM D5035-11(2015)
	- Tearing strength	ASTM D2261-13

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-184; Effective date of termination: 18 October 2024)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

音溶新介癸湘和且合道 03 號鹿酯中心 B 座 10 棲  Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has bee	en terminated
	Electrical tests :-	
Battery operated toys	- Battery operated toy safety tests	AS/NZS ISO 8124.1: 2002 + Amd. 1 + Amd. 2 + Amd. 3 Annex A
		ASTM F963-17 Section 4.25 < Excluding the following > Section 4.25.10
Electric toys supplied at extra-low voltage	- Compliance inspection and safety tests	EN 62115: 2005 + A12: 2015  < Excluding the following > C1.11.1 (IP test to IEC 60529), 14.15, 19.2.1 (burning tests to GB/T 5169.16 and ISO 9772), 20 (radiation tests), Annex C, E, ZB and ZC (tests to EN 62233)
		IEC 62115: 2003 + A1: 2004 + A2: 2010  AS/NZS 62115: 2011  < Excluding the following > for the above two standards  Cl.11.1 (IP test to IEC 60529), 14.15, 19.2.1 (burning tests to GB/T 5169.16 and ISO 9772), 20 (radiation tests), Annex C and E
	Flammability tests :-	
Toys	- Safety requirements and test methods	ASTM F963-17 Section 4.2
	- Safety requirements and test methods	Canada Toys Regulations (SOR/2011-17) amended up to 25 November 2016 Sections 21, 32, 33 and 34

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-184; Effective date of termination: 18 October 2024)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

音溶新介祭湘和宜合道 0.5 號鹿酯中心 B 座 10 樓  Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has be	en terminated
	Physical and mechanical tests :-	
Toys	- Safety requirements and test methods	ISO 8124-1: 2014  < Excluding the following > C1. 4.8.2
Toys	- Safety requirements and test methods	AS/NZS ISO 8124.1: 2002 + Amd. 1 + Amd. 2 + Amd. 3 < Excluding the following > Annex F (for toys with earphones or headphones)
Toys	- Safety requirements	ASTM F963-17 Section 4.1, 4.3.7, 4.5 to 4.24, 4.26 to 4.28, 4.30 to 4.41  < Excluding the following > 4.1(examination of level of hazardous substances in reprocessed materials to 4.3.1), 4.6.2, 4.8.1,
	<ul><li>- Labelling requirements</li><li>- Instructional literature</li><li>- Producer's markings</li><li>- Test methods</li></ul>	4.15 (multiple seating or standing area), 4.20.1 Section 5 Section 6 Section 7 Section 8
Children's jewellery	- Mechanical requirements - Test Methods	ASTM F2923-14 Cl. 12 Cl. 13

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-180; Effective date of termination: 18 June 2024)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been to	erminated
	Care performance tests :-	
- General Textiles and Garments	- Spirality	ISO 16322-2: 2005 with Corr. 1 ISO 16322-3: 2005 BS ISO 16322-3: 2005
	Colour fastness tests :-	
- General Textiles and Garments	- Burnt gas fumes	AATCC Test Method 23-2015e(2020)
	- Chlorinated water	AATCC Test Method 162-2011
	- Light	AATCC Test Method 16.3-2014
	- Perspiration	AATCC Test Method 15-2013 <excluding following="" the=""> Instrument rating method BS EN ISO 105-E04: 2013 EN ISO 105-E04: 2013</excluding>
	- Perspiration & light	AATCC Test Method 125-2013
	- Rubbing/crocking	AATCC Test Method 8-2016 AATCC Test Method 116-2013 AATCC Test Method 165-2013
	- Seawater	AATCC Test Method 106-2013
	- Spotting (water)	AATCC Test Method 104-2014
	- Washing	AATCC Test Method 61-2013
	- Water	AATCC Test Method 107-2013

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-180; Effective date of termination: 18 June 2024)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been te	erminated
	Construction tests:	
- General Textiles and Garments	- Fabric weight	ASTM D3776/ D3776M-09 (2013)
	- Threads per unit length, woven	ASTM D3775-12
	- Twist of yarn	ASTM D1422/D1422M-13
	Fabric performance tests :-	
- General Textiles and Garments	- Aqueous liquid repellency	AATCC Test Method 193-2012 AATCC Test Method 193-2007e4(2017)e2
	- Pilling resistance	ASTM D3514/D3514M-16 ASTM D4970/D4970M-16e2
	- Water repellency (spray rating)	AATCC Test Method 22-2017
	- Wrinkle Recovery (Recovery Angle Method)	AATCC Test Method 66-2014 Option 1
	- Wrinkle Recovery (Appearance method)	AATCC Test Method 128-2013
	Fibre analysis :-	
- General Textiles and Garments	- Fibre content (Qualitative method)	AATCC Test Method 20-2013  <*Excluding the following> Refractive Index, Melting Point, Micro-FTIR, Density and Stain test
	- Fibre content (Quantitative method – mechanical separation and chemical analysis)	AATCC Test Method 20A-2014  <*Excluding the following>* Method No. 11
	- Fibre content (Quantitative method – microscopic analysis)	AATCC Test Method 20A-2014
	- Fibre diameter (Animal fibres, yarn and fabric only)	ASTM D2130-13

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-180; Effective date of termination: 18 June 2024)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has be	een terminated
	Fibre analysis :-	
- General Textiles and Garments	- Fibre content (Quantitative method – mechanical separation and chemical analysis)	ISO 1833-1: 2006 + Cor.1 : 2009 (Note: The above Part 1 standard should be used in conjunction with other parts of ISO 1833 for particular fibre mixtures) ISO 1833-2: 2006 ISO 1833-3: 2006 ISO 1833-4: 2006 ISO 1833-5: 2006 ISO 1833-10: 2006 ISO 1833-10: 2006 ISO 1833-12: 2006 ISO 1833-12: 2006 ISO 1833-13: 2006 ISO 1833-14: 2006 ISO 1833-14: 2006 ISO 1833-16: 2006 ISO 1833-17: 2006 ISO 1833-18: 2006 ISO 1833-18: 2006
	Strength tests :-	
- General Textiles and Garments	- Bursting strength	BS EN ISO 13938-1: 1999 BS EN ISO 13938-2: 1999 EN ISO 13938-1: 1999 EN ISO 13938-2: 1999
	- Tensile strength	ASTM D5034-09 (2013)
	- Tearing strength	ASTM D1424-09 (2013)

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-180; Effective date of termination: 18 June 2024)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has be	en terminated
Toys	Flammability tests :-	AS/NZS 8124.2: 2016  <*Excluding the following>  Tests for flammable gases, extremely flammable liquids, highly flammable liquids and flammable gels  EN 71-2: 2011+A1:2014  <*Excluding the following>  Test for flammable gases, extremely flammable Liquids, highly flammable liquids and flammable gel
	Physical and mechanical tests :-	
Toys	Safety requirements and test methods	AS/NZS 8124.1: 2016 AS/NZS 8124.1: 2019 < Excluding the following > For the above two standard C1. 4.8.2
Toys	Safety requirements and test methods	EN 71-1: 2014

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-179; Effective date of termination: 1 April 2024)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been t	erminated
	Chemical analysis :-	
- Leather	- pH value	EN ISO 4045: 2008 ISO 4045: 2008 IULTCS/IUC 11: 2008

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-176; Effective date of termination: 2 May 2023)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests has been terminated		
	Chemical tests :-		
Furniture and other articles for children (surface coating materials)	- Total lead content	Canada Surface Coating Materials Regulations (SOR/2005-109, as amended by SOR/2011-14), Section 7.2	
Pencils and artists brushes (surface coating materials)	- Total lead content	Canada Surface Coating Materials Regulations (SOR/2005-109, as amended by SOR/2011-14), Section 7.3	
Consumer products (other than kitchen utensils) that are brought into contact with the children's mouth in the course of normal use, and consumer products intended for use in play or learning by children under the age of 3 years	- Total lead content (metal components) - Total lead content (non-metal components)	Canada Consumer Products Containing Lead (Contact with Mouth) Regulations (SOR/2010-273)	
Finger paints	- Migration of certain elements	EN 71-7: 2014 + A2:2018 Cl. 4.4  Compliance test procedures for migration of elements:- EN 71-3:2019	
	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Annex E (ICP-MS)	
	Chromium (VI) Chromium (III) (by calculation)	Annex F (LC-ICP-MS)	
	Methyltin, Dimethyltin, Butyltin, Dibutyltin, Tributyltin, Tetrabutyltin, n-Octyl tin, Di-n-octyltin, Di-n-propyl tin, Diphenyltin, Triphenyltin	Annex G (GC-MS-MS)	

(Notification letter No.: HOKLAS036-176; Effective date of termination: 2 May 2023)

UL VS Hong Kong Limited 優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests has been terminated		
	Chemical tests (cont'd):-		
Toys	- Migration of certain elements	BS EN 71-3:2019 EN 71-3:2019	
Category I toy materials: Dry, brittle, powder like or pliable materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Annex E (ICP-MS)	
	Chromium (VI) Chromium (III) (by calculation)	Annex F (LC-ICP-MS)	
	Organic Tin:  Methyl tin, Dimethyltin, Butyltin, Dibutyl tin, Tributyl tin Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Annex G (GC-MS-MS)	
Category II toy materials: Liquid or sticky materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Annex E (ICP-MS)	
	Chromium (VI) Chromium (III) (by calculation)	Annex F (LC-ICP-MS)	
	Organic Tin:  Methyl tin, Dimethyltin, Butyltin, Dibutyl tin, Tributyl tin  Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin,  Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Annex G (GC-MS-MS)	

(Notification letter No.: HOKLAS036-176; Effective date of termination: 2 May 2023)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been termina	ated
	Chemical tests (cont'd) :-	
Toys	- Migration of certain elements	BS EN 71-3:2019 EN 71-3:2019
Category III toy materials: Scraped-off materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Annex E (ICP-MS)
	Chromium (VI) Chromium (III) (by calculation)	Annex F (LC-ICP-MS)
	Organic Tin:  Methyl tin, Dimethyltin, Butyltin, Dibutyl tin, Tributyl tin  Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin,  Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Annex G (GC-MS-MS)
	Chromium (for screening for Cr(VI))	Alternative method as documented in 211-AT-S0141 (ICP-MS)
Category III toy materials: Scraped-off materials <excluding following="" the=""> Paper and paperboard</excluding>	Tin (for screening for organic tin)	Alternative method as documented in 211-AT-S0141 (ICP-MS)

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-175; Effective date of termination: 11 November 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been ter	rminated
- General Textiles and Garments	Colour fastness tests : Burnt gas fumes	AATCC Test Method 23-2015
- Specific Products : Sleeping bag	Flammability tests : Horizontal test	CPAI-75: 1976

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-173; Effective date of termination: 22 August 2022)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
Leather 皮革	pH value	ISO 4045: 2008

(Notification letter No.: HOKLAS036-173; Effective date of termination: 23 August 2022)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術 wing tests has been terminated  Canada Surface Coating Materials Regulations (SOR/2005-109, as amended by SOR/2011-14) Section 7.3  Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 43 as amended by Commission Regulation (EC) No. 552/2009 and Commission Regulation (EU) No. 126/2013 Test Procedure for compliance testing for leather products: - EN ISO 17234-1: 2010 Test Procedure for compliance testing for textile products: - EN 14362-1:2012
Canada Surface Coating Materials Regulations (SOR/2005-109, as amended by SOR/2011-14) Section 7.3  Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 43 as amended by Commission Regulation (EC) No. 552/2009 and Commission Regulation (EU) No. 126/2013 Test Procedure for compliance testing for leather products: - EN ISO 17234-1: 2010 Test Procedure for compliance testing for textile products: - EN 14362-1:2012
(SOR/2005-109, as amended by SOR/2011-14)  Section 7.3  Regulation (EC) No. 1907/2006 on REACH Annex  XVII Item No 43 as amended by  Commission Regulation (EC) No. 552/2009 and  Commission Regulation (EU) No. 126/2013  Test Procedure for compliance testing for leather products:  - EN ISO 17234-1: 2010  Test Procedure for compliance testing for textile products:  - EN 14362-1:2012
XVII Item No 43 as amended by Commission Regulation (EC) No. 552/2009 and Commission Regulation (EU) No. 126/2013  Test Procedure for compliance testing for leather products: - EN ISO 17234-1: 2010  Test Procedure for compliance testing for textile products: - EN 14362-1:2012
Test Procedure for compliance testing for leather products: - EN ISO 17234-2:2011 Test Procedure for compliance testing for textile products: - EN 14362-3:2012 Techniques used are GC-MSD and HPLC-DAD for all test methods listed above.
)

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-172; Effective date of termination: 23 May 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

OR TECHNIQUE USED 規範、標準方法或應用技術
3): 1999
3 & A1: 2005, Cl. 4.3 & Annex C 2004

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-170; Effective date of termination: 20 April 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

	Textiles and Garments 紡織	品及成衣
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation for the following tests has be	een terminated.
	Care performance tests :-	
- General Textiles and Garments 一般紡織品及成衣	- Dimensional stability to dry cleaning	AATCC 158-2016
	- Dimensional stability to steaming	BS 4323: 1979 ISO 3005: 1978
	- Dimensional stability to washing 洗水縮率	AATCC Test Method 135-2015 AATCC Test Method 150-2012 GB/T 8629-2001 GB/T 8630-2013
	- Wash and wear performance	AATCC Test Method 88B-2014 AATCC Test Method 88C-2014 AATCC Test Method 124-2014 AATCC Test Method 143-2014 GB/T 13769- 2009 GB/T 13770- 2009 GB/T 13771- 2009
	- Skewness after washing	AATCC Test Method 179-2012

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-170; Effective date of termination: 20 April 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation for the following tests has b	een terminated.
	Chemical analysis :-	
- General Textiles and Garments 一般紡織品及成衣	- Free formaldehyde content 游離水解甲醛含量	BS EN ISO 14184-1: 1999 BS EN ISO 14184-1: 2011 EN ISO 14184-1: 1998 ISO 14184-1: 1998 JIS L 1041: 2000 Section 6.3.1 (b) JIS L 1096: 1999 Section 8.39 JIS L 1018: 1999 Section 8.45 JIS L 1087: 2002 Section 7.24 GB 18401-2010 Cl. 6.1 using test method GB/T 2912.1-2009
	- pH value (Textiles) pH 值(紡織品)	AATCC Test Method 81-2006 BS EN 1413: 1998 EN 1413: 1998 ISO 3071: 1980 BS EN ISO 3071: 2006 GB/T 7573-2009 GB 18401-2010 Cl. 6.2 using test method GB/T 7573-2009
	- Released formaldehyde content 釋放甲醛含量	AATCC Test Method 112-2008 BS EN ISO 14184-2: 1998 EN ISO 14184-2: 1998 ISO 14184-2: 1998 GB/T 2912.2-2009

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-170; Effective date of termination: 20 April 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Accreditation for the following tests has b	een terminated.	
Chemical analysis :- (cont'd)		
- pH value	BS EN ISO 4045: 2008	
- Free formaldehyde content 游離水解甲醛含量	DIN 53315: 1996 <excluding following="" the=""> Cl. 6.2 GB/T 19941-2005  <excluding following="" the=""> Cl. 4</excluding></excluding>	
- Chromium (VI)	BS EN 420: 2003 + A1 Cl. 4.3.3 EN 420: 2003 + A1 Cl. 4.3.3 DIN EN 420: 2003 + A1 Cl. 4.3.3 BS EN ISO 17075: 2007 EN ISO 17075: 2007 ISO 17075: 2007 BS EN ISO 17075-1: 2017 DIN EN ISO 17075-1: 2017 IULTCS/IUC 18: 2007	
	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性  Accreditation for the following tests has b  Chemical analysis:-(cont'd)  - pH value  - Free formaldehyde content 游離水解甲醛含量	

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-170; Effective date of termination: 20 April 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation for the following tests has be	een terminated.
	Colour fastness tests :-	
- General Textiles and Garments 一般紡織品及成衣	- Bleaching (hypochlorite) 耐次氯酸鹽漂白色牢度	AS 2001.4.11-1982 BS EN 20105-N01: 1995 EN 20105-N01: 1995 GB/T 7069-1997
	- Chlorinated water 耐氯化水色牢度	AS/NZS 2001.4.5-1998 GB/T 8433-2013
	- Dry cleaning 耐乾洗色牢度	GB/T 5711-1997 GB/T 5711-2015
	- Light 耐光色牢度	GB/T 8427-2008
	- Perspiration 耐汗漬色牢度	AS 2001.4.E04-2005 GB 18401-2010 Cl. 6.4 using test method GB/T 3922-2013
	- Perspiration & light	BS EN ISO 105-B07: 2009 EN ISO 105-B07: 2009 ISO 105-B07: 2009
	- Phenolic yellowing	In-house method SLIHG018
	- Rubbing/crocking 耐磨擦色牢度	AATCC Test Method 8-2013  JIS L0849-2013 Type I test  GB 18401-2010 Cl. 6.5 using test method  GB/T 3920-2008
	- Saliva 耐唾液色牢度	GB 18401-2010 Cl. 6.6 using test method GB/T 18886-2002 GB 18401-2010 Cl. 6.6 using test method GB/T 18886-2019
	- Seawater 耐海水色牢度	AS 2001.4.E02-2001 GB/T 5714-1997 GB/T 5714-2019

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-170; Effective date of termination: 20 April 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation for the following tests has be	een terminated.
	Colour fastness tests :- (cont'd)	
- General Textiles and Garments 一般紡織品及成衣	- Spotting (acid) 耐酸斑色牢度	AATCC Test Method 6-2011 ISO 105-E05: 2010 BS EN ISO 105-E05: 2010 EN ISO 105-E05: 2010 GB/T 5715-2013
	- Spotting (alkaline) 耐鹼斑色牢度	AATCC Test Method 6-2011 ISO 105-E06: 2006 BS EN ISO 105-E06: 2006 EN ISO 105-E06: 2006 + AC GB/T 5716-2013
	- Spotting (water) 耐水斑色牢度	AS/NZS 2001.4.4-1998 GB/T 5717-2013
	- Washing 耐洗色牢度	AS 2001.4.15-2006 BS EN ISO 105-C10: 2007 EN ISO 105-C10: 2007 ISO 105-C10: 2006 JIS L0844-2011 Test A1-A3 GB/T 3921-2008 GB/T 12490-2014 GB/T 23343-2009
	- Water 耐水色牢度	AS 2001.4.E01-2001 GB 18401-2010 Cl. 6.3 using test method GB/T 5713-2013

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-170; Effective date of termination: 20 April 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation for the following tests has be	een terminated.
	Construction tests:	
- General Textiles and Garments 一般紡織品及成衣	- Fabric weight 布重	ASTM D3887-96 (2008) Section 9 BS 2471: 2005 GB/T 4669-2008 GB/T 4669-1995
	- Fabric width	ASTM D3887-96 (2008) Section 10 ISO 3932: 1976
	- Weft knit, stitch density	ASTM D3887-96 (2008) Section 12

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-170; Effective date of termination: 20 April 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation for the following tests has been	terminated.
	Fabric performance tests :-	
General Textiles and Garments 一般紡織品及成衣	- Abrasion resistance a) Martindale tester	AS 2001.2.25.1 to 4-2006 (R2016)
The state of the s		110 2001.2.25.1 to 1 2000 (12010)
	- Aqueous liquid repellency	AATCC Test Method 193-2007
	- Odour 異味	GB 18401-2010 Cl. 6.7
	- Pilling resistance	BS 5811: 1986
		JIS L 1076-2012 Methods A and D-3
	- Soil release performance	AATCC Test Method 130-2015
	- Water repellency (spray rating)	AATCC Test Method 22-2014
	- Water resistance (Hydrostatic pressure) 防水《靜水壓法》	BS 3424-Part26: 1990 Methods 29A and 29C BS EN 20811: 1992 with Amd. 1 EN 20811: 1992 ISO 1420: 2001 CAN/CGSB-4.2 No. 26.3-2010 / ISO 811: 1981 JIS L 1092-1998 Section 6.1 (Method A) GB/T 4744-2013 GB/T 4744-1997
	- Wrinkle Recovery (Recovery Angle Method)	BS EN 22313: 1992 EN 22313: 1992
	- Stretch & recovery	BS 4952: 1992 Method 2.4 BS EN 14704-1: 2005 EN 14704-1: 2005 <*Excluding the following> for the above two standards C1. 8.2.1.2, 8.2.2.2, 8.2.3.2, 9.1.2 and 9.2.2
	- Instruction for use of products of consumer Interest – Instruction for use of textiles and Apparel 消費品使用說明-紡織品和服裝	GB 5296.4- 2012

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-170; Effective date of termination: 20 April 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation for the following tests has been	terminated.
	Fibre analysis :-	
- General Textiles and Garments 一般紡織品及成衣	- Fibre content 纖維定量分析 (Quantitative method – mechanical separation and chemical analysis) (定量方法 – 機械分離和化學分析)	BS 4407: 1988 + Amd. 1 + Amd. 2 < <i>Excluding the following&gt;</i> Methods 12, 13, 17 & 18  GB/T 2910.1-2009
		(Note: The above Part 1 standard should be used in conjunction with other parts of GB/T 2910.1 for particular fibre mixtures) GB/T 2910.2-2009 GB/T 2910.3-2009 GB/T 2910.4-2009 GB/T 2910.5-2009 GB/T 2910.6-2009 GB/T 2910.8-2009 GB/T 2910.10-2009 GB/T 2910.11-2009 GB/T 2910.11-2009 GB/T 2910.13-2009 GB/T 2910.14-2009 GB/T 2910.16-2009 GB/T 2910.15-2009
	- Fibre content 纖維定量分析 (Quantitative method – microscopic analysis) (定量方法 – 顯微鏡分析)	GB/T 16988- 2013
	- Fibre diameter (by projection microscope) 纖維直徑(投影顯微鏡法)	GB/T 10685-2007

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-170; Effective date of termination: 20 April 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Textiles and Garments 紡織品及成衣			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation for the following tests has be	en terminated.	
	Strength tests :-		
- General Textiles and Garments 一般紡織品及成衣	- Seam slippage	ASTM D3940-83	
	- Seam strength	AS 2001.2.20-2004 (R2016)	
	- Tensile strength	AS 2001.2.3.1-2001 (R2016) AS 2001.2.3.2-2001 (R2016)	
		ISO 5081-1977	
		ISO 5082-1982	
		GB/T 3923.1-2013 GB/T 3923.2-2013	
	- Tearing strength	AS 2001.2.8-2001 (R2016)	
- Specific Products :-			
- Zippers	- Zipper strength	BS 3084-2006	

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tes	ts is terminated
Plastics	Cadmium content	United Kingdom Environmental Protection (Control on Injurious Substances) No.2 Regulations 1993 No. 1643 Swedish Ordinance SFS 1998: 944 Section 1 – Section 5 of Ch. 9 and App. 2, Swedish Regulation KIFS 1998: 8 (based on English translated version last amended by "KIFS 2008.1" issued in April 2008 by Swedish Chemicals Agency) Austria Federal Law Gazette No. 855/1993 (Cadmium Ordinanc Switzerland Ordinance on Risk Reduction related to Chemical Products (ORRChem), SR814.81 of 18 May 2005, Annex 2.9 Netherlands Law Gazette 1999 No. 149 and Amd. in Sept. 2000 No. 186 (Chemical Substances Act)  Test procedures for compliance testing:- BS EN 1122: 2001 Method B (wet decomposition) DIN EN 1122: 2002 Method B (wet decomposition)
Liquid paint, printing ink and other surface coating materials	Cadmium content	United Kingdom Environmental Protection (Control on Injurious Substances) No.2 Regulations 1993 No. 1643 Swedish Ordinance SFS 1998: 944 Section 1 – Section 5 of Ch. 9 and App. 2, Swedish Regulation KIFS 1998: 8 (based on English translated version last amended by "KIFS 2008.1" issued in April 2008 by Swedish Chemicals Agency) Austria Federal Law Gazette No. 855/1993 (Cadmium Ordinanc Switzerland Ordinance on Risk Reduction related to Chemical Products (ORRChem), SR814.81 of 18 May 2005, Annex 2.8 Netherlands Law Gazette 1999 No. 149 and Amd. in Sep 2000 No. 186 (Chemical Substances Act)

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Chemical Testing 化學測試			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tes	sts is terminated	
Leather 皮革	pH value	BS EN ISO 4045:2008 DIN EN ISO 4045:2008 EN ISO 4045: 2008 IULTCS/IUC 11:2008	
	Free formaldehyde content 游離水解甲醛含量	BS EN ISO 17226-2:2008 + Corr. 1:2010 EN ISO 17226-2:2008 + AC:2009 DIN EN ISO 17226-2:2009 IULTCS/IUC 19-2:2008 + Corr. 1: 2009	
	Chromium (VI)	BS EN 420: 2003 + A1:2009 CI. 4.3.3 EN 420: 2003 + A1:2009 CI. 4.3.3 BS EN ISO 17075: 2007 EN ISO 17075: 2007 DIN EN ISO 17075: 2008 ISO 17075: 2007 BS EN ISO 17075-1: 2017 DIN EN ISO 17075-1: 2017 ISO 17075-1: 2017 IULTCS/IUC 18: 2007	

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Chemical Testing 化學測試			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following test	ts is terminated	
Surface coating materials	- Total lead content	Canada Surface Coating Materials Regulations (SOR/2005-109, as amended by SOR/2011-14),	
	- Total mercury content	Canada Surface Coating Materials Regulations (SOR/2005-109, as amended by SOR/2011-14)	
Student's articles 學生用品	Migration of certain elements: Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium 特定元素的遷移: 绨,砷,鋇,鎘,鉻,鉛,汞,硒	GB 21027-2007 Cl. 3.1 and 4.1	

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	s terminated
Textile products	Amine (Azo colourants):	
	1) 4-aminodiphenyl 2) benzidine 3) 4-chloro-o-toluidine 4) 2-naphthylamine 5) o-aminoazotoluene 6) 5-nitro-o-toluidine 7) 4-chloroaniline 8) 4-methoxy-m-phenylenediamine 9) 4,4'-diaminodiphenylmethane 10) 3,3'-dichlorobenzidine 11) 3,3'-dimethoxybenzidine 12) 3,3'-dimethylbenzidine 13) 4,4'-methylene-di-o-toluidine 14) p-cresidine 15) 4,4'-methylene-bis-(2-chloro-aniline) 16) 4,4'-oxydianiline 17) 4,4'-thiodianiline 18) o-toluidine 19) 4-methyl-m-phenylenediamine 20) 2,4,5-trimethylaniline 21) 2-methoxyaniline 4-aminoazobenzene	EN 14362-1:2012 BS EN 14362-1:2012 BS EN 14362-1:2003 with Corr. 1 DIN EN 14362-1:2003 Berichtigung 1 German Official Compendium for Examination Methods §35 LMBG B82.02-2 2004 §64 LFGB B82.02-2 2004  EN 14362-3:2012 BS EN 14362-3:2012 DIN EN 14362-3:2012 Techniques used are GC-MSD and HPLC-DAD for all test methods listed above.

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Chemical Testing 化學測試			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests i	s terminated	
Products made from polyester	Amine (Azo colourants):		
	1) 4-aminodiphenyl 2) benzidine 3) 4-chloro-o-toluidine 4) 2-naphthylamine 5) o-aminoazotoluene 6) 5-nitro-o-toluidine 7) 4-chloroaniline 8) 4-methoxy-m-phenylenediamine 9) 4,4'-diaminodiphenylmethane 10) 3,3'-dichlorobenzidine 11) 3,3'-dimethoxybenzidine 12) 3,3'-dimethylbenzidine 13) 4,4'-methylene-di-o-toluidine 14) p-cresidine 15) 4,4'-methylene-bis-(2-chloro-aniline) 16) 4,4'-oxydianiline 17) 4,4'-thiodianiline 18) o-toluidine 19) 4-methyl-m-phenylenediamine 20) 2,4,5-trimethylaniline 21) 2-methoxyaniline	BS EN 14362-2: 2003 With Corr. 1 DIN EN 14362-2: 2003 Berichtigung 1 German Official Compendium for Examination Methods §35 LMBG B82.02-4 2004 §64 LFGB B82.02-4 2004	

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Chemical Testing 化學測試			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests i	s terminated	
Products made from leather	Amine (Azo colourants):		
	1) 4-aminodiphenyl 2) benzidine 3) 4-chloro-o-toluidine 4) 2-naphthylamine 5) o-aminoazotoluene 6) 5-nitro-o-toluidine 7) 4-chloroaniline 8) 4-methoxy-m-phenylenediamine 9) 4,4'-diaminodiphenylmethane 10) 3,3'-dichlorobenzidine 11) 3,3'-dimethoxybenzidine 12) 3,3'-dimethylbenzidine 13) 4,4'-methylene-di-o-toluidine 14) p-cresidine 15) 4,4'-methylene-bis-(2-chloro-aniline) 16) 4,4'-oxydianiline 17) 4,4'-thiodianiline 18) o-toluidine 19) 4-methyl-m-phenylenediamine 20) 2,4,5-trimethylaniline 21) 2-methoxyaniline 4-aminoazobenzene	BS EN ISO 17234-1:2010 EN ISO 17234-1:2010 ISO 17234-1:2010 DD CEN ISO/TS 17234:2003 ISO/TS 17234:2003 German Official Compendium for Examination Methods §35 LMBG B82.02-3(V) 2004 §64 LFGB B82.02-3(V) 2004 < Excluding the following for above standards> Determination of 2-methoxyaniline  BS EN ISO 17234-2:2011 IULTCS/IUC 20-2:2011 Techniques used are GC-MSD and HPLC-DAD for all test methods listed above.	

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
Products intended to come into direct contact with skin and piercing parts	Release of nickel	BS EN 1811:2011+A1:2015 BS EN 12472: 2005 + A1: 2009 & BS EN 1811:2011+A1:2015

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	s terminated
	Chemical tests :-	
Coloured toys	- Colourfastness to saliva and perspiration	DIN 53160: 1974 §64 LFGB B 82.10-1: 1985 §35 LMBG B 82.10-1: 1985
Fillings and stuffings	Objectionable matter	ASTM F963-11, Clause 4.3.7  < Excluding the following> Requirements of Title 34, Chapter 47, Section 47.317,  "Tolerance of the Commonwealth of Pennsylvania Regulation for Stuffed Toys"  Test Procedures for Compliance Testing: AOAC970.66-1970
Pacifiers, rattles and teethers made of PVC	- DEHP	ASTM F963-11 Cl. 4.3.8 ASTM F963-16 Cl. 4.3.8
Toys and children articles made of PE, PVC, PP, PS ABS and Polyamide	- Dibutyl Phthalate (DBP) - Di-(2-ethylhexyl) Phthalate (DEHP) - Benzyl Butyl Phthalate (BBP) - Di-n-octyl phthalate (DNOP) - Diisononyl phthalate (DINP) - Diisodecyl phthalate (DIDP)	US Public Law 110 -314 Consumer Product Safety Improvement Act 2008
Consumer products (other than kitchen utensils) that are brought into contact with the children's mouth in the course of normal use, and consumer products intended for use in play or learning by children under the age of 3 years	- Soluble lead content	EN 71-3: 1994 + A1: 2000 & AC: 2002 [For compliant testing against Canada Consumer Products Containing Lead (Contact with Mouth) Regulations (SOR/2010-273)]

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
	Chemical tests :-	
Toys – paint and similar surface-coating materials	- Total lead content	ASTM F963-16 Cl. 4.3.5.1 (1)
	- Soluble migrated elements: Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-16 Cl. 4.3.5.1(2)  Test procedures for compliance testing:- ASTM F963-16 Cl. 8.3.2 – 8.3.4
	- Total element content (screening) Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-16 Cl. 4.3.5.1(1) & (2)
Toys – substrate materials	- Total lead content	ASTM F963-16 Cl. 4.3.5.2 (2)(a)
(Accessible non-metallic toys or toy components that are small parts)	- Soluble migrated elements: Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-16 Cl. 4.3.5.2(2)(b)  Test procedures for compliance testing:- ASTM F963-16 Cl. 8.3.5
	- Total element content (screening) Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-16 Cl. 4.3.5.2(2)(a) & (b)
Toys – substrate materials	- Total lead content	ASTM F963-16 Cl. 4.3.5.2 (2)(a)
(Accessible metallic toys or toy components that are	- Soluble migrated elements:	ASTM F963-16 Cl. 4.3.5.2 (2)(b)
small parts, excluding children's jewellery)	Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	Test procedures for compliance testing:- ASTM F963-16 Cl. 8.3.5.1, 8.3.5.2, 8.3.5.3 & 8.3.5.5
	- Total element content (screening) Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-16 Cl. 4.3.5.2(2)(a) & (b)
	- Extractable cadmium content	ASTM F963-16 Cl. 4.3.5.2(2)(c)

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	s terminated
	Chemical tests :-	
All toys	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	BS 5665: Part 3: 1995 + A1: 2001 BS EN 71-3: 1995 + A1: 2001 EN 71-3: 1994 + A1: 2000 & AC: 2002 ISO 8124-3: 1997 MS ISO 8124-3: 2002 PNS/BHDT ISO 8124-3: 2008 SANS 8124-3: 1997
Student's articles 學生用品	- Migration of certain elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium 特定元素的遷移: 銻,砷,鋇,鎘,鉻,鉛,汞,硒	GB 21027-2007 Cl. 3.1 and 4.1
Finger paints	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	AS 8124.7-2003 Cl. 4.4 and 5.4  Compliance test procedures for migration of elements:- EN 71-3: 1994
	- Migration of the elements	BS EN 71-7: 2014 Cl. 4.4 EN 71-7: 2014 Cl. 4.4 EN 71-7: 2014 + A1:2017 Cl. 4.4 Compliance test procedures for migration of elements:- EN 71-3: 2013+A1:2014 EN 71-3:2013+A2:2017
	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Technique used: ICP-MS
	Chromium (VI) Chromium (III) (by calculation)	Technique used: LC-ICP-MS
	Organic Tin:  Methyltin, Butyltin, Dibutyltin, Tributyltin  Tetrabutyltin, n-Octyl tin, Di-n-octyltin,  Di-n-propyl tin, Diphenyltin, Triphenyltin	Technique used: GC-MS-MS

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is termina	ted
	Chemical tests :-	
Toys	- Migration of certain elements	BS EN 71-3:2013+A1:2014 EN 71-3:2013+A1:2014 EN 71-3:2013+A2:2017 BS EN 71-3:2013+A3:2018 EN 71-3:2013+A3:2018
Category I toy materials: Dry, brittle, powder like or pliable materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Technique used: ICP-MS
	Chromium (VI) Chromium (III) (by calculation)	Technique used: LC-ICP-MS
	Organic Tin:  Methyl tin, Butyltin, Dibutyl tin, Tributyl tin  Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin,  Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Technique used: GC-MS-MS
Category II toy materials: Liquid or sticky materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Technique used: ICP-MS
	Chromium (VI) Chromium (III) (by calculation)	Technique used: LC-ICP-MS
	Organic Tin: Methyltin, Butyltin, Dibutyltin, Tributyltin Tetrabutyltin, n-Octyl tin, Di-n-octyltin, Di-n-propyl tin, Diphenyltin, Triphenyltin	Technique used: GC-MS-MS
Category III toy materials: Scraped-off materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Technique used: ICP-MS
	Chromium (VI) Chromium (III) (by calculation)	Technique used: LC-ICP-MS
	Organic Tin: Methyl tin, Butyltin, Dibutyl tin, Tributyl tin Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Technique used: GC-MS-MS

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
	Chemical tests :-	
Plastics	- Cadmium content	United Kingdom Environmental Protection (Control on Injurious Substances) No.2 Regulations 1993 No. 1643 Swedish Ordinance SFS 1998: 944 Section 1– Section 5 of Ch. 9 and App. 2, Swedish Regulation KIFS 1998: 8 (based on English translated version last amended by "KIFS 2008: 1" issued in April 2008 by Swedish Chemicals Agency) Austria Federal Law Gazette No. 855/1993 (Cadmium Ordinance) Switzerland Ordinance on Risk Reduction related to Chemical Products (ORRChem), SR814.81 of 18 May 2005, Annex 2.9 Netherlands Law Gazette 1999 No. 149 and Amd. in Sept. 2000 No. 186 (Chemical Substances Act) Test Procedures for Compliance testing: BS EN 1122: 2001 Method B (wet decomposition) DIN EN 1122: 2002 Method B (wet decomposition)
Liquid paint, printing ink and other surface coating materials	- Cadmium content	United Kingdom Environmental Protection (Control on Injurious Substances) No.2 Regulations 1993 No. 1643 Swedish Ordinance SFS 1998: 944 Section 1– Section 5 of Ch. 9 and App. 2, Swedish Regulation KIFS 1998: 8 (based on English translated version last amended by "KIFS 2008:1" issued in April 2008 by Swedish Chemicals Agency) Austria Federal Law Gazette No. 855/1993 (Cadmium Ordinance) Switzerland Ordinance on Risk Reduction related to Chemical Products (ORRChem), SR814.81 of 18 May 2005, Annex 2.8 Netherlands Law Gazette 1999 No. 149 and Amd. in Sep 2000 No. 186 (Chemical Substances Act)

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests	is terminated
	Chemical tests :-	
		Japan Toy Safety Standard ST2012, First Edition (2012.9.27), Part 3 with Revision 2 and Revision 3
All toys' materials	- Colouring matters	Cl. 1.1  Test Procedures for Compliance testing: Cl. 2.1
Materials which are mainly composed of polyethylene and polyvinyl chloride (excluding parts on which paint coating is applied)	<ul> <li>Consumption of potassium permanganate</li> <li>Residue on evaporation</li> <li>Heavy metals</li> <li>Arsenic</li> <li>Cadmium (excluding materials mainly composed of polyethylene)</li> </ul>	C1. 1.2  Test Procedures for Compliance testing: C1. 1.2.1 & C1. 2.2 C1. 1.2.1 & C1. 2.3 C1. 1.2.1 & C1. 2.4 C1. 1.2.1 & C1. 2.5 C1. 1.2.1 & C1. 2.6
Decalcomania, folded paper and rubber-made toys (excluding rubber pacifiers)	- Heavy metals - Arsenic	Cl. 1.3  Test Procedures for Compliance testing: Cl. 1.3.1 & Cl. 2.4 Cl. 1.3.1 & Cl. 2.5
Vinyl chloride resin coating	- Consumption of potassium permanganate - Residue on evaporation	Cl. 1.4  Test Procedures for Compliance testing: Cl. 1.4.1 & Cl. 2.2 Cl. 1.4.1 & Cl. 2.3
The paint coating applied to the body or the components of the toys, (including vinyl chloride resin coating; excluding the printing ink used for paper containers)	- Heavy metals: 8 elements (antimony, arsenic, barium, cadmium, chromium, lead, mercury and selenium)	Cl. 1.5  Test Procedures for Compliance testing: Cl. 1.5.1 & Cl. 2.7 (1) ①, (2) & (3)
Textile products used for toys	- Free formaldehyde	Cl. 1.6  Test Procedures for Compliance testing: Cl. 1.6 & Cl. 2.8 <excluding following="" the=""> Confirmation test by HPLC</excluding>

(Notification letter No.: HOKLAS036-169; Effective Date of Termination: 28 March 2022)

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test	ts is terminated
	Chemical tests (cont'd):-	
		Japan Toy Safety Standard ST2012, First Edition (2012.9.27), Part 3 with Revision 2 and Revision 3
Ink and the like used for the graphic instruments that are provided with the toys such as pencils, ball-point pens, markers, crayons, pastels, water colours, chalks, etc.	- Colouring matters - Heavy metals: 8 elements (antimony, arsenic, barium, cadmium, chromium, lead, mercury and selenium)	Cl. 1.8  Test Procedures for Compliance testing: Cl. 1.8.1 & Cl. 2.1 Cl. 1.8.2 & Cl. 2.7 (1) ②, (2) & (3)
Plasticized material in toys	Dis (2 stheille and) while here (DEHD)	Cl. 1.9  < Excluding the following> Cl. 1.9.3  Test Procedures for Compliance testing: Cl. 2.10
	- Bis (2-ethylhexyl) phthalate (DEHP) - Dibutyl phthalate (DBP) - Butyl benzyl phthalate (BBP) - Di-isononyl phthalate (DINP) - Di-isodecyl phthalate (DIDP) - Di-n-octyl phthalate (DNOP)	C1. 2.10  < Excluding the following > Characterization & content determination tests by GC-FID
Rubber pacifiers other than silicone rubber pacifier	- Material test: Cadmium and Lead - Dissolution test: Phenol, Formaldehyde, Zinc, Heavy metals Residue on evaporation	Cl. 1.10  Test Procedures for Compliance testing: Cl. 2.11.1 Cl. 2.11.2
Metals used for toy (neither painted nor covered)	- Lead	Cl. 1.11  Test Procedures for Compliance testing: Cl. 2.12 & 2.7 (2) & (3)

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-166; Effective Date of Termination: 3 January 2022)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

ITEM TESTED OR MEASURED 測試或量度項目	Toys and Children's Products:  SPECIFIC TEST OR PROPERTY MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests	
	Chemical tests :-	
Soft infant and toddler carrier	- Total lead content	ASTM F2236-14 Cl. 5.3 in conjunction with
( surface coating materials)		16CFR1303
Toys – paint and similar	- Total lead content	ASTM F963-11 Cl. 4.3.5.1 (1)
surface-coating materials		1201111730 11 011 118011 (1)
	- Soluble migrated elements:	ASTM F963-11 Cl. 4.3.5.1(2)
	Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	Test procedures for compliance testing:- ASTM F963-11 Cl. 8.3.2 – 8.3.4
	, Zeas, Moreary, Solomani	12.101700 11 01.0.02 0.0.4
	- Total element content (screening)	ASTM F963-11 Cl. 4.3.5.1(1) & (2)
	Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	
	Cinomium, Lead, Mercury, Scientiin	
Toys – substrate materials	- Total lead content	ASTM F963-11 Cl. 4.3.5.2 (2)(a)
(Accessible non-metallic	- Soluble migrated elements:	ACTM F062 11 CL 4 2 5 2/2VL)
toys or toy components that are small parts)	- Soldole Higrated elements.  Antimony, Arsenic, Barium, Cadmium,	ASTM F963-11 Cl. 4.3.5.2(2)(b)  Test procedures for compliance testing:-
	Chromium, Lead, Mercury, Selenium	ASTM F963-11 Cl. 8.3.5
	- Total element content (screening)	ASTM F963-11 Cl. 4.3.5.2(2)(a) & (b)
	Antimony, Arsenic, Barium, Cadmium,	
	Chromium, Lead, Mercury, Selenium	
Toys – substrate materials	- Total lead content	ASTM F963-11 Cl. 4.3.5.2 (2)(a)
(Accessible metallic toys or		
toy components that are small parts, excluding	- Soluble migrated elements: Antimony, Arsenic, Barium, Cadmium,	ASTM F963-11 Cl. 4.3.5.2 (2)(b)  Test procedures for compliance testing:-
children's jewellery)	Chromium, Lead, Mercury, Selenium	ASTM F963-11 Cl. 8.3.5.1, 8.3.5.2, 8.3.5.3 & 8.3.5.5
	- Total element content (screening)	ASTM F963-11 Cl. 4.3.5.2(2)(a) & (b)
	Antimony, Arsenic, Barium, Cadmium,	
	Chromium, Lead, Mercury, Selenium	
	- Extractable cadmium content	ASTM F963-11 Cl. 4.3.5.2(2)(c)

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-164; Effective date of termination: 30 November 2021)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test has been	en terminated
	Physical and mechanical tests :-	
Toys	Safety requirements and test methods	Canada Toys Regulations (SOR/2011-17) amended up to 25 November 2016 Sections 3, 4, 7 to 19, 28, 30 to 31, 37, 40 to 42  Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section Method M00.1 (2017) Method M00.2 (2017) Method M00.3 (2017) Method M00.4 (2017) Method M01.1 (2017) Method M01.2 (2010) Method M03 (2016) Method M04 (2017) Method M05 (2017) (Note: The above test methods should be used in conjunction with the relevant sections of Canada Toys Regulations (SOR/2011-17))  Canada Toys Regulations (SOR/2011-17) amended up to 11 January 2019 Sections 3, 4, 7 to 19, 28, 30 to 31, 37, 40 to 44  Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section Method M00.2 (2019) Method M00.3 (2018) Method M01.2 (2010) Method M05 (2017) (Note: The above test methods should be used in conjunction with the relevant sections of Canada Toys Regulations (SOR/2011-17))
		Canada Toys Regulations (SOR/2011-17))

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-159; Effective date of termination: 8 June 2020)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

香港新界葵涌和宜合道 63 號麗晶中心 B 座 16 樓  Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	en terminated
	Flammability tests :-	
General Textiles and Garments 一般紡織品及成衣	Ignitability (surface flash)	BS 4569: 1983

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-159; Effective date of termination: 8 June 2020)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	en terminated
	Electrical tests :-	
Battery operated toys	- Battery operated toy safety tests	ASTM F963-11 Section. 4.25  < Excluding the following > Section.4.25.10

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-159; Effective date of termination: 8 June 2020)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has bee	en terminated
Toys	Flammability tests :-	ASTM F963-11 Section 4.2
Toys	Flammability tests :-	EN 71-2: 1993 + AC <excluding following="" the=""> Tests for flammable gases, extremely flammable liquids and highly flammable liquids  EN 71-2: 2006 + A1  <excluding following="" the=""> Test for flammable gases and highly flammable solids  ISO 8124-2: 1994  MS ISO 8124-2: 1999  <excluding following="" the=""> for the above two standards Tests for flammable gases, extremely flammable liquids and highly flammable liquids</excluding></excluding></excluding>

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-159; Effective date of termination: 8 June 2020)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has be	een terminated
	Physical and mechanical tests :-	
Toys	Safety requirements and test methods	AS/NZS ISO 8124.1:2010 + Amd.1+Amd.2
		ISO 8124-1: 2000 + A1 + A2 ISO 8124-1: 2012
		MS ISO 8124-1: 2001  < Excluding the following >
		Annex F (for toys with earphones or headphones)
		EN 71-1: 2005 + A9
		< Excluding the following >
		Cl. 4.20 (for toys with earphones or headphones)
		EN 71-1: 2011
		< Excluding the following >
		Cl. 4.18 (test to EN 15649-3), and
		4.20 (for toys with earphones or headphones)
		EN 71-1: 2011 + A3:2014
		< Excluding the following >
		Cl. 4.20.2.1 to 4.20.2.4 and 4.20.2.6 to 4.20.2.11
Toys		ASTM F963-11
	Safety requirements	Section 4.1, 4.5 to 4.24, 4.26 to 4.28, 4.30 to 4.39
		< Excluding the following >
		4.1(examination of level of hazardous substances
		in reprocessed materials to 4.3.1), 4.8.1 and 4.20.1
	Labeling requirements	Section 5
	Instructional literature Producer's markings	Section 6 Section 7
	Test methods	Section 7 Section 8
	rest methods	Section 6
Toys	Safety tests	Health Canada – Information for Manufacturers,
		Importers, Distributors and Retailers of Products
		Containing Small, Powerful Magnets
		Test procedures for compliance testing:
		Canada Toys Regulations (SOR/2011-17),
		Schedule 1

## List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS036-159; Effective date of termination: 8 June 2020)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

香港新界葵涌和宜合道 63 號麗晶中心 B 座 16 樓  Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Safety and performance tests :-	
Soft infant and toddler carrier	Safety and performance tests	ASTM F2236-14

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-156; Effective Date of Termination: 18 July 2019)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Chemical Testing 化學測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
Products made from leather	Amine (Azo colourants):	
	1) 4-aminodiphenyl	DIN ISO/TS 17234:2004
	2) benzidine	DIN EN ISO 17234-1:2010
	3) 4-chloro-o-toluidine	
	4) 2-naphthylamine	
	5) o-aminoazotoluene	
	6) 5-nitro-o-toluidine	
	7) 4-chloroaniline	
	8) 4-methoxy-m-phenylenediamine	
	9) 4,4'-diaminodiphenylmethane	
	10) 3,3'-dichlorobenzidine	
	11) 3,3'-dimethoxybenzidine	
	12) 3,3'-dimethylbenzidine	
	13) 4,4'-methylene-di-o-toluidine	
	14) p-cresidine 15) 4,4'-methylene-bis-(2-chloro-aniline)	
	16) 4,4'-oxydianiline	
	17) 4,4'-thiodianiline	
	18) o-toluidine	
	19) 4-methyl-m-phenylenediamine	
	20) 2,4,5-trimethylaniline	
	21) 2-methoxyaniline	
Leather	Free formaldehyde content	DIN 53315: 1996
皮革	游離水解甲醛含量	< Excluding the following>
		C1. 6.2
	Chromium (VI)	DIN EN 420: 2010 Cl. 4.3.3

優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
	Chemical tests :-	
All toys	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	DIN EN 71-3: 2002 + Berichtigung 1: 2003
Finger paints	- Migration of the elements	DIN EN 71-7:2014 Cl. 4.4
	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc  Chromium (VI) Chromium (III) (by calculation)  Organic Tin: Methyltin, Butyltin, Dibutyltin, Tributyltin Tetrabutyltin, n-Octy tin, Di-n-octyltin, Di-n-propyl tin, Diphenyltin, Triphenyltin	

優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is te	rminated
	Chemical tests (cont'd):-	
Toys	- Migration of certain elements	DIN EN 71-3:2014
Category I toy materials: Dry, brittle, powder like or pliable materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Technique used: ICP-MS
	Chromium (VI) Chromium (III) (by calculation)	Technique used: LC-ICP-MS
	Organic Tin: Methyl tin, Butyltin, Dibutyl tin, Tributyl tin Tetrabutyl tin, n-Octy tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Technique used: GC-MS-MS
Category II toy materials: Liquid or sticky materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Technique used: ICP-MS
	Chromium (VI) Chromium (III) (by calculation)	Technique used: LC-ICP-MS
	Organic Tin: Methyltin, Butyltin, Dibutyltin, Tributyltin Tetrabutyltin, n-Octy tin, Di-n-octyltin, Di-n-propyl tin, Diphenyltin, Triphenyltin	Technique used: GC-MS-MS
Category III toy materials: Scraped-off materials	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin and Zinc	Technique used: ICP-MS
	Chromium (VI) Chromium (III) (by calculation)	Technique used: LC-ICP-MS
	Organic Tin:  Methyl tin, Butyltin, Dibutyl tin, Tributyl tin  Tetrabutyl tin, n-Octy tin, Di-n-octyl tin,  Di-n-propyl tin, Diphenyl tin, Triphenyl tin	Technique used: GC-MS-MS

優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is	terminated
	Chemical analysis :-	
- General Textiles and Garments 一般紡織品及成衣	- pH value (Textiles) pH 值(紡織品)	DIN EN 1413: 1998 DIN EN ISO 3071: 2006
	- Free formaldehyde content 游離水解甲醛含量	DIN EN ISO 14184-1: 1999 DIN EN ISO 14184-1: 2011
	- Released formaldehyde content 釋放甲醛含量	DIN EN ISO 14184-2: 1998 DIN EN ISO 14184-2: 2011
- Leather	- pH value	DIN EN ISO 4045: 2008
皮革	- Free formaldehyde content 游離水解甲醛含量	DIN EN ISO 17226-2: 2009
	- Chromium (VI)	DIN EN ISO 17075: 2008
	Care performance tests :-	
- General Textiles and Garments 一般紡織品及成衣	- Dimensional stability to washing 洗水縮率	DIN EN ISO 5077: 2008 DIN EN ISO 6330: 2012
	- Preparation, marking and measuring for dimensional change tests 测定尺寸變化的試驗中織物 試樣和服裝的準備、標記及測量	DIN EN ISO 3759: 2011

優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is te	erminated
	Colour fastness tests :-	
- General Textiles and Garments 一般紡織品及成衣	- Bleaching (hypochlorite) 耐次氯酸鹽漂白色牢度	DIN EN 20105-N01: 1995
	- Chlorinated water 耐氯化水色牢度	DIN EN ISO 105-E03: 2010
	- Dry cleaning 耐乾洗色牢度	DIN EN ISO 105-D01: 2010
	- Hot pressing	DIN EN ISO 105-X11: 1996
	- Light 耐光色牢度	DIN EN ISO 105-B02:2014
	- Perspiration 耐汗漬色牢度	DIN EN ISO 105-E04: 2013
	- Perspiration & light	DIN EN ISO 105-B07: 2009
	- Phenolic yellowing	DIN EN ISO 105-X18: 2007
	- Rubbing/crocking 耐磨擦色牢度	DIN EN ISO 105-X12: 2016 DIN EN ISO 105-X16: 2016
	- Seawater 耐海水色牢度	DIN EN ISO 105-E02: 2013
	- Spotting (acid) 耐酸斑色牢度	DIN EN ISO 105-E05: 2010
	- Spotting (alkaline) 耐鹼斑色牢度	DIN EN ISO 105-E06: 2006
	- Spotting (water) 耐水斑色牢度	DIN EN ISO 105-E07: 2010
	- Washing 耐洗色牢度	DIN EN ISO 105-C06: 2010 DIN EN ISO 105-C08: 2010 DIN EN ISO 105-C09: 2007 DIN EN ISO 105-C10: 2007
	- Water 耐水色牢度	DIN EN ISO 105-E01: 2013

優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is te	rminated
	Construction tests :-	
- General Textiles and Garments 一般紡織品及成衣	- Fabric weight 布重	DIN EN 12127: 1997
一般初飆而及放化	- Fabric width	DIN EN 1773: 1997
	- Threads per unit length, woven	DIN EN 1049-2: 1994
	- Twist of yarn	DIN EN ISO 2061: 2015
	Fabric performance tests :-	
- General Textiles and Garments 一般紡織品及成衣	- Abrasion resistance a) Martindale tester	DIN EN ISO 12947-1, -3 and -4: 2007
	- Pilling resistance	DIN EN ISO 12945-1: 2001 DIN EN ISO 12945-2: 2000
	- Water repellency	DIN EN ISO 4920: 2012
	- Water resistance 防水 (Hydrostatic pressure)	DIN EN 20811: 1992
	- Wrinkle Recovery (Recovery Angle Method)	DIN EN 22313: 1992
	- Solar UV Protective Properties	DIN EN 13758-1: 2007 DIN EN 13758-2: 2007

優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is te	rminated
	Strength tests :-	
- General Textiles and Garments 一般紡織品及成衣	- Bursting strength	DIN EN ISO 13938-1 & 2: 1999
11X (V) (VI) (U) /X /X (X	- Seam slippage	DIN EN ISO 13936-1 & 2: 2004
	- Seam strength	DIN EN ISO 13935-1: 2014 DIN EN ISO 13935-2: 2014
	- Tensile strength	DIN EN ISO 13934-1: 2013 DIN EN ISO 13934-2: 2014
	- Tearing strength	DIN EN ISO 13937-1: 2000
	- Tearing strength (Tongue method)	DIN EN ISO 13937-2: 2000
	Flammability tests :-	
- Children's sleepwear	- Vertical test	DIN EN 1103: 2006 DIN EN 14878: 2007 with Corr. 1 DIN EN ISO 6941: 2004

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-154; Effective Date of Termination: 28 September 2018)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

16/F, Tower B, Regent Centre, 63 Wo Yi Hop Road, Kwai Chung, New Territories, Hong Kong

ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	A (CCC)中國強制性產品認證制度規定的檢測 SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests	s is terminated
Toys 玩具類產品		
- Electric toys  < Excluding the following>  - toys containing gas or liquid  - toys likely to be cleaned with liquid  - toys incorporating lasers and light-emitting diodes  - toys with earphones and headphones  - toys simulating weapons	All required tests as specified in CNCA-13C-069: 2010	GB 6675: 2003 + A1: 2005 GB 19865: 2005
- 電玩具類產品 <b>〈不包括〉</b> - 含氣體或液體玩具 - 可能用液體清潔的玩具 - 備有耳機或頭戴受話器的玩具 - 裝有激光器或發光二極管的玩具 - 類似武器仿真玩具	CNCA-13C-069: 2010 有關規定的所有檢測	GB 6675: 2003 + A1: 2005 GB 19865: 2005
- Plastic toys  <- Excluding the following>  - toys containing gas or liquid  - toys simulating weapons	All required tests as specified in CNCA-13C-070: 2010	GB 6675: 2003 + A1: 2005
- 塑膠玩具類產品 《不包括》 - 含氣體或液體玩具 - 類似武器仿真玩具	CNCA-13C-070: 2010 有關規定的所有檢測	GB 6675: 2003 + A1: 2005

優力勝邦檢測服務(香港)有限公司

Testing Required by the China Compulsory Certification System (CCC)中國強制性產品認證制度規定的檢測		
SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Accreditation of the following tests	is terminated	
All required tests as specified in CNCA-13C-071: 2010	GB 6675: 2003 + A1: 2005	
CNCA-13C-071: 2010 有關規定的所有檢測	GB 6675: 2003 + A1: 2005	
All required tests as specified in CNCA-13C-072: 2010	GB 6675: 2003 + A1: 2005	
CNCA-13C-072: 2010 有關規定的所有檢測	GB 6675: 2003 + A1: 2005	
All required tests as specified in CNCA-13C-073: 2010	GB 6675: 2003 + A1: 2005	
CNCA-13C-073: 2010 有關規定的所有檢測	GB 6675: 2003 + A1: 2005	
	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性  Accreditation of the following tests  All required tests as specified in CNCA-13C-071: 2010  有關規定的所有檢測  All required tests as specified in CNCA-13C-072: 2010  CNCA-13C-072: 2010  有關規定的所有檢測  All required tests as specified in CNCA-13C-073: 2010  CNCA-13C-073: 2010	

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-153; Effective Date of Termination: 5 September 2018)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests ha	as been terminated
	Care performance tests :-	
- General Textiles and Garments	- Dimensional stability to dry cleaning	AATCC 158-2011
	- Dimensional stability to washing	BS EN ISO 6330: 2001 + A1 DIN EN ISO 6330: 2010 EN ISO 6330: 2000 + A1 ISO 6330: 2000 + A1
	Colour fastness tests :-	
- General Textiles and Garments	- Rubbing/crocking	AATCC Test Method 165-2008 ISO 105-X12: 2001 ISO 105-X16: 2001 BS EN ISO 105-X12: 2002 with Corr. 1 BS EN ISO 105-X16: 2002 DIN EN ISO 105-X12: 2002 DIN EN ISO 105-X16: 2003 EN ISO 105-X16: 2002 EN ISO 105-X16: 2002 JIS L0849-2004 Type I test
	- Spotting (water)	AATCC Test Method 104-2010
	- Washing	JIS L0844-2005 Test A1-A3
	Construction tests:	
- General Textiles and Garments	- Fabric width	ASTM D3774-96 (2012)
	- Twist of yarn	ASTM D1423-02 (2008)

優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
	Fabric performance tests :-	
- General Textiles and Garments	- Abrasion resistance a) Martindale tester	AS 2001.2.25.1 to 4-2006 ASTM D4966-12e1 ISO 12947-2: 1998 with Corr. 1 BS EN ISO 12947-2: 1998 with Corr. 1 DIN EN ISO 12947-2: 2007 EN ISO 12947-2: 1998 + AC
	- Absorbency of bleached textiles	AATCC Test Method 79-2010
	- Air permeability	ASTM D737-04 (2012)
	- Pilling resistance	ASTM D3512/D3512M-10(2014) ASTM D3514/D3514M-10(2014) ASTM D4970/D4970M-10e1 JIS L 1076-1992 Methods A and D-3
	- Water repellency	AATCC Test Method 22-2010
	- Water resistance (Hydrostatic pressure)	AATCC Test Method 127-2013 CAN/CGSB-4.2 No. 26.3-95
	- Wrinkle Recovery (Recovery Angle Method)	AATCC Test Method 66-2008
	Flammability tests :-	
- General Textiles and Garments	- 45 degree angle test	Canada Textile Flammability Regulations (SOR/2011-22), Item 4 using test method CAN/CGSB 4.2 No. 27.5-2008
- Specific Products :-		
- Bedding items	- 45 degree angle test	Canada Textile Flammability Regulations (SOR/2011-22), Item 5 using test method CAN/CGSB 4.2 No. 27.5-2008
- Tight-fitting sleepwear	- 45 degree angle test	Canada Children's Sleepwear Regulations (SOR/2011-15), Item 3 using test method CAN/CGSB 4.2 No. 27.5-2008

優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
	Fibre analysis :-	
- General Textiles and Garments	- Fibre content (Quantitative method – mechanical separation and chemical analysis)	GB/T 2910-1997 GB/T 2911-1997 ISO 1833-7: 2006
	- Fibre content (Quantitative method – microscopic analysis)	ISO 17751: 2007
	- Fibre diameter (Animal fibres, yarn and fabric only)	ISO 137: 1975
	Strength tests:-	
- General Textiles and Garments	- Pile retention	ASTM D4685-07(2011)e1
	- Seam strength	ASTM D1683/D1683M-11a AS 2001.2.20-2004 BS EN ISO 13935-1: 1999 ISO 13935-1: 1999 DIN EN ISO 13935-1: 1999 EN ISO 13935-1: 1999 BS EN ISO 13935-2: 1999 ISO 13935-2: 1999 DIN EN ISO 13935-2: 1999 EN ISO 13935-2: 1999
	- Tensile strength	AS 2001.2.3.1-2001
	- Tearing strength	AS 2001.2.8-2001
- Specific Products :-		
- Zippers	- Zipper strength	ASTM D2061-07

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-152; Effective Date of Termination: 1 August 2018)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test	s is terminated
Food contacting materials (implements or containers / packages that contact with food fats and oils or fat- rich foods) made of polyvinyl chloride	- DEHP	Specifications and Standards for Foods, Food Additives, etc. Under the Japan Food Sanitation Act (Abstracts) 2010, JETRO April 2011, Part IV "Apparatus, Containers / Packages" & Ministry of Health and Welfare Notification No. 370, 1959 and Ministry of Health, Labour and Welfare Notification No. 336, 2010 Test procedures for compliance testing:  Japan Toy Safety Standard ST2012, First edition (2012.9.27) Part 3 with Revision 2 and Revision 3 Cl. 1.9

# List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-151; Effective Date of Termination: 18 July 2018)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests has b	peen terminated	
	Electrical tests :-		
Battery operated toys	- Battery operated toy safety tests	ASTM F963-16 Cl. 4.25 and 8.17	
Electric toys supplied at extra-low voltage	- Compliance inspection and safety tests	EN 62115: 2005 + A11: 2012	
Toys	Flammability tests :-	ISO 8124-2: 2007 AS/NZS ISO 8124.2: 2009 Japan Toy Safety Standard ST 2012 First Edition (2012.9.27) Part 2 ASTM F963-16 Cl. 4.2	
	Physical and mechanical tests:-		
Toys	- Safety requirements and test methods	AS/NZS ISO 8124.1:2013	
	- Safety requirements and test methods	Japan Toy Safety Standard ST 2012, First Edition (2012.09.27) Part 1 with Revision 2 and Revision 3	
	- Safety requirements for toy chests	ASTM F963-07(e1)	
	- Safety requirements	ASTM F963-16	
	- Safety requirements and test methods	Canada Toys Regulations (SOR/2011-17)	

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-146; Effective Date of Termination: 6 March 2018)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests is	terminated	
	Chemical tests:-	Specifications and Standards for Foods, Food Additives, etc. under the Food Sanitation Act (ABSTRACTS) 2008, JETRO January 2009, Part V "TOYS"  Test procedure for compliance testing:- Specifications, Standards and Testing Methods for Foodstuffs, Implements, Containers and Packaging, Toys, Detergents, JETRO January 2009 (Based on the tentative English translation published by JETRO January 2009)	
Decals	- Heavy metals - Arsenic	Part III Section A Paragraph 1	
Origami paper	- Heavy metals - Arsenic	Part III Section A Paragraph 2	
Rubber pacifiers	- Materials testing: - Cadmium and lead - Eluting testing: - Phenol, Formaldehyde, Zinc, Heavy metals and Evaporation of residue	Part III Section A Paragraph 3 Part II Section D Paragraph 3, Sub-paragraph 2	
Coating film of toys	- Cadmium, lead and arsenic	Part III Section A Paragraph 4	
Coating film coated by using Polyvinyl chloride	- Potassium permanganate consumption - Evaporation of residue	Part III Section A Paragraph 5	
Parts (excluding coating film) manufactured using materials mainly composed of polyvinyl chloride	Potassium permanganate consumption     Heavy metals     Cadmium     Evaporation of residue     Arsenic	Part III Section A Paragraph 6	

優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following test	s is terminated
	Chemical tests (cont'd):-	Specifications and Standards for Foods, Food Additives, etc. under the Food Sanitation Act (ABSTRACTS) 2008, JETRO January 2009, Part V "TOYS"  Test procedure for compliance testing:- Specifications, Standards and Testing Methods for
		Foodstuffs, Implements, Containers and Packaging, Toys, Detergents, JETRO January 2009 (Based on the tentative English translation published by JETRO January 2009) (cont'd)
Synthetic resin whose primary component is polyvinyl chloride	- bis (2-ethylhexyl) phthalate (DEHP)	Part III Section A Paragraph 7  Test procedures for compliance testing:- ST2012 Part 3 Cl. 2.10
Toys which are made of paper, wood, bamboo, rubber, leather, celluloid, plastic, metal or china and which naturally come into contact with infants' mouths during their use with synthetic resin whose primary component is polyvinyl chloride	- Diisononyl phthalate (DINP)	Part III Section A Paragraph 8  Test procedures for compliance testing:- ST2012 Part 3 Cl. 2.10
Parts (excluding coating film) manufactured using materials mainly composed of polyethylene	<ul> <li>Potassium permanganate consumption</li> <li>Heavy metals</li> <li>Evaporation of residue</li> <li>Arsenic</li> </ul>	Part III Section A Paragraph 9
Metallic accessories and toys that might be swallowed by infants and small children	- Lead	Part III Section A Paragraph 10
Synthetic resin-based colouring agents used in the manufacture of toys	- Colouring agent	Part III Section B

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-143; Effective date of termination: 7 January 2018)

UL VS Hong Kong Limited 優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests has been	en terminated.	
Electric toys supplied at extra-low voltage	Electrical tests : Compliance inspection and safety tests	BS EN 62115: 2005 + A11: 2012	
	- Compliance inspection and safety tests	IS 15644: 2006	
Toys 玩具	Flammability test 燃燒性能測試	IS 9873(Part 2):2012	
		BS EN 71-2: 2006 + A1 BS EN 71-2: 2011+A1:2014	
		DIN EN 71-2: 2007 DIN EN 71-2: 2014	
		NF EN 71-2: 2006 + A1	
		GB 6675-2003 with Amd. no. 1 Cl. 4.2 and Annex B	

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-143; Effective date of termination: 7 January 2018)

UL VS Hong Kong Limited 優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests has been	terminated.	
	Physical and mechanical tests :-		
Toys 玩具	Safety requirements and test methods 安全規定及測試方法	ISO 8124-1: 2009 + A1 + A2	
		GB 6675-2003 + Amd. 1	
		IS 9873 (Part 1): 2012	
	Labeling requirements: prominence, placement and conspicuousness	16 CFR 1500.121	
Pacifiers and similar products for babies	Safety tests	Canada Hazardous Products (Pacifiers) Regulations C.R.C., c.930	
Toys	Safety requirements and test methods	BS EN 71-1: 2005 + A9 BS EN 71-1: 2011 + A3:2014	
		DIN EN 71-1: 2009 DIN EN 71-1: 2014	
	Safety and performance tests :-		
Cutlery and feeding utensils	Safety requirements and test methods	BS EN 14372: 2004	

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-142; Effective date of termination: 1 January 2018)

UL VS Hong Kong Limited 優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
	Accreditation of the following tests has be		
	-		
	Fibre analysis :-		
General Textiles and Garments	- Fibre content	ISO 5088: 1976	
General Textnes and Garments	(Quantitative method – mechanical	The Textile Products (Determination of Composition)	
	separation and chemical analysis)	Regulation 2008 (Statutory Instrument 2008 No. 15)	
	Strength tests :-		
	- Tensile strength	ASTM D1682-64 (1975)	

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-136; Effective date of termination: 30 November 2016)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Textiles and Garments 紡織品及成衣			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
General Textiles and Garments			
	Care performance tests :-		
- General Textiles and Garments 一般紡織品及成衣	- Dimensional stability to washing	AATCC Test Method 135-2012 GB/T 8630-2002	
	- Preparation, marking and measuring for dimensional change tests 測定尺寸變化的試驗中織物 試樣和服裝的準備、標記及測量	GB/T 8628-2001	
	- Wash and wear performance	AATCC Test Method 88B-2011 AATCC Test Method 88C-2011 AATCC Test Method 124-2011 AATCC Test Method 143-2011	
		Tarree Test Mediod 143 2011	
- General Textiles and Garments 一般紡織品及成衣	Colour fastness tests : Burnt gas fumes	AATCC Test Method 23-2010	
双河西田从水水	- Chlorinated water 耐氯化水色牢度	GB/T 8433-1998	
	- Light	AATCC Test Method 16.3-2012 ISO 105-B02: 2013 BS EN ISO 105-B02: 2013 DIN EN ISO 105-B02:2013 EN ISO 105-B02: 2013	
	- Perspiration 耐汗漬色牢度	GB 18401-2010 Cl. 6.4 using test method GB/T 3922-1995	
	- Washing 耐洗色牢度	GB/T 12490-2007	
	- Water 耐水色牢度	GB 18401-2010 Cl. 6.3 using test method GB/T 5713-1997	
- General Textiles and Garments 一般紡織品及成衣	Construction tests: - Twist of yarn	BS EN ISO 2061: 2010 EN ISO 2061: 2010 DIN EN ISO 2061: 2010 ISO 2061: 2010	

Textiles and Garments 紡織品及成衣			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Specific Products			
Specific Floducts	Construction tests:		
- Children's upper outerwear	- Measurement of drawstrings	BS EN 14682: 2007	
••		DIN EN 14682: 2008	
		EN 14682: 2007	
General Textiles and Garments			
General Textnes and Garments	Fabric performance tests :-		
- General Textiles and Garments	- Abrasion resistance		
一般紡織品及成衣			
	(b) Stoll flat abrasion tester	ASTM D3886-99 (2011)e1	
	(c) Flex abrasion tester	ASTM D3885-07a (2011)	
	(0)	(2007)	
	- Pilling resistance	ASTM D3512/D3512M-10e2	
		ASTM D3514/D3514M-10	
	- Soil release performance	AATCC Test Method 130-2010	
	- Solar UV Protective Properties	AATCC Test Method 183-2010	
	Fibre analysis :-		
- General Textiles and Garments	- Fibre content	AATCC Test Method 20A-2013	
一般紡織品及成衣	(Quantitative method – mechanical	< Excluding the following>	
	separation and chemical analysis)	Method 11	
	- Fibre content 纖維定量分析	AATCC Test Method 20A-2013	
	(Quantitative method – microscopic	GB/T 16988- 1997	
	analysis)		
	(定量方法-顯微鏡分析)		
	Steen with the steen		
- General Textiles and Garments	Strength tests : Tensile strength	ASTM D5035-11	
一般紡織品及成衣	Tenone strength	1101111 25055 11	

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-135; Effective date of termination: 11 November 2016)

## **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

Chemical Testing 化學測試			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
The	e accreditation of the following tests has been	terminated.	
Pencils and artists brushes (surface coating materials)	Total lead content	Canada Surface Coating Materials Regulations (SOR/2005-109, as amended by SOR/2011-14), Section 7.3  Test procedures for compliance testing:- Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C02.2  Determination of Total Lead in Surface Coating Materials in Consumer Products (2013-10-16)	
Surface coating materials	- Total lead content	Canada Surface Coating Materials Regulations (SOR/2005-109, as amended by SOR/2011-14)  Test procedures for compliance testing:- Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C02.2  Determination of Total Lead in Surface Coating Materials in Consumer Products (2013-10-16)	
	- Total mercury content	Test procedures for compliance testing:- Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C-07 Determination of Total Mercury in Surface Coating Materials, Applied Coatings and Cosmetic Samples (2012-07-16)	
Products intended to come into direct contact with skin and piercing parts	Release of nickel	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No 27 as amended by Commission Regulation (EC) No. 552/2009 Test procedures for compliance testing: BS EN 1811:2011 incorporatingCorrigendumMay 2012 EN 1811:2011incorporatingCorrigendumMay 2012	

UL VS Hong Kong Limited 優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The accreditation of the following tests has be	en terminated.
Toys	Chemical tests :-	Canada Toys Regulations (SOR/2011-17), Section 23
(surface coating material)	- Total lead content	Test procedures for compliance testing:- Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C02.2 Determination of Total Lead in Surface Coating Materials in Consumer Products (2013-10-16)
	- Total mercury content	Test procedures for compliance testing:- Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C-07 Determination of Total Mercury in Surface Coating Materials, Applied Coatings and Cosmetic Samples (2012-07-16)
Toys	- Cellulose nitrate	Canada Toys Regulations (SOR/2011-17), Section 21 UK Toys (Safety) Regulations SI 1367: 1974 Section 3 Test procedures for compliance testing: Confirmation by Sulphuric acid test and Molisch Test
Furniture and other articles for children (surface coating materials)	- Total lead content	Canada Surface Coating Materials Regulations (SOR/2005-109, as amended by SOR/2011-14), Section 7.2  Test procedures for compliance testing:- Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C02.2  Determination of Total Lead in Surface Coating Materials in Consumer Products (2013-10-16)
Pencils and artists brushes (surface coating materials)	- Total lead content	Canada Surface Coating Materials Regulations (SOR/2005-109, as amended by SOR/2011-14), Section 7.3  Test procedures for compliance testing:- Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Methods Section, Method C02.2  Determination of Total Lead in Surface Coating Materials in Consumer Products (2013-10-16)

優力勝邦檢測服務(香港)有限公司

Toys and Children's Products 玩具及兒童產品			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Т	he accreditation of the following tests has be	en terminated.	
	Chemical tests :-		
Toys	Migration of certain elements	BS EN 71-3: 2013 EN 71-3: 2013 DIN EN 71-3: 2013	
Textile materials for toys intended for children under three years old	Free formaldehyde content	EN 71-9: 2005 + A1:2007 clause 4.3.1  Test Procedures for Compliance testing: ISO 14184-1:1998	
Textile materials for toys	Free formaldehyde content	SNI ISO 14184-1:2013 (English version)	
	Released formaldehyde content	SNI ISO 14184-2:2010 (English version)	

Annex III
List of tests for which accreditation has been terminated (Notification Letter no.: HOKLAS036-134; Effective date of termination: 2 November 2016)

UL VS Hong Kong Limited 優力勝邦檢測服務(香港)有限公司

TEST CATEGORY 測試類別	RD(労(音)を)/月   RC(立)     ITEM, MATERIAL   OR PRODUCT TESTED   測試項目、材料或産品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The acc	creditation of the following tests has been te	rminated.
TOYS and CHILDREN'S PRODUCTS 玩具及兒童產品	Battery operated toys	Electrical tests : Battery operated toy safety tests	ASTM F963-08 Cl. 4.25 and 8.17
	Toys 玩具	Flammability tests	Japan Toy Safety Standard ST 2002 Tenth Edition (2010.4.1) Part 2  Japan Toy Safety Standard ST 2002 Eleventh Edition (2011.8.23) Part 2 (based on English version of the Tenth Edition and revision published by JTA in November 2011)  ASTM F963-08 4.2
		Flammability tests 燃燒性能測試	CNS 4797-1: 2007

Annex III
List of tests for which accreditation has been terminated (Notification Letter no.: HOKLAS036-134; Effective date of termination: 2 November 2016)

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
		creditation of the following tests has been te	
TOYS and CHILDREN'S PRODUCTS 玩具及兒童產品		Physical and mechanical tests :- 機械和物理性能測試	
<b>九</b>	Toys	Safety requirements	ASTM F963-08 Cl. 4.5 to 4.24, 4.26 to 4.28, 4.30 to 4.39
		Safety requirements and test methods	Japan Toy Safety Standard ST 2002, Tenth Edition (2010.4.1) Part 1
		Safety requirements and test methods	Japan Toy Safety Standard ST 2002, Eleventh Edition (2011.08.23) Part 1 (based on English version of the Tenth Edition and revision published by JTA in November 2011)
	Toys 玩具	Safety requirements and test methods (general requirements) 安全規定及測試方法(一般要求)	CNS 4797: 2012
		Safety requirements and test methods (mechanical and physical requirements) 安全規定及測試方法(物理性要求)	CNS 4797-3: 2004
	Children's jewelry	Mechanical requirements for children's jewellery Test Methods	ASTM F2923-11 Cl. 12 Cl. 13
	Swings, slides and similar activity toys for indoor and outdoor family domestic use	Safety requirements and test methods	EN 71-8: 2003 + A4 BS EN 71-8: 2003 + A4 DIN EN 71-8: 2009
	Activity toys for domestic use		EN 71-8: 2011 BS EN 71-8: 2011
	Toys and children's products		Hong Kong Ordinance Ch. 424B, Toys and Children's Products Safety Regulation
	Children's folding chairs	General requirements Test methods Marking and labeling	ASTM F2613-09 Cl. 5.1 to5.3, 5.5 to 5.11 Cl. 6 Cl. 7

### **HKASAnnex III**

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-132; Effective date of termination: 14 September 2016)

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
		ntion of the following tests has been	
CHEMICAL			
TESTING 化學測試	Plastics	Cadmium content	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No. 23 as amended by Commission Regulation (EC) No. 552/2009 and Commission Regulation (EU) No. 494/2011 United KingdomEnvironmental Protection (Control on Injurious Substances) No.2 Regulations 1993 No. 1643 Swedish Ordinance SFS 1998: 944 Section 1 – Section 5 of Ch. 9 and App. 2, Swedish Regulation KIFS 1998: 8 (based on English translated version last amended by "KIFS 2008.1" issued in April 2008 by Swedish Chemicals Agency) Austria Federal Law Gazette No. 855/1993 (Cadmium Ordinance) Switzerland Ordinance on Risk Reduction related to Chemical Products (ORRChem), SR814.81 of 18 May 2005, Annex 2.9 Netherlands Law Gazette 1999 No. 149 and Amd. in Sept. 2000 No. 186 (Chemical Substances Act) Test procedures for compliance testing:-In House Method SLIHT007
	Liquid paint, printing ink and other surface coating materials	Cadmium content	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No. 23 as amended by Commission Regulation (EC) No. 552/2009 and Commission Regulation (EU) No. 494/2011 United Kingdom Environmental Protection (Control on Injurious Substances) No.2 Regulations 1993 No. 1643 Swedish Ordinance SFS 1998: 944 Section 1 – Section 5 of Ch. 9 and App. 2, Swedish Regulation KIFS 1998: 8 (based on English translated version last amended by "KIFS 2008.1" issued in April 2008 by Swedish Chemicals Agency) Austria Federal Law Gazette No. 855/1993 (Cadmium Ordinance) Switzerland Ordinance on Risk Reduction related to Chemical Products (ORRChem), SR814.81 of 18 May 2005, Annex 2.8 Netherlands Law Gazette 1999 No. 149 and Amd. in Sep 2000 No. 186 (Chemical Substances Act) Test procedures for compliance testing:-In House Method SLIHT002 In House Method SLIHT002

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR	SPECIFICATION, STANDARD METHOD
測試類別	測試項目、材料或產品	PROPERTY MEASURED 特定測試或量度的特性	OR TECHNIQUE USED 規範、標準方法或應用技術
24 - 4200.04		ation of the following tests has bee	
CHEMICAL	The decrease	tron of the following tests has been	AT VOT IMMUOUV
TESTING (cont'd) 化學測試	Paint and similar surface coating materials	- Total lead content	In House Method SLIHT002 In House Method SLIHT004 ASTM D3335-85a (Reapproved 2009)
(續上)		- Total cadmium content	In House Method SLIHT002 In House Method SLIHT004
	Products made from leather or polyester, and textile products	Amine (Azocolourants):  1) 4-aminodiphenyl 2) benzidine 3) 4-chloro-o-toluidine 4) 2-naphthylamine 5) o-aminoazotoluene 6) 5-nitro-o-toluidine 7) 4-chloroaniline 8) 4-methoxy-m-phenylenediamine 9) 4,4'-diaminodiphenylmethane 10) 3,3'-dichlorobenzidine 11) 3,3'-dimethoxybenzidine 12) 3,3'-dimethylbenzidine 13) 4,4'-methylene-di-o-toluidine 14) p-cresidine	Leather products: - CEN ISO/TS 17234:2003 (for determination of the first 20 amines listed on the left and does not include2-methoxyaniline)  Polyester products: - EN14362-2: 2003  Textile products: - EN14362-1: 2003
		15) 4,4'-methylene-bis-(2-chloro-aniline) 16) 4,4'-oxydianiline 17) 4,4'-thiodianiline 18) o-toluidine 19) 4-methyl-m-phenylenediamine 20) 2,4,5-trimethylaniline 21) 2-methoxyaniline	Techniques used are GC-MSD and HPLC-DAD for all test methods listed above.

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The accredita	tion of the following tests has bee	en terminated.
TOYS and CHILDREN'S PRODUCTS		Chemical tests :-	
玩具及兒童產品	Pacifiers, rattles and teethers	- DEHP	ASTM F963-08 Cl. 4.3.8
	Toys – paint and similar surface-coating materials	- Total lead content	ASTM F963-08 Cause 4.3.5.1
		- Soluble migrated elements: Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-08 Cause 4.3.5.2
		- Total element content (screening)	ASTM F963-11Cl. 4.3.5.1(1) & (2)  Test procedures for compliance testing:- In house method C-141
	Toys – substrate materials (Accessible non-metallic toys or toy components that are small parts)	- Total element content (screening)	ASTM F963-11Cl. 4.3.5.2(2)(a) & (b)  Test procedures for compliance testing:- In house method C-141
	Toys – substrate materials (Accessible metallic toys or toy components that are small parts, excluding children's jewellery)	- Total element content (screening)	ASTM F963-11Cl. 4.3.5.2(2)(a) & (b)  Test procedures for compliance testing:- In house method C-141
	Fillings and stuffings	Objectionable matter	ASTM F963-11, Clause 4.3.7  < Excluding the following > Requirements of Title 34, Chapter 47, Section 47.317,  "Tolerance of the Commonwealth of Pennsylvania Regulation for Stuffed Toys"  Test Procedures for Compliance Testing: In-house method C-074
	All toys and children's products - Paint and similar surface coating materials	- Total lead content	In House Method SLIHT002 In House Method SLIHT004 ASTM D3335-85a (Reapproved 2009)
		- Total cadmium content	In House Method SLIHT002 In House Method SLIHT004

TEST	ITEM, MATERIAL	SPECIFIC TEST OR	SPECIFICATION, STANDARD METHOD
CATEGORY 測試類別	OR PRODUCT TESTED 測試項目、材料或產品	PROPERTY MEASURED 特定測試或量度的特性	OR TECHNIQUE USED 規範、標準方法或應用技術
7/1 E/XX/11		ation of the following tests has h	
TOYS and		viola or one rone wing vests must	
CHILDREN'S PRODUCTS		Chemical tests (cont'd):-	
(cont'd) 玩具及兒童產品 (續上)	Liquid paint, printing ink and other surface coating materials	- Cadmium content	Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No. 23 as amended by Commission Regulation (EC) No. 552/2009 and Commission Regulation (EU) No. 494/2011 United Kingdom Environmental Protection (Control on Injurious Substances) No.2 Regulations 1993 No. 1643 Swedish Ordinance SFS 1998: 944 Section 1– Section 5 of Ch. 9 and App. 2, Swedish Regulation KIFS 1998: 8 (based on English translated version last amended by "KIFS 2008:1" issued in April 2008 by Swedish Chemicals Agency) Austria Federal Law Gazette No. 855/1993 (Cadmium Ordinance) Switzerland Ordinance on Risk Reduction related to Chemical Products (ORRChem), SR814.81 of 18 May 2005, Annex 2.8 Netherlands Law Gazette 1999 No. 149 and Amd. in Sep 2000 No. 186 (Chemical Substances Act) Test Procedures for Compliance testing: In House Method SLIHT002
	Plastics	- Cadmium content	In House Method SLIHT004  Regulation (EC) No. 1907/2006 on REACH Annex XVII Item No. 23 as amended by Commission Regulation (EC) No. 552/2009 and Commission Regulation (EU) No. 494/2011 United Kingdom Environmental Protection (Control on Injurious Substances) No.2 Regulations 1993 No. 1643 Swedish Ordinance SFS 1998: 944 Section 1– Section 5 of Ch. 9 and App. 2, Swedish Regulation KIFS 1998: 8 (based on English translated version last amended by "KIFS 2008: 1" issued in April 2008 by Swedish Chemicals Agency) Austria Federal Law Gazette No. 855/1993 (Cadmium Ordinance) Switzerland Ordinance on Risk Reduction related to Chemical Products (ORRChem), SR814.81 of 18 May 2005, Annex 2.9 Netherlands Law Gazette 1999 No. 149 and Amd. in Sept. 2000 No. 186 (Chemical Substances Act) Test Procedures for Compliance testing: In House Method SLIHT007

## List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS036-129; Effective date of termination: 1 May 2016)

TEST CATEGORY	ITEM, MATERIAL OR PRODUCT TESTED	SPECIFIC TEST OR PROPERTY MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
	The accredita	ation of the following tests has be	een terminated.
TEXTILES and GARMENTS	General Textiles and Garments :-	Care performance tests :-	
紡織品及成衣			
	- General Textiles and	- Dimensional stability to washing	AATCC Test Method 135-2010
	Garments		AATCC Test Method 150-2010
		- Skewness after washing	AATCC Test Method 179-2010
		Colour fastness tests :-	AATCC Test Method 132-2009
		- Hot pressing	AATCC Test Method 133-2009
		- Light	AATCC Test Method 16-2004 (Option 3)
			ISO 105-B02: 1994 + A1 + A2 Methods 1 and 2
			BS EN ISO 105-B02: 1999 + A1 (with Corr. 1 & 2)
			Methods 1 and 2
			DIN EN ISO 105-B02: 2002 Methods 1 and 2 EN ISO 105-B02: 1999 + A1 Methods 1 and 2
			EN ISO 103-B02. 1999 + A1 Methods 1 and 2
		- Perspiration	AATCC Test Method 15-2009
			ISO 105-E04: 1994 with Corr. 1
			ISO 105-E04: 2008
			BS EN ISO 105-E04: 2009
			DIN EN ISO 105-E04: 2009
			EN ISO 105-E04: 2009
		- Perspiration & light	AATCC Test Method 125-2009
		- Rubbing/crocking	AATCC Test Method 8-2007
			AATCC Test Method 116-2010
		- Seawater	AATCC Test Method 106-2009
			ISO 105-E02: 1994 with Corr. 1
			BS EN ISO 105-E02: 1996 with Corr. 1
			DIN EN ISO 105-E02: 1996
			EN ISO 105-E02: 1996
		- Spotting (acid)	GB/T 5715-1997
		- Spotting (alkaline)	AATCC Test Method 6-2006
			GB/T 5716-1997
		- Spotting (water)	GB/T 5717-1997

TEST	ITEM, MATERIAL	SPECIFIC TEST OR	SPECIFICATION, STANDARD METHOD
CATEGORY	OR PRODUCT TESTED	PROPERTY MEASURED	OR TECHNIQUE USED
測試類別	測試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
		tion of the following tests has bee	en terminated.
TEXTILES and GARMENTS 紡織品及成衣	General Textiles and Garments :-	Colour fastness tests :- (cont'd)	
	- General Textiles and Garments	- Washing	AS 2001.4.15-1994 AATCC Test Method 61-2010 ISO 105-C01 to C03: 1989 ISO 105-C04 to C05: 1989 BS EN 20105-C01: 1993
			BS EN 20105-C02 to C03: 1993 BS EN 20105-C04 to C05: 1993 DIN EN 20105-C01 to C03: 1993 DIN EN 20105-C04 to C05: 1993 EN 20105-C01 to C03: 1992 EN 20105-C04 to C05: 1992 GB/T 3921.1 to 5-1997
		- Water	AATCC Test Method 107-2009 ISO 105-E01: 2010 BS EN ISO 105-E01: 2010 DIN EN ISO 105-E01: 2010 EN ISO 105-E01: 2010
		Construction tests:	
		- Threads per unit length, woven	ASTM D3775-08
		- Twist of yarn	ASTM D1422-99 (2008)
		Fabric performance tests :-	
		- Abrasion resistance (a) Martindale tester	ASTM D4966-12
		- Oil repellency	AATCC Test Method 118-2007
		- Water repellency	BS EN 24920: 1992 with Amd. 1 DIN EN 24920: 1992 EN 24920: 1992 ISO 4920: 1981
		- Water resistance (Hydrostatic pressure)	AATCC Test Method 127-2008
		- Water resistance (Rain test)	AATCC Test Method 35-2006
		- Wrinkle Recovery (Appearance method)	AATCC Test Method 128-2009

TEST	ITEM, MATERIAL	SPECIFIC TEST OR	SPECIFICATION, STANDARD METHOD
CATEGORY 測試類別	OR PRODUCT TESTED 測試項目、材料或產品	PROPERTY MEASURED 特定測試或量度的特性	OR TECHNIQUE USED 規範、標準方法或應用技術
7/1 BY (XX //1		ntion of the following tests has been	
TEXTILES and	General Textiles and	little following tests has been	
GARMENTS 紡織品及成衣	Garments :-  - General Textiles and Garments	Fibre analysis : Fibre content (Qualitative method)	AATCC Test Method 20-2011
	Gaments	- Fibre content (Quantitative method – mechanical separation and chemical analysis)	AATCC Test Method 20A-2011 ISO 1833: 1977 + Amd. 1 <*Excluding the following> Sections 14 & 18
		- Fibre content (Quantitative method – microscopic analysis)	AATCC Test Method 20A-2011
		- Fibre diameter (Animal fibres, yarn and fabric only)	ASTM D2130-90 (2008)
		- Fibre diameter (by projection microscope)	GB/T 10685-1989
		Strength tests :-	
		- Bursting strength	ASTM D3786/D3786M-09
		- Tensile strength	BS EN ISO 13934-1 & 2: 1999 DIN EN ISO 13934-1 & 2: 1999 EN ISO 13934-1 & 2: 1999 ISO 13934-1 & 2: 1999 SN EN ISO 13934-1 & 2: 1999
		- Tearing strength (Tongue method)	ASTM D2261-11

List of tests for which accreditation has been terminated

(Notification letter no.: HOKLAS036-128; Effective date of termination: 13 April 2016)

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	The a	accreditation of the following tests has been ter	minated
CHEMICAL TESTING 化學測試	Leather	pH value	BS EN ISO 4045: 1998 DIN EN ISO 4045: 1998 EN ISO 4045: 1998 ISO 4045: 1977
		Chromium (VI)	DD CEN/TS 14495: 2003 CEN/TS 14495: 2003 DIN CEN/TS 14495: 2003 IULTCS/IUC 18: 2003

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
		accreditation of the following tests has been	
TEXTILES and GARMENTS 紡織品及成衣	Other Materials :-	Chemical analysis :-	
	- Leather	- pH value	BS EN ISO 4045: 1998 DIN EN ISO 4045: 1998 EN ISO 4045: 1998 ISO 4045: 1977
		- Chromium (VI)	DD CEN/TS 14495: 2003 CEN/TS 14495: 2003 DIN CEN/TS 14495: 2003 IULTCS/IUC 18: 2003

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
/八时天久/八		付尺例試及里及的行任 accreditation of the following tests has been	
TOYS and CHILDREN'S		Chemical tests: -	
	Children's folding chair (surface coating materials)	Chemical tests: Total lead content	ASTM F2613-09 Cl. 5.4 in conjunction with 16CFR1303 ASTM F2613-10 Cl. 5.4 in conjunction with 16CFR1303 Test procedures for compliance testing:- CPSC Test method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, February 25, 2011

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
		accreditation of the following tests has been to	
TOYS and CHILDREN'S PRODUCTS (cont'd)		Chemical tests (cont'd):-	Japan Toy Safety Standard ST2002, Tenth Edition (2010.4.1), Part 3
玩具及兒童產品 (續上)	All toys' materials	- Colouring matters	Cl. 1.1
	Materials which are mainly composed of polyethylene and polyvinyl chloride (excluding parts on which paint coating is applied)	<ul> <li>Consumption of potassium permanganate</li> <li>Residue on evaporation</li> <li>Heavy metals</li> <li>Arsenic</li> <li>Cadmium (excluding materials mainly composed of polyethylene)</li> </ul>	Cl. 1.2
	Decalcomania, folded paper and rubber-made toys (excluding rubber pacifiers)	- Heavy metals - Arsenic	Cl. 1.3
	Vinyl chloride resin coating	- Consumption of potassium permanganate - Residue on evaporation	Cl. 1.4
	The paint coating applied to the body or the components of the toys, (including vinyl chloride resin coating; excluding the printing ink used for paper containers)	- Heavy metals: 8 elements (antimony, arsenic, barium, cadmium, chromium, lead, mercury and selenium)	Cl. 1.5
	Textile products used for toys	- Free formaldehyde	Cl. 1.6 < Excluding the following> Confirmation test by HPLC
	Ink and the like used for the graphic instruments that are provided with the toys such as pencils, ball-point pens, markers, crayons, pastels, water colours, chalks, etc.	- Colouring matters - Heavy metals: 8 elements (antimony, arsenic, barium, cadmium, chromium, lead, mercury and selenium)	Cl. 1.8
	Synthetic resin mainly composed of polyvinyl chloride, for which phthalate compound is used as raw material (including those used for paint coating)	<ul> <li>Bis (2-ethylhexyl) phthalate (DEHP)</li> <li>Dibutyl phthalate (DBP)</li> <li>Butyl benzyl phthalate (BBP)</li> <li>Di-isononyl phthalate (DINP)</li> <li>Di-isodecyl phthalate (DIDP)</li> <li>Di-n-octyl phthalate (DNOP)</li> </ul>	Cl. 1.9 <excluding following="" the=""> Cl. 1.9.3</excluding>

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
		accreditation of the following tests has been te	
TOYS and CHILDREN'S PRODUCTS (cont'd) 玩具及兒童產品		Chemical tests (cont'd):-	Japan Toy Safety Standard ST2002, Tenth Edition (2010.4.1), Part 3 (cont'd)
(續上)	Rubber pacifiers	- Material test: Cadmium and Lead - Dissolution test: Phenol, Formaldehyde, Zinc, Heavy metals and Residue on evaporation	Cl. 1.10
	Metals used for toy (neither painted nor covered)	- Lead	Cl. 1.11
			Japan Toy Safety Standard ST2002, Eleventh Edition (2011.08.23), Part 3 (following the Tenth Edition and revision published by JTA in November 2011)
	All toys' materials	- Colouring matters	Cl. 1.1
	Materials which are mainly composed of polyethylene and polyvinyl chloride (excluding parts on which paint coating is applied)	- Consumption of potassium permanganate - Residue on evaporation - Heavy metals - Arsenic - Cadmium (excluding materials mainly composed of polyethylene)	Cl. 1.2
	Decalcomania, folded paper and rubber-made toys (excluding rubber pacifiers)	- Heavy metals - Arsenic	Cl. 1.3
	Vinyl chloride resin coating	- Consumption of potassium permanganate - Residue on evaporation	Cl. 1.4
	The paint coating applied to the body or the components of the toys, (including vinyl chloride resin coating; excluding the printing ink used for paper containers)	- Heavy metals: 8 elements (antimony, arsenic, barium, cadmium, chromium, lead, mercury and selenium)	Cl. 1.5

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
/公司(大只力)		ccreditation of the following tests has been ter	
TOYS and CHILDREN'S PRODUCTS (cont'd) 玩具及兒童產品 (續上)		Chemical tests (cont'd):-	Japan Toy Safety Standard ST2002, Eleventh Edition (2011.08.23), Part 3 (following the Tenth Edition and revision published by JTA in November 2011) (cont'd)
	Textile products used for toys	- Free formaldehyde	Cl. 1.6 <excluding following="" the=""> Confirmation test by HPLC</excluding>
	Ink and the like used for the graphic instruments that are provided with the toys such as pencils, ball-point pens, markers, crayons, pastels, water colours, chalks, etc.	- Colouring matters - Heavy metals: 8 elements (antimony, arsenic, barium, cadmium, chromium, lead, mercury and selenium)	Cl. 1.8
	Plasticized material in toys	<ul> <li>Bis (2-ethylhexyl) phthalate (DEHP)</li> <li>Dibutyl phthalate (DBP)</li> <li>Butyl benzyl phthalate (BBP)</li> <li>Di-isononyl phthalate (DINP)</li> <li>Di-isodecyl phthalate (DIDP)</li> <li>Di-n-octyl phthalate (DNOP)</li> </ul>	Cl. 1.9 <excluding following="" the=""> Cl. 1.9.3</excluding>
	Rubber pacifiers	<ul> <li>Material test: Cadmium and Lead</li> <li>Dissolution test: Phenol, Formaldehyde,</li> <li>Zinc, Heavy metals and Residue on</li> <li>Evaporation</li> </ul>	Cl. 1.10
	Metals used for toy (neither painted nor covered)	- Lead	Cl. 1.11

List of tests for which accreditation has been terminated

(Notification letter no.: HOKLAS036-125; Effective date of termination: 29 December 2015)

# **UL VS Hong Kong Limited**

優力勝邦檢測服務(香港)有限公司

.TEST .CATEGORY .測試類別	ITEM, MATERIAL OR PRODUCT TESTED .测試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED - 規範、標準方法或應用技術
	The a	accreditation of the following tests has been te	rminated
TOYS and CHILDREN'S PRODUCTS 玩具及兒童產品	Toys	Physical and mechanical tests :- Safety tests	Health Canada Product Safety Laboratory  Book 5 – Laboratory Policies and Procedures  Part B: Test Method Section
		- Rattles	Method M-05 (2010)
			Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section
		- Eye / Nose Security – Dolls, Plush Toys and Soft Toys	Method M00.4 (2013)

# List of tests for which accreditation has been terminated

(Notification Letter No.: 036-115; Effective date of termination: 1 December 2014)

UL VS Hong Kong Limited 優力勝邦檢測服務(香港)有限公司

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
		reditation of the following tests has been to	erminated.
TOYS and CHILDREN'S PRODUCTS 玩具及兒童產品	Pacifiers, rattles and teethers	Chemical tests:	ASTM F963-07(e1) Cl. 4.3.8
<b>元六人</b> 几至庄品	Tacificis, factors and technols	DEM	7.5.1W1703 07(C1) Cl. 4.5.0
	Toys – paint and similar surface-coating materials	- Total lead content	ASTM F963-07(e1) Cl. 4.3.5.1
		- Soluble migrated elements: Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	ASTM F963-07(e1) Cl. 4.3.5.2
		Electrical tests :-	
	Battery operated toys	- Battery operated toy safety tests	ASTM F963-07 (e1) Cl. 4.25, 8.18 and 8.19

NL036-115 Annex III Page 1 of 1

# List of tests for which accreditation has been terminated

(Notification Letter No.: 036-114; Effective date of termination: 4 November 2014)

UL VS Hong Kong Limited 優力勝邦檢測服務(香港)有限公司

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
/ 风 武 ⁄		一 村尺,例 武 里 及 的 村住 reditation of the following tests has been	
TOYS and	The acc	reditation of the following tests has been	terminateu.
CHILDREN'S PRODUCTS 玩具及兒童產品	Toys	Flammability tests :-	ASTM F963-07(e1) 4.2
7057.人人, 正 庄 III			AS/NZS ISO 8124.2: 2003
	Pile fabrics used for toys	Ignitability (surface flash) test	BS 4569: 1983
		Physical and mechanical tests:-	
	Toys	Safety requirements	ASTM F963-07(e1) Cl. 4.5 to 4.24, 4.26, 4.28 to 4.29, 4.31 to 4.39  < Excluding the following > 4.20.1
		Labeling requirements	Cl. 5
		Instructional literature	Cl. 6
		Producer's markings	Cl. 7
		Test methods	Cl. 8
		Safety and performance tests :-	
	Metal finished products on toys and children's products		
	- Coated structure or article with dry film thickness up to 5.0 mils (125 μm)	Adhesion measurement by tape test (Cross-cut tape test)	ASTM D3359-09e2 Method B  < Excluding the following > Cl. 12.1
	- Coated structure or article	Cross-cut test	ISO 2409: 2007
	with dry film thickness		EN ISO 2409: 2007
	up to 120 μm		BS EN ISO 2409: 2007
			BS 3900-E6: 2007
			< Excluding the following > for the above four standards Cl. 5.2, 5.3
	Writing and marking	Safety tests for safety caps	BS 7272-1: 2000 with Amd. 1
	instruments		
		Safety tests for end closures	BS 7272-2: 2000 with Corr. 1

NL036-114 Annex III Page 1 of 1

# List of activities for which accreditation has been terminated

(Notification Letter No.: 036-108; Effective date of termination: 7 April 2014)

.TEST .CATEGORY .测试類別	ITEMS, MATERIALS OR PRODUCTS TESTED .测試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD .OR TECHNIQUE USED 規範、標準方法或應用技術
CONSTRUCTION MATERIALS 建築材料	Building Glass	- Impact tests and classification of safety glass	BS 6206: 1981 with Amd. 4580, Amd. 5189, Amd. 7589, Amd. 8156 and Amd. 8693

TEST CATEGORY	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
測試類別	测試項目、材料或產品	.特定測試或量度的特性	.規範、標準方法或應用技術
PHYSICAL and MECHANICAL	Furniture	Safety and performance tests :-	
TESTING	Turmture	Safety and performance tests :-	
物理及機械測	- Beds		
	5 /**		
	- Bunk beds / High beds	- Safety, strength and durability requirements	BS EN 747-1: 2012 DIN EN 747-1: 2012
			EN 747-1: 2012
			BS EN 747-1: 2007
			DIN EN 747-1: 2007
			EN 747-1: 2007
			NF EN 747-1: 2007
		- Strength, durability and safety requirements	BS EN 747-2: 2012
		- Strength, durability and safety requirements	DIN EN 747-2: 2012
			EN 747-2: 2012
			BS EN 747-2: 2007
			DIN EN 747-2: 2007
			EN 747-2: 2007
			NF EN 747-2: 2007
	- Bunk beds	- Safety standard for entrapment hazards in bunk beds	16 CFR Part 1213
		- Requirements for bunk beds	16 CFR 1513
		- Safety specification for bunk beds	ASTM F1427-07
	- Domestic adult beds	- Mechanical safety requirements and tests	BS EN 1725: 1998
	(supplied with bed bases)	, ,	DIN EN 1725: 1998
	and mattresses		EN 1725: 1998

_TEST _CATEGORY _测試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	.SPECIFIC TESTS OR PROPERTIES MEASURED .特定測試或量度的特性	.SPECIFICATION, STANDARD METHOD .OR TECHNIQUE USED .規範、標準方法或應用技術
PHYSICAL and MECHANICAL TESTING	Furniture (cont'd)	Safety and performance tests :-	
(cont'd) 物理及機械測	- Chairs or seating		
(續上)	- Domestic seating	- Strength, durability and safety requirements	BS EN 12520: 2010 EN 12520: 2010
		- Stability tests	BS EN 1022: 2005 DIN EN 1022: 2005 EN 1022: 2005
		- Strength and durability tests	BS EN 1728: 2001 EN 1728: 2000
	- Non-domestic seating	- Strength and durability tests	BS EN 15373: 2007 with Amd. 17224 EN 15373: 2007 < Excluding the following > for the above two standards Cl. 5.3.2 and 5.4
	- Outdoor seating for camping, domestic and contract use	- Safety tests	BS EN 581-1: 2006 DIN EN 581-1: 2006 EN 581-1: 2006 BS EN 581-2: 2009 DIN EN 581-2: 2009 EN 581-2: 2009
	- Upright chairs and stools	- Stability tests	ISO 7174-1: 1988
	- Chairs with tilting or reclining mechanism fully reclined and rocking chairs	- Stability tests	ISO 7174-2: 1992
	- Office chairs	- Static load tests	ANSI/BIFMA X5.1-2011
		- Arm strength test - Leg strength test	13 and 14 18

_TEST _CATEGORY _测試頻別	ITEMS, MATERIALS OR PRODUCTS TESTED 测試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	.SPECIFICATION, STANDARD METHOD .OR TECHNIQUE USED .規範、標準方法或應用技術
PHYSICAL and MECHANICAL TESTING	Furniture (cont'd)	Safety and performance tests :- (cont'd)	
(cont'd) 物理及機械測 (續上)	- Consumer Goods		Hong Kong Ordinance Ch. 456A, Consumer Goods Safety Regulation
(沙兵上)		- Bilingual warning or caution for consumer goods	Section 2
	- Tables and trolleys		
	- Domestic tables	- Strength, durability and safety requirements	BS EN 12521: 2009 EN 12521: 2009
		- Strength, durability and stability tests	BS EN 1730: 2000 with Amd. 13509 and Amd. 13563 DIN EN 1730: 2000 EN 1730: 2000
	- Non- domestic tables	- Strength, durability and safety requirements	BS EN 15372: 2008 EN 15372: 2008
	- Outdoor tables for camping, domestic and contract use	- Safety tests	BS EN 581-1: 2006 DIN EN 581-1: 2006 EN 581-1: 2006 BS EN 581-3: 2007 DIN EN 581-3: 2007 EN 581-3: 2007
	- Glass for inclusion in the construction of tables or	- Fragmentation tests for toughened glass	BS EN 12150-1: 2000 Cl. 8.3 and 8.4 EN 12150-1: 2000 Cl. 8.3 and 8.4
	trolleys	- Impact test for horizontal glass	BS EN 14072: 2003 Cl. 6 and 7 EN 14072: 2003 Cl. 6 and 7
	- Office furniture		
	- Work tables and desks	- Mechanical safety requirements	BS EN 527-2: 2002 EN 527-2: 2002
		- Methods of test for the determination of the stability and the mechanical strength of the structure	BS EN 527-3: 2003 EN 527-3: 2003

_TEST _CATEGORY _測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 测試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
PHYSICAL and MECHANICAL TESTING	Furniture (cont'd)	Safety and performance tests :- (cont'd)	
(cont'd) 物理及機械測	- Storage furniture		
(續上)	- Chests, door chests and dressers of a height of at least 30 inches	- Safety tests	ASTM F2057-09b
	- Domestic storage	- Safety tests	BS EN 1727: 1998 DIN EN 1727: 1998 EN 1727: 1998
	- Non-domestic storage furniture	- Stability tests	BS 4875-8: 1998 with Amd. 16896
	- Domestic and kitchen storage units and worktops	- Safety tests	BS EN 14749: 2005 EN 14749: 2005
		- Impact test for vertical glass components	BS EN 14072: 2003 Cl. 5 and 7 EN 14072: 2003 Cl. 5 and 7
	- Glass for inclusion in the construction of furniture, other than tables or trolleys, including	- Performance tests and dimensional measurements	BS 7449: 1991 with Amd. 9376 and Amd. 10565  < Excluding the following > Cl. 10.2 (Only to stability test of office furniture without wall fixing)
	cabinets, shelving systems and wall hung or free standing mirrors	- Impact tests and classification of safety glass	BS 6206: 1981 with Amd. 4580, Amd. 5189, Amd. 7589, Amd. 8156 and Amd. 8693

# List of activities for which accreditation has been terminated

(Notification Letter: 036-107; Effective date of termination: 20 March 2014)

.TEST .CATEGORY .测试類別	ITEMS, MATERIALS .OR PRODUCTS TESTED .测试項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定测試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
CHEMICAL TESTING 化學測試	Plastics	Cadmium content	EN 1122: 2001 Method A (wet decomposition) BS EN 1122: 2001 Method A (wet decomposition) DIN EN 1122: 2002 Method A (wet decomposition)
	Pencils, coloured pencils and graphic instruments	Migration of certain elements: Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	UK The Pencils and Graphic Instruments (Safety) Regulations SI 2406: 1998
TOYS and CHILDREN'S		Chemical tests :-	
PRODUCTS 玩具及兒童產品	Pencils, coloured pencils and graphic instruments	Migration of certain elements: Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	UK The Pencils and Graphic Instruments (Safety) Regulations SI 2406: 1998
	Plastics	Cadmium content	EN 1122: 2001 Method A (wet decomposition) BS EN 1122: 2001 Method A (wet decomposition) DIN EN 1122: 2002 Method A (wet decomposition)

# List of activities for which accreditation has been terminated

(Notification Letter No.: 036-106; Effective date of termination: 7 February 2014)

.TEST .CATEGORY .测試類別	ITEMS, MATERIALS OR PRODUCTS TESTED .测試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED - 規範、標準方法或應用技術
ELECTRICAL and ELECTRONIC PRODUCTS (cont'd)	Hand-held motor-operated electric tools	Safety tests :-	
電氣及電子產 (續上)	- General requirements for single phase electric tools with rated voltage not more than 250 V < Excluding >  - tools with impact mechanism or heating element  - tools intended to be connected to water supply	- Compliance inspection and safety tests	BS EN 60745-1: 2006 EN 60745-1: 2006  < Excluding the following > for the above two standards Cl. 6, 9.1 (charge measurement above 450V), 14 (tests for IPX1, IPX5 and IPX6) and 23 (component tests to other standards) IEC 60745-1: 2006  < Excluding the following > Cl. 9.1 (charge measurement above 450V), 14 (tests for IPX1, IPX5 and IPX6) and 23 (component tests to other standards) (Note: The above three standards should be used in conjunction with the product test standards as detailed in relevant Part 2 of BS EN 60745, EN 60745 or IEC 60745.)
	- Drills with rated voltage not more than 250V single phase  < Excluding >  - tools with impact mechanism or heating element  - tools intended to be connected to water supply	- Compliance inspection and safety tests	BS EN 60745-2-1: 2003 + A12:2009 EN 60745-2-1: 2003 + A12:2009  < Excluding the following > for the above two standards Cl. 6, 9.1 (charge measurement above 450V), 14 (tests for IPX1, IPX5 and IPX6) and 23 (component tests to other standards) IEC 60745-2-1: 2003 + A1  < Excluding the following > Cl. 9.1 (charge measurement above 450V), 14 (tests for IPX1, IPX5 and IPX6) and 23 (component tests to other standards)
	- Screwdrivers and impact wrenches with rated voltage not more than 250 V single phase  < Excluding >  - tools with impact mechanism or heating element  - tools intended to be connected to water supply	- Compliance inspection and safety tests	BS EN 60745-2-2: 2003 + A12:2009 EN 60745-2-2: 2003 + A12:2009  < Excluding the following > for the above two standards Cl. 6, 9.1 (charge measurement above 450V), 14 (tests for IPX1, IPX5 and IPX6) and 23 (component tests to other standards) IEC 60745-2-2: 2003 + A1  < Excluding the following > Cl. 9.1 (charge measurement above 450V), 14 (tests for IPX1, IPX5 and IPX6) and 23 (component tests to other standards)

_TEST _CATEGORY _测試類別	ITEMS, MATERIALS .OR PRODUCTS TESTED .测試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED -特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED - 規範、標準方法或應用技術
	<b>州</b>	一村尺侧飒飒重及时村任	-
ELECTRICAL and ELECTRONIC		Safaty tacts: (cont'd)	
	Hand hald motor operated	Safety tests :- (cont d)	
	=		
	electric tools (cont u)		
ELECTRONIC PRODUCTS (cont'd) 電氣及電子產 (續上)	Hand-held motor-operated electric tools (cont'd)  - Sanders and polishers other than disk type with rated voltage not more than 250 V single phase < Excluding > - tools with impact mechanism or heating element - tools intended to be connected to water supply	- Compliance inspection and safety tests	BS EN 60745-2-4: 2003 + A11:2007 + A1:2009 EN 60745-2-4: 2003 + A11:2007 + A1:2009  < Excluding the following > for the above two standards C1. 6, 9.1 (charge measurement above 450V), 14 (tests for IPX1, IPX5 and IPX6) and 23 (component tests to other standards) IEC 60745-2-4: 2002 + A1  < Excluding the following > C1. 9.1 (charge measurement above 450V), 14 (tests for IPX1, IPX5 and IPX6) and 23 (component tests to other standards)