

### Annex III

#### List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS037-52; Effective date of termination: 15 June 2023)

#### **Green Island Cement Company Limited**

青洲英坭有限公司

No. 7, Lung Yiu Street, Tap Shek Kok, Tuen Mun, New Territories, Hong Kong

香港新界屯門踏石角龍耀街七號

<b>Construction Materials 建築材料</b>		
<b>ITEM TESTED OR MEASURED 測試或量度項目</b>	<b>SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性</b>	<b>SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術</b>
<b>Accreditation of the following tests has been terminated</b>		
Cement	Fineness	BS EN 196-6: 2010 Cl. 4
Ground Granulated Blastfurnace Slag (GGBS)	Fineness	BS EN 196-6: 2010 Cl. 4 (by Blaine Method) in conjunction with the following specification(s): BS EN 15167-1: 2006 Cl. 5.3.1

## Annex III

### List of activities for which accreditation has been terminated

(Notification Letter: HOKLAS073-115; Effective date of termination: 17 May 2022)

#### **TÜV Rheinland Hong Kong Limited**

香港德國萊茵技術監護顧問股份有限公司

3/F & 4/F, Fou Wah Industrial Building, 10-16 Pun Shan Street, Tsuen Wan, New Territories, Hong Kong.

香港新界荃灣半山街 10 至 16 號富華工業大廈三及四樓

<b>Toys and Children's Products 玩具及兒童產品</b>		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
<b>Accreditation of the following tests has been terminated</b>		
Battery operated toys	Electrical tests :-  - Battery operated toy safety tests	ASTM F963-11 Section 4.25 < <b>Excluding the following</b> > Section 4.25.10  ASTM F963-16 Section 4.25 < <b>Excluding the following</b> > Section 4.25.8.1, 4.25.10 and 4.25.11
Electric toys supplied at extra-low voltage	- Compliance inspection and safety tests	AS/NZS 62115: 2011 < <b>Excluding the following</b> > Cl. 14.15, 16 (component tests to other standards) and 20 (radiation tests), Annexes C and E

## Annex III

### List of activities for which accreditation has been terminated

(Notification Letter: HOKLAS073-115; Effective date of termination: 17 May 2022)

#### **TÜV Rheinland Hong Kong Limited**

香港德國萊茵技術監護顧問股份有限公司

3/F & 4/F, Fou Wah Industrial Building, 10-16 Pun Shan Street, Tsuen Wan, New Territories, Hong Kong.

香港新界荃灣半山街 10 至 16 號富華工業大廈三及四樓

<b>Toys and Children's Products 玩具及兒童產品</b>		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
<b>Accreditation of the following tests has been terminated</b>		
Toys	Flammability tests :-	ASTM F963-11 Section 4.2  ASTM F963-16 Section 4.2  Japan Toy Safety Standard ST 2012 First Edition (2012.9.27) Part 2 (based on the English version provided by JTA in September 2012) <b>&lt;Excluding the following&gt;</b> Tests for flammable gas, flammable gels and highly flammable solids

## Annex III

### List of activities for which accreditation has been terminated

(Notification Letter: HOKLAS073-115; Effective date of termination: 17 May 2022)

#### **TÜV Rheinland Hong Kong Limited**

香港德國萊茵技術監護顧問股份有限公司

3/F & 4/F, Fou Wah Industrial Building, 10-16 Pun Shan Street, Tsuen Wan, New Territories, Hong Kong.

香港新界荃灣半山街 10 至 16 號富華工業大廈三及四樓

<b>Toys and Children's Products 玩具及兒童產品</b>		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
<b>Accreditation of the following tests has been terminated</b>		
Toys	Physical and mechanical tests :-  - Safety tests	ASTM F963-11 Section 4.1, 4.5 to 4.24, 4.26 to 4.28, 4.30 to 4.39, 5, 6, 7 and 8 <b>&lt;Excluding the following&gt;</b> Cl. 4.8.1 and 4.15.5 (toys intended to accommodate multiple children)  ASTM F963-16 Section 4.1, 4.3.7, 4.5 to 4.24, 4.26 to 4.28, 4.30 to 4.41, 5, 6, 7 and 8 <b>&lt;Excluding the following&gt;</b> Cl. 4.8.1 and 4.15.5 (toys intended to accommodate multiple children)  AS/NZS 8124.1: 2016 ISO 8124-1: 2014 <b>&lt;Excluding the following&gt;</b> for the above two standards Cl. 4.8.2  Japan Toy Safety Standard ST 2012 First Edition (2012.9.27) Part 1 (based on the English version provided by JTA in September 2012) <b>&lt;Excluding the following&gt;</b> Cl. 4.25

### Annex III

#### List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS037-49; Effective date of termination: 3 June 2020)

#### **Green Island Cement Company Limited**

青洲英坭有限公司

No. 7, Lung Yiu Street, Tap Shek Kok, Tuen Mun, New Territories, Hong Kong

香港新界屯門踏石角龍耀街七號

<b>Construction Materials 建築材料</b>		
<b>ITEM TESTED OR MEASURED 測試或量度項目</b>	<b>SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性</b>	<b>SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術</b>
<b>Accreditation of the following tests has been terminated</b>		
Pulverized fuel ash (Chemical analysis)	Sulphuric anhydride content (as SO <sub>3</sub> )	BS EN 196-2: 2005 Cl. 8
	Free calcium oxide content	BS EN 451-1: 2003
	Chloride content	BS EN 196-2: 2005 Cl. 14
	Loss-on-ignition (L.O.I.)	BS EN 196-2: 2005 Cl. 7 (using 1h ignition time)

### Annex III

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS037-48; Effective Date of Termination: 8 May 2019)

#### Green Island Cement Company Limited

青洲英坭有限公司

No. 7, Lung Yiu Street, Tap Shek Kok, Tuen Mun, New Territories, Hong Kong

香港新界屯門踏石角龍耀街七號

<b>Construction Materials 建築材料</b>		
<b>ITEM TESTED OR MEASURED</b> 測試或量度項目	<b>SPECIFIC TEST OR PROPERTY MEASURED</b> 特定測試或量度的特性	<b>SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED</b> 規範、標準方法或應用技術
<b>Accreditation of the following tests has been terminated.</b>		
Cement	Compressive strength of broken mortar prism in the force range 2 kN – 250 kN	BS EN 196-1: 2005
	Flexural strength of mortar prism in the force range 2 kN – 250 kN	BS EN 196-1: 2005
	Standard consistence	BS EN 196-3: 2005 (A1: 2008) Cl. 5
	Setting times	BS EN 196-3: 2005 (A1: 2008) Cl. 6
	Soundness	BS EN 196-3: 2005 (A1: 2008) Cl. 7
Pulverized fuel ash	Activity index	BS EN 196-1: 2005
	Initial setting time	BS EN 196-3: 2005 (A1: 2008) Cl. 6
	Soundness	BS EN 196-3: 2005 (A1: 2008) Cl. 7

### Annex III

#### List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS037-45; Effective Date of Termination: 2 June 2017)

#### Green Island Cement Company Limited

青洲英坭有限公司

No. 7, Lung Yiu Street, Tap Shek Kok, Tuen Mun, New Territories, Hong Kong

香港新界屯門踏石角龍耀街七號

<b>Construction Materials 建築材料</b>		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
<b>The accreditation of the following tests has been terminated</b>		
Cement/Clinker (Chemical analysis)	Aluminium oxide content (Al <sub>2</sub> O <sub>3</sub> )	BS EN 196-2: 2005 Cl. 13.11
	Iron (III) oxide content (Fe <sub>2</sub> O <sub>3</sub> )	BS EN 196-2: 2005 Cl. 13.10
	Calcium oxide content (CaO)	BS EN 196-2: 2005 Cl. 13.14 (alternative method)
	Magnesium oxide content (MgO)	BS EN 196-2: 2005 Cl. 13.15
	Manganese content (Mn)	BS EN 196-2: 2005 Cl. 12
	Manganese content (as MnO)	BS EN 196-2: 2005 Cl. 12
	Manganese trioxide content (Mn <sub>2</sub> O <sub>3</sub> )	BS EN 196-2: 2005 Cl. 12
	Total silica content (SiO <sub>2</sub> )	BS EN 196-2: 2005 Cl. 13.9
	Impure silica content	BS EN 196-2: 2005 Cl. 13.2 and Cl. 13.4
	Pure silica content	BS EN 196-2: 2005 Cl. 13.6
	Soluble silica content	BS EN 196-2: 2005 Cl. 13.7 and Cl. 13.8
	Alkali content	BS EN 196-2: 2005 Cl. 18
	Residue insoluble in hydrochloric acid and sodium carbonate	BS EN 196-2: 2005 Cl. 9
	Residue insoluble in hydrochloric acid and potassium hydroxide	BS EN 196-2: 2005 Cl. 10
	Loss-on-ignition (L.O.I.)	BS EN 196-2: 2005 Cl. 7
Chloride content	BS EN 196-2: 2005 Cl. 14	
Sulphate content (as SO <sub>3</sub> )	BS EN 196-2: 2005 Cl. 8	

## Annex II

### List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS037-44; Effective date of termination: 31 January 2017)

#### **Green Island Cement Company Limited**

青洲英坭有限公司

No. 7, Lung Yiu Street, Tap Shek Kok, Tuen Mun, New Territories, Hong Kong

香港新界屯門踏石角龍耀街七號

<b>Construction Materials 建築材料</b>		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
<b>The accreditation of the following tests has been terminated.</b>		
Cement	Fineness	BS EN 196-6: 2010 Cl. 3



**Annex II**

**List of tests for which accreditation has been terminated**

(Notification Letter: 037-40)

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
CONSTRUCTION MATERIALS 建築材料	Cement	Compressive strength of broken mortar prism in the force range 2 kN – 250 kN  Flexural strength of mortar prism in the force range 2 kN – 250 kN  Standard consistence  Setting times  Soundness  Density  Fineness	BS EN 196-1 : 1995  BS EN 196-1 : 1995  BS EN 196-3 : 1995 Cl. 5  BS EN 196-3 : 1995 Cl. 6  BS EN 196-3 : 1995 Cl. 7  BS EN 196-6 : 1992 Annex NC  BS EN 196-6 : 1992 Cl. 3 and Cl. 4

Note:

1. The above tests have been voluntarily terminated with effect from 2 January 2015.

## Annex II

### List of activities for which accreditation has been terminated

(Notification Letter: 037-38)

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
CONSTRUCTION MATERIALS 建築材料	Cement/Clinker (Chemical analysis)	Aluminium oxide content (Al <sub>2</sub> O <sub>3</sub> )	BS EN 196-2 : 1995 Cl. 13.11
		Iron (III) oxide content (Fe <sub>2</sub> O <sub>3</sub> )	BS EN 196-2 : 1995 Cl. 13.10
		Calcium oxide content (CaO)	BS EN 196-2 : 1995 Cl. 13.14
		Magnesia content (MgO)	In-house Method LAB-T-069 (titration) BS EN 196-2 : 1995 Cl. 13.15
		Total silica content (SiO <sub>2</sub> )	BS EN 196-2 : 1995 Cl. 13.9
		Impure silica content	BS EN 196-2 : 1995 Cl. 13.2 and Cl. 13.3
		Pure silica content	BS EN 196-2 : 1995 Cl. 13.6
		Soluble silica content	BS EN 196-2 : 1995 Cl. 13.7 and Cl. 13.8
		Alkali content	BS EN 196-21 : 1992 Cl. 8
		Nitric acid soluble alkali content	BS 4550 : Part 2 : 1970 Cl. 16.2 (AMD 4260)
		Residue insoluble in hydrochloric acid and sodium carbonate	BS EN 196-2 : 1995 Cl. 9
		Residue insoluble in hydrochloric acid and potassium hydroxide	BS EN 196-2 : 1995 Cl. 10
		Loss-on-ignition (L.O.I.)	BS EN 196-2 : 1995 Cl. 7
		Chloride content	BS EN 196-21 : 1992 Cl. 4
Sulphate content (as SO <sub>3</sub> )	BS EN 196-2 : 1995 Cl. 8		

Note:

1. The above tests have been voluntarily terminated with effect from 2 January 2014.