

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No.: HOKLAS048-32; Effective date of termination: 23 July 2024)

K. Wah Asphalt Limited – Man Kam To Road Depot Laboratory

嘉華瀝青有限公司 - 文錦渡路駐廠房實驗室

DD88, Lot 20R.P., 21 & 23R.P. (Part), Man Kam To Road, Sheung Shui, New Territories

新界上水文錦道丈量約份第 88 約地段第 20, 21 及 23 餘段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Bituminous Materials	Polymer modified binder content and particle size distribution of polymer modified bituminous materials by centrifuge method and ignition method.	Particular Specification for Highway's Department Term Contract 2007 Edition Appendix 9.2

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No.: HOKLAS048-26; Effective date of termination: 1 May 2020)

K. Wah Asphalt Limited – Man Kam To Road Depot Laboratory

嘉華瀝青有限公司 - 文錦渡路駐廠房實驗室

DD88, Lot 20R.P., 21 & 23R.P. (Part), Man Kam To Road, Sheung Shui, New Territories

新界上水文錦道丈量約份第 88 約地段第 20, 21 及 23 餘段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Road surfaces	Skid resistance performance of road markings using portable skid resistance tester Thickness of road marking (by micrometer method) Luminance coefficient under defuse illumination (Qd) and coefficient of retro-reflected luminance (RL) by portable retroreflectometer (excluding wet surface)	BS EN 1436 : 2007 Annex D BS 3262 : Part 3 : 1989 Appendix B BS EN 1436 : 2007 Annex A and B

Annex II

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS048-23; Effective Date of Termination: 8 March 2018)

K. Wah Asphalt Limited – Man Kam To Road Depot Laboratory

嘉華瀝青有限公司 - 文錦渡路駐廠房實驗室

DD88, Lot 20R.P., 21 & 23R.P. (Part), Man Kam To Road, Sheung Shui, New Territories

新界上水文錦渡路丈量約份第 88 約地段第 20, 21 及 23 餘段

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Aggregates	Clay, silt and dust content	BS 812 : Part 1 : 1975 (Decantation method)
	Particle density and water absorption	BS 812 : Part 2 : 1995 AMD 9195 (Gas jar method)
	Elongation index	BS 812 : Section 105.2 : 1990
	Shell content	BS 812 : Part 106 : 1985
	Moisture content	BS 812 : Part 109 : 1990 (Oven drying method)
Cement	Compressive strength of broken mortar prism in the force range 2 kN – 250 kN	BS EN 196: Part 1: 1995
	Density	BS EN 196: Part 6:1992 Annex NC
	Fineness	BS EN 196: Part 6: 1992 Cl. 4
	Flexural strength of mortar prism in the force range 1 kN – 15 kN	BS EN 196: Part 1: 1995
	Setting times	BS EN 196: Part 3: 1995 Cl. 6
	Soundness	BS EN196: Part 3: 1995 Cl. 7
	Standard consistence	BS EN 193: Part 3: 1995 Cl. 5
Mineral Filler	Relative density	ASTM D854-83 with modification (using kerosene as wetting agent)
	Sieve analysis	ASTM D546-99 with modification
Road surfaces	Texture depth of carriageway (by sand patch method)	General Specification for Civil Engineering Works 1992 Volume 2 Appendix 10.1
	Permeability of friction course materials	General Specification for Civil Engineering Works 1992 Volume 2 Appendix 9.1