

Annex III

List of test for which accreditation has been terminated

(Notification Letter No. HOKLAS066-162; Effective date of termination: 17 December 2024)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following test(s) has been terminated		
General foodstuff	Microbiological examination:- - <i>E. coli</i> Count - Total Coliform Count - Faecal Coliform Count - <i>Salmonella</i> - <i>Clostridium perfringens</i>	US FDA Bacteriological Analytical Manual Online (BAM online) Ch. 4, September 2002 (MPN Method) (FM002) US FDA Bacteriological Analytical Manual Online (BAM online) Ch. 4, September 2002 (MPN Method) (FM003) US FDA Bacteriological Analytical Manual Online (BAM online) Ch. 4, September 2002 (MPN Method) (FM004) US FDA Bacteriological Analytical Manual Online (BAM online) Ch. 5, December 2007(FM007) ISO 7937:2004 (FM027)
飲用水 (Drinking water)	- 菌落總數(Standard plate-count bacteria)	中華人民共和國國家標準 生活飲用水標準檢驗方法 - 微生物指標 GB/T5750.12 - 2006 (EM001_GB)

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-158; Effective date of termination: 15 September 2024)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test(s) has been terminated		
Gas samples from ambient air, process emissions and surface emissions	Physical examination - Odour concentration measurement	BS EN 13725:2003 (By dynamic olfactometry) <Excluding the following > Section 7

Annex III

List of test for which accreditation has been terminated

(Notification Letter No. HOKLAS066-157; Effective date of termination: 11 March 2024)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following test(s) has been terminated		
Water and wastewater	Microbiological examinations:- - Heterotrophic plate count (Colony count at 35°C) (Colony count at 37°C)	APHA 23e 9215A & B (EM001)
Water and Wastewater and saline water	- <i>Vibrio parahaemolyticus</i>	APHA 23e 9260 H (EM018a)

Annex III

List of test for which accreditation has been terminated

(Notification Letter No. HOKLAS066-157; Effective date of termination: 11 March 2024)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following test(s) has been terminated		
General foodstuff	Microbiological examination:- - <i>E. coli</i> (serotype O157:H7)	US FDA Bacteriological Analytical Manual Online (BAM online) Ch. 4A, June 2016 (Cultural isolation, biochemical and serological confirmation method) (FM022)
General foodstuff	- <i>Listeria monocytogenes</i>	US FDA Bacteriological Analytical Manual Online (BAM online) Ch. 10, March 2017, Detection and enumeration (Direct plating method) (FM008 & FM008a)
General foodstuff	- Thermotolerant <i>Campylobacter</i> species	Public Health England (2014) Detection and enumeration of <i>Campylobacter</i> species Microbiology Services. Food, Water & Environmental Microbiology Standard Method FNES15 (F21), Version 2. (FM021)
Water, ice	- Heterotrophic plate count (Colony count at 35°C) (Colony count at 37°C)	APHA 23e 9215A & B (EM001)

Annex III

List of test for which accreditation has been terminated

(Notification Letter No. HOKLAS066-157; Effective date of termination: 11 March 2024)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Pharmaceutical Products 藥物		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following test(s) has been terminated		
Purified water	Microbiological examination:- - Enumeration of Total aerobic microbial count	British Pharmacopoeia 2020 (Membrane filtration) (EM001M)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-150; Effective date of termination: 9 January 2023)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Pharmaceutical Products 藥物		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Purified water	Microbiological examination:- - Enumeration of Total aerobic microbial count	British Pharmacopoeia 2018 (Membrane filtration) (EM001M)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-148; Effective date of termination: 6 September 2022)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Water and Wastewater	Organic Pollutants :- - Cyanide-Total - Cyanide-Free	In-house Method EK026MD/EK026A (Colorimetric) In-house Method EK025MD/EK026A (Colorimetric)
Sediment and Soil	- Cyanide-Total	In-house Method EK026MD/EK026A (Colorimetric)

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-147; Effective date of termination: 19 August 2022)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Sediment and Soil	Organic Pollutants :- - Phenols-Total	In-house Method EP035MD (Colorimetric)

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-147; Effective date of termination: 19 August 2022)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
General foodstuff	Microbiological examination:- - <i>Virbio parahaemolyticus</i>	US FDA Bacteriological Analytical Manual Online (BAM online), Chapter 9, May 2004 (FM012)
Selected meat, poultry, eggs, seafood, fruit & vegetables	<i>Salmonella spp.</i>	AOAC Official Method 2014.01 (by 3M™ Petrifilm™ Salmonella Express System) (FM107)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-144; Effective date of termination: 1 February 2022)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong

香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Milk and dairy products	Contaminants:- - Dicyandiamide	In-house method FP314 (By LC-MS/MS)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-140; Effective date of termination: 25 May 2021)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Water and Wastewater	Physical Examination :- - Conductivity - pH Value - Solids-Total Suspended - Settleable solids - Volatile and Fixed Suspended Solids - Turbidity - Acidity - Alkalinity-Total - Alkalinity-Bicarbonate - Alkalinity-Carbonate - Alkalinity-Hydroxide Non-metallic Constituents :- - Chlorine-Total Residual - Fluoride - Sulphide - Soluble sulphide Organic Pollutants : - Chemical Oxygen Demand (COD) - Phenols-Total - Surfactants-Anionic (as MBAS)	APHA 22e 2510 (EA010) APHA 22e 4500-H ⁺ B (EA002) APHA 22e 2540D (EA025B) APHA 22e 2540F (EA034B) APHA 22e 2540E (EA035A) APHA 22e 2130 (EA045) APHA 22e 2310 A & B (ED038) APHA 22e 2320 A & B (ED037) APHA 22e 2320 A & B (ED035) APHA 22e 2320 A & B (ED030) APHA 22e 2320 A & B (ED025) APHA 20e 4500-Cl G (EK010) APHA 21e 4500 F A&C (EK040) APHA 21e 4500 S ²⁻ D (EK085) APHA 22e 4500-S ²⁻ , B, C & D (EK085F) APHA 22e 5220C (EP026C) APHA 22e 5530 A, B & D (with modification) (EP035) APHA 21e 5540 A&C (without sublation) (EP050)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-140; Effective date of termination: 25 May 2021)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong

香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Saline water	Physical Examination:- - Solids-Total Suspended - Volatile and Fixed Suspended Solids	APHA 22e 2540D (EA025B) APHA22e 2540E (EA035A)
Water and Wastewater	Microbiological examinations:- - <i>Vibrio parahaemolyticus</i>	APHA 22e 9260 H (EM018a)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-139; Effective date of termination: 14 April 2021)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong

香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
General foodstuff	Microbiological examination:- Yeast and Molds Count	US FDA Bacteriological Analytical Manual Online (BAM online) Ch. 18, January 2001 (Pour Plate Method using Plate Count Agar with Chloramphenicol) (FM005)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-137; Effective date of termination: 2 July 2020)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Saline water	Non-metallic Constituents :- - Nitrogen-Nitrate - Nitrogen-Nitrate+Nitrite	In-house Method EK058K (By calculation) In-house Method EK059V (Discrete analyzer)
Water and Wastewater	Organic Pollutants :- - TPH: C6 - C8 C9 - C16 C17 - C35	In-house method EP071HK (Purge and Trap GC/MSD and GC/FID)
Sediment and Soil	- TPH: C6 - C8 C9 - C16 C17 - C35	In-house method EP071HK (Purge and Trap GC/MSD and GC/FID)
Collectate samples on agar strip	Microbiological examinations: - - Airborne fungi count (number of colonies on agar strip) (25°C for 5 days)	In house method AM405
Water and Wastewater	- Sulfate reducing bacteria	APHA 22e, 9240D, method 2 (EM006)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-137; Effective date of termination: 2 July 2020)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Fruit and Vegetables (cont'd)	Pesticide residues:- (cont'd) Chlordane (sum of cis-Chlordane and trans-Chlordane) Endrin (sum of Endrin and Endrin ketone) Endosulfan (sum of Endosulfan I, Endosulfan II and Endosulfan sulphate) Hexachlorocyclohexane (sum of alpha-HCH, beta-HCH, delta-HCH and Lindane (gamma-HCH)) - Pyrethroid pesticides:- Bifenthrin, Cyfluthrins, Fenpropathrin, Deltamethrin, Cypermethrins, Fenvalerates, Flucythrinate, Permethrins, Tefluthrin, Tau-fluvalinate and Cyhalothrin (sum of gamma & lambda-cyhalothrin)	In-house method FP108 (By calculation) In-house method FP108 (By calculation) In-house method FP108 (By calculation) In-house method FP108 (By calculation) In-house method FP108 (By calculation) In-house method FP108 (By GC/MSD)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-136; Effective date of termination: 6 April 2020)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong

香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Water and Wastewater	Non-metallic Constituents :- - Nitrogen-Nitrate - Nitrogen-Nitrate+Nitrite	In-house Method EK058K (By calculation) In-house Method EK059V (Discrete analyzer)
Drinking Water	Microbiological examinations:- - Heterotrophic plate count (Colony count at 35°C) (Colony count at 37°C) - <i>Legionella spp.</i> including <i>Legionella pneumophila</i>	APHA 22e 9215A & B (EM001) ISO 11731-2:2004 (EM016B) BS EN ISO 11731-2:2008 & BS 6068-4.18:2004 (EM016B)
Treated Bathing Water, Water for human use and consumption	- <i>Legionella spp.</i> including <i>Legionella pneumophila</i>	ISO 11731-2:2004 (EM016B) BS EN ISO 11731-2:2008 & BS 6068-4.18:2004 (EM016B)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-134; Effective date of termination: 17 January 2020)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港新界葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Stationary Source Emission	Air Quality Checking :- - Selection of sample and velocity traverse points - Determination of stack gas velocity and volumetric flow rate (by Type S Pitot Tube) - Determination of dry molecular weight of stack gas (by Orsat analyzer) - Determination of moisture content of stack gas - Determination of particulate matter emissions	40 CFR Part 60 Appendix A-1 Test method 1, 1 July 2016 <i><Excluding the following></i> Cl. 11.5 Appendix A-1 Test method 2, 1 July 2016 Appendix A-2 Test method 3, 1 July 2016 Appendix A-3 Test method 4, 1 July 2016 <i><Excluding the following></i> Cl. 8.2, 11.2, 12.2 Appendix A-3 Test method 5, 1 July 2016

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-132; Effective date of termination: 31 July 2019)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong

香港葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Sediments	Toxicity Tests :- 48-60 Hour Bivalve Larvae Survival and Normality Test – <i>Mytilus galloprovincialis</i>	Recommended Guidelines for Conducting Laboratory Bioassays on Puget Sound Sediments, PSEP, July 1995 (ET003)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-128; Effective date of termination: 11 February 2019)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Water and Wastewater	Non-metallic Constituents :- - Silica Organic Pollutants : - Phenols-Total - Surfactants-Anionic (as MBAS)	In-house Method EK053A (FIA) In-house Method EP035MD (Colorimetric) In-house Method EP050A (FIA)
Saline water	Non-metallic Constituents :- - Silica	In-house Method EK053A (FIA)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-126; Effective date of termination: 4 October 2018)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Water, Wastewater, and Cooling Tower Water	Microbiological examinations:- - <i>Legionellae</i> including <i>Legionella pneumophila</i>	AS/NZS 3896:2008 (EM016a)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港葵涌永業街 1-3 號忠信針織中心 11 樓

Pharmaceutical Products 藥物		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Purified water	Microbiological examination:- - Enumeration of Total aerobic microbial count	British Pharmacopoeia 2016 (Membrane filtration) (EM001M)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong

香港葵涌永業街 1-3 號忠信針織中心 11 樓

Food 食品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Fruit and Vegetables	<p>Pesticide residues:-</p> <p>- Organophosphorus pesticides:- Acephate, Azinphos-ethyl, Azinphos-methyl, Bromophos-ethyl, Bromophos-methyl, Carbophenothion, Chlorfenvinphos, Chlorpyrifos, Chlorpyrifos methyl, Coumaphos, Crufomate, Demeton-S, Demeton-S-methyl, Demeton-S-methyl sulphone, Diazinon, Dichlorvos, Dicrotophos, Dimethoate, Disulfoton, Disulfoton sulfone, Disulfoton sulfoxide, Edifenphos, EPN, Ethion, Ethoprop (Ethoprophos) Famphur, Fenamiphos, Fenamiphos sulphone, Fenamiphos sulphoxide, Fenchlorphos (Rannel)</p> <p>Fenamiphos (sum of Fenamiphos, Fenamiphos sulphone and Fenamiphos sulphoxide expressed as Fenamiphos)</p> <p>Fenitrothion, Fensulfothion, Fenthion, Fenthion sulphone, Fenthion sulphoxide, Fonofos (Dyfonate), Imidan (Phosmet), Iodofenphos, Isocarbophos, Isofenphos, Malaixon, Malathion, Methamidophos (Monitor), Methidathion Mevinphos, Monocrotophos, Naled, Omethoate, Paraoxon, Paraoxon methyl, Parathion, Parathion-methyl, Phenthoate,</p> <p>Phorate, Phorate sulphone, Phorate sulphoxide, Phosalone, Phosphamidon, Pirimiphos-ethyl, Pirimiphos-methyl, Profenofos, Prothiophos (Tokuthion), Pyrazophos Quinalphos, Sulfotep, Terbufos, Tetrachlorvinphos, Thiometon, Triazophos, Trichlorfon</p>	<p>In-house methods FP310A and FP310B (By LC-MS/MS)</p> <p>In-house methods FP310A and FP310B (By calculation)</p> <p>In-house methods FP310A and FP310B (By LC-MS/MS)</p> <p>In-house methods FP310A and FP310B (By LC-MS/MS)</p>

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-117; Effective date of termination: 1 August 2017)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong

香港葵涌永業街 1-3 號忠信針織中心 11 樓

Accreditation of the following tests has been terminated		
Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Sediments	Toxicity Tests :- Luminescent Bacteria Acute Toxicity Test - (<i>Vibrio fischeri</i>)	In House Method ET013b (Microtox™ solid phase test)
Sediment and Water	Luminescent Bacteria Acute Toxicity Test - (liquid-phase sample - <i>Vibrio fischeri</i>)	In House Method ET013a (Microtox™ test)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-115; Effective date of termination: 8 February 2017)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong

香港葵涌永業街 1-3 號忠信針織中心 11 樓

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Water and Wastewater	Physical Examination :- - Turbidity Organic Pollutants :- - Organochlorine Pesticides: beta-and gamma-BHC - Phenols-Total	In-house Method EA045 (Nephelometric) In House Method EP067A-WS (GC/MSD) APHA 21e 5530 B&D (with modification) (EP035)
Sediment and Soil	- Organochlorine Pesticides: beta-and gamma-BHC	In House Method EP067A-SS (GC/MSD)

ALS Technichem (HK) Pty Limited

11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, New Territories, Hong Kong
香港葵涌永業街 1-3 號忠信針織中心 11 樓

Pharmaceutical Products 藥物		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Purified water	Microbiological examination:- - Enumeration of Total aerobic microbial count	British Pharmacopoeia 2015 (Membrane filtration) (EM001M)

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS066-114; Effective date of termination: 5 September 2016)

ALS Technichem (HK) Pty Limited

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、物料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated.			
ENVIRONMENTAL TESTING 環境測試	Saline water	Trace metals (soluble and total):- - Cadmium, Cobalt, Copper, Lead, Nickel, Vanadium, Zinc	In House Method EG028 (ICPMS On-line Chelation)

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated.			
ENVIRONMENTAL TESTING (cont'd) 環境測試(續上)	Water and Wastewater	<p>Organic Pollutants :- (cont'd)</p> <p>- Sulfonated Compounds: Carbon disulfide</p> <p>- Fumigants: 2,2-Dichloropropane 1,2-Dichloropropane cis-1,3-Dichloropropylene trans-1,3-Dichloropropylene 1,2-Dibromoethane</p> <p>- Halogenated Aliphatics: 1,1-Dichloroethene Methylene chloride trans-1,2-Dichloroethene 1,1-Dichloroethane cis-1,2-Dichloroethene 1,1,1-Trichloroethane 1,1-Dichloroethane Carbon tetrachloride 1,2-Dichloroethane Trichloroethene Dibromomethane 1,1,2-Trichloroethane 1,3-Dichloropropane Tetrachloroethene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane 1,2,3-Trichloropropane 1,2-Dibromo-3-chloropropane Hexachlorobutadiene</p> <p>- Halogenated Aromatics: Chlorobenzene Bromobenzene 2-Chlorotoluene 4-Chlorotoluene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2-Dichlorobenzene 1,2,4-Trichlorobenzene 1,2,3-Trichlorobenzene</p> <p>- Trihalomethanes: Chloroform Bromodichloromethane Dibromochloromethane Bromoform</p>	<p>In House Method EP074C-WS (Purge and Trap GC/MSD)</p> <p>In House Method EP074D-WS (Purge and Trap GC/MSD)</p> <p>In House Method EP074E-WS (Purge and Trap GC/MSD)</p> <p>In House Method EP074F-WS (Purge and Trap GC/MSD)</p> <p>In House Method EP074G-WS (Purge and Trap GC/MSD)</p>

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated.			
ENVIRONMENTAL TESTING (cont'd) 環境測試(續上)	Water and Wastewater	Organic Pollutants :- (cont'd) - Naphthalene - Methyl-tert-butyl ether (MTBE) - TPH: C6-C9 C10-C14 C15-C28 C29-C36 - BTEX: Benzene Toluene Chlorobenzene Ethylbenzene meta- & para-Xylene ortho-Xylene - Organochlorine Pesticides: alpha - BHC Hexachlorobenzene beta - BHC gamma - BHC delta - BHC Heptachlor Aldrin Heptachlor epoxide trans-Chlordane cis-Chlordane Endosulfan 1 Dieldrin DDE Endrin Endosulfan 2 DDD Endrin aldehyde Endosulfan sulfate DDT Endrin Ketone Methoxychlor Cypermethrins	In House Method EP074H-WS (Purge and Trap GC/MSD) In House Method EP074I-WS (Purge and Trap GC/MSD) In House Method EP071-WS (Purge and Trap GC/MSD and GC/FID) In House Method EP080-WS (Purge and Trap GC/MSD) In house method EP067_SR – A (GC/MSD)

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated.			
ENVIRONMENTAL TESTING (cont'd) 環境測試(續上)	Sediment and Soil	<p>Organic Pollutants :- (cont'd)</p> <p>- Oxygenated Compounds: 2-Propanone (Acetone) Vinyl acetate 2-Butanone (MEK) 4-Methyl-2-pentanone (MIBK) 2-Hexanone (MBK)</p> <p>- Sulfonated Compounds: Carbon disulfide</p> <p>- Fumigants: 2,2-Dichloropropane 1,2-Dichloropropane cis-1,3-Dichloropropylene trans-1,3-Dichloropropylene 1,2-Dibromoethane</p> <p>- Halogenated Aliphatics: 1,1-Dichloroethene Methylene chloride trans-1,2-Dichloroethene 1,1-Dichloroethane cis-1,2-Dichloroethene 1,1,1-Trichloroethane 1,1-Dichloropropylene Carbon tetrachloride 1,2-Dichloroethane Trichloroethene Dibromomethane 1,1,2-Trichloroethane 1,3-Dichloropropane Tetrachloroethene 1,1,1,2-Tetrachloroethane 1,1,2,2-Tetrachloroethane 1,2,3-Trichloropropane 1,2-Dibromo-3-chloropropane Hexachlorobutadiene</p> <p>- Halogenated Aromatics: Chlorobenzene Bromobenzene 2-Chlorotoluene 4-Chlorotoluene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 1,2-Dichlorobenzene 1,2,4-Trichlorobenzene 1,2,3-Trichlorobenzene</p>	<p>In House Method EP074B-SS (Purge and Trap GC/MSD)</p> <p>In House Method EP074C-SS (Purge and Trap GC/MSD)</p> <p>In House Method EP074D-SS (Purge and Trap GC/MSD)</p> <p>In House Method EP074E-SS (Purge and Trap GC/MSD)</p> <p>In House Method EP074F-SS (Purge and Trap GC/MSD)</p>

Annex III

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS066-112; Effective Date of Termination: 31 May 2016)

ALS Technichem (HK) Pty Limited

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated			
ENVIRONMENTAL TESTING 環境測試	Water and Wastewater	Organic Pollutants : - Chemical Oxygen Demand (COD)	In-house Method EP026C (Closed Reflux-Titrimetric)

Annex III

List of test for which accreditation has been terminated

(Notification letter No.: HOKLAS066-109; Effective Date of Termination: 15 January 2016)

ALS Technichem (HK) Pty Limited

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated			
PHARMACEUTICAL PRODUCTS 藥物	Purified water	Microbiological examination:- - Enumeration of Total aerobic microbial count	British Pharmacopoeia 2013, Water 2265 (Membrane filtration) (EM001M)

Annex II

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS066-106; Effective date of termination: 2 September 2015)

ALS Technichem (HK) Pty Limited

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated.			
FOOD 食品	General foodstuff Drinking water and mineral Water	Chemical composition analysis : - Mercury Mercury	In-house method TCM01, E-BIOTA and E-3051A In-house method FG036 (Cold vapour) In-house method FG036 (Cold vapour)

Annex III

List of activities for which accreditation has been terminated

(Notification letter no. 066-102; Effective date of termination: 21 January 2015)

ALS Technichem (HK) Pty Limited

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
ENVIRONMENTAL TESTING 環境測試	Water and Wastewater	Non - metallic Constituents :- - Nitrogen-Nitrate	In-house Method EK058K (By Calculation)
	Saline water	Non-metallic Constituents :- - Nitrogen-Nitrate	In-house Method EK058K (By Calculation)

Annex III

List of activities for which accreditation has been terminated

(Notification letter no. 066-100; Effective date of termination: 19 September 2014)

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
ENVIRONMENTAL TESTING 環境測試	Water and Wastewater	Trace Metals :	
		- Antimony, Arsenic, Bismuth	In House Method EG031 (ICPMS Hydride)
		- Calcium, Iron, Magnesium, Potassium, Sodium	In-house Method EG025 (Flame AAS)
		- Mercury	In House Method EG036 (FIMS)
		Non - metallic Constituents :-	
		- Cyanide-Total	In-house Method EK026 (Colorimetric)
	Saline water	- Nitrogen-Nitrate+Nitrite	In-house Method EK059K (Discrete Analyzer)
		Trace Metals :-	
		- Antimony, Arsenic, Bismuth	In-house Method EG031 (ICPMS Hydride)
		- Mercury	In-house Method EG036 (FIMS)
		Non-metallic Constituents :-	
		- Nitrogen-Nitrate+Nitrite	In-house Method EK059K (Discrete Analyzer)
Sediment and Soil	Trace Metals :		
	- Calcium, Iron, Magnesium, Potassium, Sodium	In House Method EG025 (Flame AAS)	
	Non-metallic Constituents:-		
	- Cyanide-Total	In-house Method EK026	
Biota	Trace Metals :		
	Mercury	In House Method EG036 (FIMS)	

Annex III

List of activities for which accreditation has been terminated

(Notification letter no. 066-100; Effective date of termination: 19 September 2014)

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
FOOD 食品	General foodstuff	Metals:- Sodium, Calcium	In-house method E-BIOTA and E-3051A In-house method FG025 (AAS Flame)

Note: This Annex supersedes the corresponding Annex in the notification letter of No. 066-99

Annex III

List of activities for which accreditation has been terminated

(Notification letter no. 066-99; Effective date of termination: 19 September 2014)

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
ENVIRONMENTAL TESTING 環境測試	Water and Wastewater	Trace Metals :	
		- Antimony, Arsenic, Bismuth	In House Method EG031 (ICPMS Hydride)
		- Calcium, Iron, Magnesium, Potassium, Sodium	In-house Method EG025 (Flame AAS)
		Non - metallic Constituents :-	
		- Cyanide-Total	In-house Method EK026 (Colorimetric)
		- Nitrogen-Nitrate+Nitrite	In-house Method EK059K (Discrete Analyzer)
	Saline water	Trace Metals :-	
		- Antimony, Arsenic, Bismuth	In-house Method EG031 (ICPMS Hydride)
		- Mercury	In-house Method EG036 (FIMS)
		Non-metallic Constituents :-	
		- Nitrogen-Nitrate+Nitrite	In-house Method EK059K (Discrete Analyzer)
Sediment and Soil	Trace Metals :		
	- Calcium, Iron, Magnesium, Potassium, Sodium	In House Method EG025 (Flame AAS)	
	- Mercury	In House Method EG036 (FIMS)	
	Non-metallic Constituents:-		
	- Cyanide-Total	In-house Method EK026	
Biota	Trace Metals :		
	Mercury	In House Method EG036 (FIMS)	

Annex III

List of activities for which accreditation has been terminated

(Notification letter no. 066-99; Effective date of termination: 19 September 2014)

TEST CATEGORY 測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
FOOD 食品	General foodstuff	Metals:- Sodium, Calcium	In-house method E-BIOTA and E-3051A In-house method FG025 (AAS Flame)