List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS088-41; Effective date of termination: 6 March 2025)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road, Heng Gang Town, Lang Gang District, Shenzhen City, Guang Dong Province, China

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has be	een terminated
	Chemical tests :-	
All toys - paints and similar surface coating materials	- Total lead content	ASTM F963-17 Cl. 4.3.5.1 (1) <i>Test procedures for compliance testing:</i> CPSC Test Method: CPSC-CH-E1003-09.1 Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings,
	- Migration of the elements	February 25, 2011 Cl. 4.3.5.1 (2)
	Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	Test procedures for compliance testing: Cl. 8.3.2 – 8.3.4
Toys – substrate materials (exclude siliceous materials)	- Total lead content	ASTM F963-17 Clause 4.3.5.2 (2)(a) <i>Test procedures for compliance testing:</i> CPSC Test Method: CPSC-CH-E1001-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), November 15, 2012 <i><excluding following="" the=""></excluding></i> XRF Spectrometry CPSC Test Method CPSC-CH-E1002-08.3 Standard Operating Procedure for Determining Total Lead (Pb) in non-Metal Children's Products, November 15, 2012 <i><excluding following="" the=""></excluding></i> XRF Spectrometry
	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium	Cl. 4.3.5.2(2)(b) <i>Test procedures for compliance testing:</i> Cl. 8.3.5
Metallic toys or metallic toy components	- Extractable Cadmium	ASTM F963-17 Cl. 4.3.5.2(2)(c) <i>Test procedures for compliance testing:</i> Cl. 8.3.5.5(3) and CPSC Test Method: CPSC-CH-E1004-11 Standard Operating Procedure for Determining Cadmium (Cd) Extractability from Children's Metal Jewelry February 03, 2011

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS088-41; Effective date of termination: 6 March 2025)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road, Heng Gang Town, Lang Gang District, Shenzhen City, Guang Dong Province, China

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Chemical tests (cont'd):-	
Toys	- Migration of the elements Antimony, Arsenic, Chromium, Selenium, Cadmium, Mercury, Barium, Lead	ISO8124-3:2020 (for dewaxing: Method A)

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS088-40; Effective date of termination: 8 March 2024)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED [@] 特定測試或量度的特性 [@]	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has l	been terminated
Toxis	Flammability tests :-	ISO 8124-2: 2014
Toys		
		< <i>Excluding the following</i> > Tests for cellulose nitrate, flammable gel,
		extremely flammable liquid, highly flammable liquid,
		flammable liquid, flammable gas and surface flash test
		AS/NZS ISO 8124.2: 2016
		<excluding following="" the=""></excluding>
		Tests for cellulose nitrate, flammable gel,
		extremely flammable liquid, highly flammable liquid,
		flammable liquid, flammable gas and surface flash test
		Canada Tova Dagulations SOD/2011-17
		Canada Toys Regulations SOR/2011-17 (last amended on 11 January 2019)
Dolla pluck town and soft town	- Flammability of outer covering	(last amended on 11 January 2019) 32
Dolls, plush toys and soft toys	- Flammability of yarn	32
	- Flammability of hair or mane	34
	- Hammaonity of han of mane	
		Health Canada Product Safety Reference Manual
		Book 5 – Laboratory Policies and Procedures
		Part B: Test Method Section
	- Flammability of outer covering	Method F02 (2020-07-20)
	- Flammability of yarn	Weinou 102 (2020-07-20)
	- Flammability of hair or mane	
	r tailinaointy of hair of mane	

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS088-40; Effective date of termination: 8 March 2024)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED [@] 特定測試或量度的特性 [@]	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has be	en terminated
	Physical and mechanical tests :-	
Toys		Canada Toys Regulations SOR/2011-17
		(last amended on 11 January 2019)
	Packaging	
	- Flexible film bags	4
	Mechanical hazards	7 to 18
		< <i>Excluding the following</i> >
		17
	Auditory hazards	
	- Decibel limit	19
	Specific products	20.20.20.121
	- Dolls, plush toys and soft toys	28, 29, 30 and 31
		< <i>Excluding the following</i> >
	Dell and already to an	29 (c) & (d)
	- Pull and plush toys - Rattles	37 40
	- Elastics	40
	- Magnetic toys	43
	- Exception of magnetic toys	45
	- Exception of magnetic toys	**
Toys		Health Canada Product Safety Reference Manual
		Book 5 – Laboratory Policies and Procedures
		Part B: Test Method Section
	- Small components	Method M00.1 (2019-07-02)
	- Sharp edges	Method M00.2 (2021-04-22)
	- Sharp points	Method M00.3 (2021-01-15)
	- Test method for flexible film bags	Method M03 (2016-12-20)
	- Test method to determine the noise level	Method M04 (2017-02-21)
	of toys	
	- Test method for rattles	Method M05 (2021-04-27)
Toys	Safety requirements and test methods	AS/NZS ISO 8124.1: 2019 + A1: 2020 + A2: 2020
		ISO 8124-1: 2018 + A1: 2020 + A2: 2020
		< Excluding the following >
		for the above two standards
		Cl. 4.3.2, 4.8.2, 4.10b, 4.11.11, 4.15 (dynamic strength
		test for wheeled ride-on toys), 4.16.1, 4.16.2, 4.18.4.1,
		4.18.4.3, 4.21, 4.22, 4.23, 4.24, 4.26c, 4.28, 4.29 (toys
		using percussion caps or other explosive action),
		4.30 and 4.32

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS088-39; Effective date of termination: 23 June 2023)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road, Heng Gang Town, Lang Gang District, Shenzhen City, Guang Dong Province, China

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	Chemical tests:-	
Toys	- Migration of the elements Antimony, Arsenic, Chromium, Selenium, Cadmium, Mercury, Barium, Lead	AS/NZS ISO 8124-3:2012 +A1:2016
Toys		COUNCIL DIRECTIVE (EU) 2009/48/EC Annex II, Part III, Point 13 and its amendment Council Directive (EU) 2018/725 Test procedures for compliance testing:
Category III Toy materials: Scraped-off materials	- Migration of certain elements	EN71-3:2013 + A3:2018
	Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin, Zinc	Technique used: ICP-OES
	Chromium (VI) Chromium (III) (by calculation)	Technique used: IC-UV/VIS
	Organic Tin: Methyl tin (MeT), Butyl tin (BuT), Di-n-propyl tin (DProT), Dibutyl tin (DBT), Tributyl tin (TBT), n-Octyl tin (MOT), Tetrabutyl tin (TeBT), Diphenyl tin (DPhT), Di-n-octyl tin (DOT), Triphenyl tin (TPhT) Dimethyl tin (DMT)	Technique used: GC-MS

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS088-37; Effective date of termination: 1 March 2022)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED [@] 特定測試或量度的特性 [@]	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	en terminated
	Electrical tests :-	
Electric toys supplied at extra-low voltage	- Compliance inspection and safety tests	AS/NZS 62115: 2011 IEC 62115: 2003 + A1:2004 + A2:2010
		< <i>Excluding the following</i> > For the above two standards
		Cl. 14.15, 16, 19 (burning test to IEC 60695-11-10 and ISO 9772, glow-wire ignition temperature test to IEC 60695-2-13 and needle flame test to Annex B), 20 (radiation tests), Annex B, C and E
	Flammability tests :-	
Toys		EN 71-2: 2011 + A1: 2014 <i>Excluding the following></i> Tests for cellulose nitrate, flammable gel, extremely flammable liquid, highly flammable liquid, flammable liquid, flammable gas and surface flash test
Dolls, plush toys and soft toys	 Flammability of outer covering Flammability of yarn 	Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures
	- Flammability of hair or mane	Part B: Test Method Section - Method F02 (2019-11-08)
Toys	Physical and mechanical tests :-	Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section
	- Sharp edges	Method M00.2 (2019-07-02)
	 Sharp points Eye/nose security – dolls, plush toys and soft toys 	Method M00.3 (2018-02-14) Method M00.4 (2017-05-05)
	- Test method for rattles	Method M05 (2017-12-05)
	Safety requirements and test methods	AS/NZS ISO 8124.1: 2019 ISO 8124-1: 2018
		< Excluding the following >
		for the above two standards Cl. 4.3.2, 4.8.2, 4.10b, 4.11.11, 4.15 (dynamic strength test for wheeled ride-on toys), 4.16.1, 4.16.2, 4.18.4.1, 4.18.4.3, 4.21, 4.22, 4.23, 4.24, 4.26c, 4.28, 4.29 (toys using percussion caps or other explosive action), 4.30 and 4.32

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS088-36; Effective date of termination: 8 December 2021)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

Heng Gang Town, Lang Gang District, Shenzhen City, Guang Dong Province, China

10	oys and Children's Products 玩	
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED [@] 特定測試或量度的特性 [@]	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has h	peen terminated
	Electrical tests :-	
Battery operated toys	Battery operated toys safety tests	ASTM F963-11 Cl. 4.25 and 8.17
		<excluding following="" the=""></excluding>
		Cl. 4.25.10
	Flammability tests :-	
Toys		ASTM F963-11 Section 4.2
-		
	Physical and mechanical tests :-	
Toys		ASTM F963-11
	Safety requirements	Cl. 4.1, 4.5, 4.6, 4.7, 4.8, 4.9, 4.10, 4.11, 4.12, 4.13, 4.14
		4.15, 4.16, 4.17, 4.18, 4.19, 4.20, 4.21, 4.22, 4.23, 4.24,
		4.26, 4.27, 4.28, 4.31, 4.32, 4.33, 4.34, 4.35, 4.36,
		4.38 and 4.39
		<i>Excluding the following</i> > Cl. 4.1(toxicology test of reprocessed material to 4.3.1)
		4.5 (toys using percussion caps or other explosive
		action), 4.6.2, 4.8.1, 4.12 (sheeting with an average
		thickness of less than 0.00150 in), 4.14.4, 4.15.6 and
		4.20.1

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS088-35; Effective date of termination: 25 May 2021)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

Heng Gang Town, Lang Gang District, Shenzhen City, Guang Dong Province, China

Toys and Children's Products	玩目马白音奉马
中國廣東省深圳市龍崗區橫崗鎮富康路 107 號恒生昌工	業中心六棟 5-6 樓

Toys and Chnuren's Froducts 玩兵及无重產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED [@] 特定測試或量度的特性 [@]	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has been	terminated
	8	
	Chemical tests:-	
Toys	- Migration of the elements Antimony, Arsenic, Chromium, Selenium, Cadmium, Mercury, Barium, Lead	ISO 8124-3:2010 / Amd 1:2014 + Amd 2:2018

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS088-34; Effective date of termination: 1 December 2020)

Mattel Toys Technical Consultancy (SZ) Ltd. - Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED [@] 特定測試或量度的特性 [@]	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has h	been terminated
	Chemical tests (cont'd):-	
Metallic toys or metallic toy components	- Extractable Cadmium	ASTM F963-11 Cl. 4.3.5.2(2)(c) <i>Test procedures for compliance testing:</i> Cl. 8.3.5.5(3) and CPSC Test Method: CPSC-CH-E1004-11 Standard Operating Procedure for Determining Cadmium (Cd) Extractability from Children's Metal Jewelry February 03, 2011
Toys – Scraped-off Materials	- Migration of the elements Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium (III), Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin, Zinc	EN71-3:2013 + A1:2014 (Accredited only for Category III: Scraped-off Materials)
	- Chromium (VI)	EN71-3:2013 + A1:2014 (Accredited only for Category III: Scraped-off Materials)
	 Organic Tin Methyl tin (MeT) Butyl tin (BuT) Di-n-propyl tin (DProT) Dibutyl tin (DBT) Tributyl tin (TBT) n-Octyl tin (MOT) Tetrabutyl tin (TeBT) Diphenyl tin (DPhT) Di-n-octyl tin (DOT) Triphenyl tin (TPhT) Dimethyl tin (DMT) 	EN71-3:2013 + A1:2014 (Accredited only for Category III: Scraped-off Materials)
Toys	- Migration of the elements Antimony, Arsenic, Chromium, Selenium, Cadmium, Mercury, Barium, Lead	AS/NZS ISO 8124.3: 2012 ISO 8124-3: 2010 ISO 8124-3:2010 / Amd 1:2014

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS088-34; Effective date of termination: 1 December 2020)

Mattel Toys Technical Consultancy (SZ) Ltd. - Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

P國廣東省深圳市龍岡區積岡鎮富康路 107 號恒生昌工業中心六棟 5-6 樓 Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED [@] 特定測試或量度的特性 [@]	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests has b	een terminated
	Chemical tests (cont'd):-	
Toys and childcare articles	 Dibutyl Phthalate (DBP) Di-(2ethylhexyl) phthalate (DBP) Benzyl Butyl Phthalate (DNOP) Diisononyl phthalate (DINP) Diisodecyl phthalate (DIDP) 	15 U.S. Code § 2057C US Public Law 110 -314 Consumer Product Safety Improvement Act 2008 <i>Test procedures for compliance testing:</i> CPSC Test Method: CPSC-CH-C1001-09.3 Standard Operating Procedure for Determining of Phthalates, 1 April 2010 (extraction and analysis method: CPSC-CH-C1001-09.3)

Annex

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS088-33; Effective date of termination: 12 June 2020)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED [@] 特定測試或量度的特性 [@]	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests ha	s been terminated
	Physical and mechanical tests :-	
Toys	Safety requirements and test methods	EN 71-1: 2014
		<excluding following="" the=""></excluding>
		Cl. 4.3b), 4.6, 4.11 c), 4.11 e), 4.13, 4.14.1, 4.15.1.5,
		4.15.1.6, 4.15.1.8, 4.15.2, 4.15.5.5, 4.17.4,
		4.18 (test to EN 15649-3), 4.19, 4.20.2.5, 4.20.2.10,
		4.20.2.11, 4.20.2.12, 4.21, 4.24 and 5.6
		ISO 8124-1: 2014
		< Excluding the following >
		Cl. 4.3.2, 4.8.2, 4.10b, 4.11.7, 4.15 (dynamic strength test
		for wheeled ride-on toys), 4.16.1, 4.16.2, 4.18.4.1,
		4.18.4.3, 4.21, 4.22, 4.23, 4.24, 4.26c, 4.28, 4.29 (toys
		using percussion caps or other explosive action),
		4.30.3 (dynamic strength for toy scooters,
		strength for toy scooters with steering tubes without
		handles) and 4.30.6
		AS/NZS ISO 8124.1: 2016
		< Excluding the following >
		Cl. 4.3.2, 4.8.2, 4.10b, 4.11.7, 4.15 (dynamic strength test
		for wheeled ride-on toys), 4.16.1, 4.16.2, 4.18.4.1,
		4.18.4.3, 4.21, 4.22, 4.23, 4.24, 4.26c, 4.28, 4.29 (toys
		using percussion caps or other explosive action),
		4.30.3 (dynamic strength for toy scooters,
		strength for toy scooters with steering tubes without
		handles) and 4.30.6

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS088-32; Effective date of termination: 12 June 2020)

Mattel Toys Technical Consultancy (SZ) Ltd. - Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

Heng Gang Town, Lang Gang District, Shenzhen City, Guang Dong Province, China

中國廣東省深圳市龍崗區橫崗鎮富康路 107 號恒生昌工業中心六棟 5-6 樓

Toys and Children's Products 玩具及兒童產品				
SPECIFIC TEST OR PROPERTY MEASURED [@] 特定測試或量度的特性 [@]	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術			
Accreditation of the following tests has been terminated				
Flammability tests :-				
	Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section			
- Flammability of outer cover	Method F02 (2017-04-04)			
Physical and mechanical tests :-				
	Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section			
 Small components Sharp edges Sharp points Reasonably foreseeable use Test method for rattles 	Method M00.1 (2017-05-05) Method M00.2 (2017-05-05) Method M00.3 (2017-05-05) Method M01.1 (2017-05-05) Method M05 (2017-06-30)			
	SPECIFIC TEST OR PROPERTY MEASURED [@] 特定測試或量度的特性 [@] Accreditation of the following tests hat Flammability tests :- - Flammability of outer cover Physical and mechanical tests :- - Small components - Sharp edges - Sharp points - Reasonably foreseeable use			

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS088-29; Effective Date of Termination: 28 March 2018)

Mattel Toys Technical Consultancy (SZ) Ltd. - Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Accreditation of the following tests is to	erminated.
	Electrical tests :-	
Battery operated toys	- Battery operated toys safety tests	AS/NZS ISO 8124.1: 2002 + Amd. 1 + Amd.2 Annex A
	Flammability tests :-	
Toys		AS/NZS ISO 8124.2: 2009 < <i>Excluding the following></i> Tests for cellulose nitrate, highly flammable solid, flammable gel, highly flammable liquid, flammable liquid and flammable gas; surface flash test
	Physical and mechanical tests :-	
Toys	Safety requirements and test methods	AS/NZS ISO 8124.1: 2013 < <i>Excluding the following</i> > 4.3.2, 4.10b, 4.11.7, 4.15(dynamic strength test for wheeled ride-on toys), 4.16, 4.18(bow and arrows), 4.20-23, 4.25c, 4.27, 4.28(toys using percussion caps), 4.29.3 (dynamic strength for toy scooters, strength for toy scooters with steering tubes without handles), 4.29.6
Toys		Canada Toys Regulations SOR/2011-17
	Batteries - Leakage	43
Toys		Health Canada Product Safety Reference Manual Book 5 – Laboratory Policies and Procedures Part B: Test Method Section
	 Small components Sharp edges Sharp points Eye/nose security – dolls, plush toys and soft toys Reasonably foreseeable use Test method for flexible film bags Test method to determine the noise level of toys Test method for rattles 	Method M00.1 (2013-10-30) Method M00.2 (2013-10-30) Method M00.3 (2013-10-30) Method M00.4 (2014-11-18) Method M01.1 (2013-10-30) Method M03 (2009) Method M04 (2015-07-14) Method M05 (2013-06-17)

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS088-28; Effective date of termination: 1 April 2017)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

5-6/F, #6 Building Hang Sang Chong Industrial Center, No. 107, Fu Kang Road

Heng Gang Town, Lang Gang District, Shenzhen City, Guang Dong Province, China

「國廣米省休圳市龍崗區預崗鎮區原路107 號但生自上来十七八株 5-0 楼 Toys and Children's Products 玩具及兒童產品		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定测试或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
	Chemical tests :-	
Children's metal products	- Total lead content	US Public Law 110 -314 Consumer Product Safety Improvement Act 2008 <i>Test Procedures for compliance testing:</i> CPSC Test Method: CPSC CH-E1001-8.2 Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry), April 10, 2012
Children's non-metal products (exclude siliceous materials)	- Total lead content	US Public Law 110 -314 Consumer Product Safety Improvement Act 2008 <i>Test Procedures for compliance testing:</i> CPSC Test Method: CPSC-CH-E1002-08.2 Standard Operating Procedure for Determining Total Lead (Pb) in Non-Metal Children's Products, April 10, 2012
Toys	- Migration of the elements Antimony, Arsenic, Chromium, Selenium, Cadmium, Mercury, Barium, Lead	EN 71-3: 1994 + A1: 2000 + AC: 2002
Toys 玩具	- Migration of the elements Antimony, Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium 特定元素的遷移 銻, 砷, 鋇, 鎬, 鉻, 鉛, 汞, 硒	GB 6675-2003 & A1: 2005, Cl. 4.3 & Annex C

List of tests for which accreditation has been terminated (Notification letter No.: HOKLAS088-27; Effective Date of Termination: 15 March 2016)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 - 品質檢定實驗室

测試項目、材料或產品	特定测试或量度的特性	OR TECHNIQUE USED 規範、標準方法或應用技術
The ac	creditation of the following tests has been ter	rminated.
Battery operated toys 電池動力玩具	Electrical tests :- - Battery operated toys safety tests 電池動力玩具安全測試 Flammability tests :-	GB 6675-2003 + A1 Annex A.A
Toys fogs 玩具	Flammability tests :- 然境性能測試	ISO 8124-2: 2007 < Excluding the following> Tests for cellulose nitrate, highly flammable solid, flammable gel, highly flammable liquid, flammable liquid and flammable gas; surface flash test EN 71-2: 2011 <excluding following="" the=""></excluding> Tests for cellulose nitrate, flammable gel, extremely flammable liquid, highly flammable liquid, flammable liquid and flammable gas; surface flash test GB 6675-2003 with Amd. no. 1 Cl. 4.2 & Annex B <excluding following="" the=""></excluding> Tests for cellulose nitrate, flammable solid, extremely flammable liquid, highly flammable liquid flammable liquid and flammable gas; surface flash test <不包含> 亞硝酸纖維、易燃固體、極度易燃液體、 高度易燃液體、易燃液體及易燃氣體; 表面閃燃效應測試
I	Battery operated toys 電池動力玩具 Poys	attery operated toys 重池動力玩具安全測試 Flammability tests :- Yoys Flammability tests :-

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS088-27; Effective Date of Termination: 15 March 2016)

Mattel Toys Technical Consultancy (SZ) Ltd. – Quality Lab

美泰玩具技術咨詢(深圳)有限公司 -	品質檢定實驗室
--------------------	---------

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
75] 343 大只 力1		行走,例 訊 或 重 及 的 衬 住 creditation of the following tests has been te	
TOYS and			
CHILDREN'S		Physical and mechanical tests :-	
PRODUCTS	T	Teshai ada manina and tast mathada	AS ANTS ISO 9124 1, 2010
(cont'd) 玩具及兒童產品	Toys	Technical requirements and test methods	AS/NZS ISO 8124.1: 2010 < Excluding the following >
(續上)			4.3.2, 4.10b, 4.11.7, 4.16, 4.18(bow and arrows),
			4.20-23, 4.25c, 4.27, 4.28(toys using percussion caps 4.29.6
			ISO 8124-1: 2009
			< Excluding the following >
			4.3.2, 4.10b, 4.11.7, 4.16, 4.18(bow and arrows),
			4.20-23, 4.25c, 4.27, 4.28(toys using percussion caps 4.29.6
			ISO 8124-1: 2012
			< Excluding the following >
			4.3.2, 4.10b, 4.11.7, 4.15(dynamic strength test for
			wheeled ride-on toys), 4.16, 4.18(bow and arrows),
			4.20-23, 4.25c, 4.27, 4.28(toys using percussion caps 4.29.3 (dynamic strength for toy scooters, strength for
			toy scooters with steering tubes without handles),
			4.29.6
			EN 71-1: 2011
			EN 71-1: 2011 + A2: 2013
			<excluding following="" the=""></excluding>
			for the above two standards 4.3b), 4.6, 4.11 c), 4.11 e), 4.13, 4.14.1, 4.15.1.5,
			4.50), 4.0, 4.11 c), 4.11 c), 4.13, 4.14, 1, 4.15, 1.5, 4.15, 1.6, 4.15, 1.8, 4.15, 2, 4.15, 5, 5, 4.17, 4,
			4.18 (test to EN 15649-3), 4.19,
			4.20(toys with earphones or headphones, toys
			using percussion caps), 4.21, 4.24
	Toys	Technical requirements and test methods	GB 6675-2003 with Amd. no. 1
	玩具	技術要求及測試方法	<excluding following="" the="" 不包含=""></excluding>
			4.1.3b/A4.3.2, 4.1.10b/A4.10b, 4.1.11g/A4.11.7,
			4.1.16/A4.16,
			4.1.18/A4.18(Bows and arrows 弓和箭) 4.1.20-23/A4.20-23, 4.1.25c/A4.25c, 4.1.27/A4.27
			4.1.20-25/A4.20-25, 4.1.25C/A4.25C, 4.1.27/A4.27
		- Labeling and instructions for use 玩具標識和使用說明	GB6675-2003 with Amd. no. 1 Cl. 4.4

List of activities for which accreditation has been terminated (Notification letter no. 088-24)

TEST CATEGORY .測試類別	ITEMS, MATERIALS OR PRODUCTS TESTED .测試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
TOYS and CHILDREN'S PRODUCTS		Electrical tests :-	
	Battery operated toys	- Battery operated toys safety tests	ASTM F963-08 Cl. 4.25 and 8.17 <i>Excluding the following</i> for the above two standards Cl. 4.25.10

List of activities for which accreditation has been terminated (Notification letter no. 088-24)

-TEST -CATEGORY	ITEMS, MATERIALS	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
测試類別	_测試項目、材料或產品	_特定测试或量度的特性	.規範、標準方法或應用技術
TOYS and CHILDREN'S PRODUCTS		Flammability tests	
(cont'd)	Toys		ASTM F963-08 Section 4.2

List of activities for which accreditation has been terminated (Notification letter no. 088-24)

-TEST -CATEGORY	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED
测試類別	_测試項目、材料或產品	特定測試或量度的特性	規範、標準方法或應用技術
TOYS and		Physical and mechanical tests :- (cont'd)	
CHILDREN'S			
PRODUCTS	Toys		ASTM F963-08
(cont'd)		Safety requirements :	
		- Material quality	4.1
			<excluding following="" the=""></excluding>
			Examination of reprocessed materials to 4.3.1
		- Sound producing toys	4.5
			<excluding following="" the=""></excluding>
			Toys using percussion caps
		- Small objects	4.6
			<excluding following="" the=""></excluding>
			4.6.2
		- Accessible edges	4.7
		- Projections	4.8
		- Accessible points	4.9
		- Wires or rods	4.10
		- Nails and fasteners	4.11
		- Packaging film	4.12
			<excluding following="" the=""></excluding>
			Sheeting with an average thickness of less
			than 0.00150 in
		- Folding mechanisms & hinges	4.13
		- Cords, straps and elastics	4.14
		Cords, Shups and Cashes	<pre><excluding following="" the=""></excluding></pre>
			4.14.4
		- Stability and over-load requirements	4.15
		Statinity and over road requirements	<pre><excluding following="" the=""></excluding></pre>
			4.15.6
		- Wheels, tires & axles	4.17
		- Holes, clearance and accessibility of	4.18
		mechanisms	
		- Simulated protective devices	4.19
		- Projectile toys	4.21
		- Teethers and teething toys	4.21
		- Rattles	4.22
	- Squeeze toys	4.23	
	- Toys intended to be attached to a crib or	4.26	
		Playpen	7.20
		- Stuffed and beanbag-type toys	4.27
		- Stoller and carriage toys	4.27
		- Balloons	4.20
		- Balloons - Certain toys with spherical ends	4.31
		- Certain toys with spherical ends - Marbles	4.32
		- Marbles - Balls	
			4.34
		- Pompoms	4.35
		- Hemispheric-shaped objects	4.36
		- Magnets	4.38
		- Jaw entrapment in handles and steering	4.39
		wheels	

List of activities for which accreditation has been terminated (Notification letter no. 088-24)

_TEST _CATEGORY _测試類別	ITEMS, MATERIALS OR PRODUCTS TESTED 測試項目、材料或產品	SPECIFIC TESTS OR PROPERTIES MEASURED .特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
FOYS and CHILDREN'S		Physical and mechanical tests :- (cont'd)	
PRODUCTS (cont'd)	Toys (cont'd)		ASTM F963-08
		- Labeling requirements	5
		- Instructional literature	6
		- Producer's markings	7
		- Test methods	8

Note:

1. Tests in this Annex have been voluntarily terminated with effect from 28 April 2014.