

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS196-18; Effective date of termination: 30 September 2021)

Ecospace Limited – Laboratory

衡力化學廢料處理有限公司 – 實驗室

51 Tsing Yi Road South, Tsing Yi Island, New Territories, Hong Kong

香港新界青衣島青衣南路 51 號

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated.		
Incinerator fly ash and Stack air in XAD resin trap	- Polychlorinated dibenzodioxins and polychlorinated dibenzofurans:- 2,3,7,8 -TCDD 2,3,7,8 -TCDF 1,2,3,7,8-PeCDD 1,2,3,7,8-PeCDF 2,3,4,7,8-PeCDF 1,2,3,4,7,8-HxCDD 1,2,3,6,7,8-HxCDD 1,2,3,7,8,9-HxCDD 1,2,3,4,7,8-HxCDF 1,2,3,6,7,8-HxCDF 1,2,3,7,8,9-HxCDF 2,3,4,6,7,8-HxCDF 1,2,3,4,6,7,8-HpCDD 1,2,3,4,6,7,8-HpCDF 1,2,3,4,7,8,9-HpCDF OCDD OCDF	In-house Method SDP 3308 (HRGC/HRMS)
Stack Air Emission trapped in Sampling train	- Antimony, Cadmium, Chromium, Copper, Nickel, Phosphorus, Lead, Cobalt, Thallium, Manganese and Vanadium - Arsenic - Mercury	In-house Method SDP 3222 (ICP) In-house Method SDP 3222 (Electrothermal AAS) In-house Method SDP 3222 (Cold Vapour)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS196-18; Effective date of termination: 30 September 2021)

Ecospace Limited – Laboratory

衡力化學廢料處理有限公司 – 實驗室

51 Tsing Yi Road South, Tsing Yi Island, New Territories, Hong Kong

香港新界青衣島青衣南路 51 號

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated.		
Water and Wastewater	Trace Metals :-	
	- Barium, Boron, Cadmium, Chromium, Copper, Iron, Lead, Manganese, Nickel, Silver, Tin and Zinc	In-house Method SDP 3229 (ICP)
	- Arsenic, Tin	In-house Method SDP 3229 (Electro-thermal AAS)
	Organic Pollutants :-	
	- Anionic Surfactants	In-house Method SDP 3527 (Spectromphotometric)
	- Non-ionic Surfactants	In-house Method SDP 3593 (Spectromphotometric)
	- Oil and Grease	In-house Method SDP 3565 (Gravimetric)
Sediment and Soil	- Total Solids dried at 105±3°C	In-house Method SDP 3532 (Gravimetric)
Organic Solvents and oils	- Flash point	In-house Method SDP 3523 (Closed Cup)
Solid wastes	TCLP Metals : (Toxicity Characteristic Leaching Procedures)	
	- Extraction procedure	USEPA SW-846 Method 1311
	- Cadmium, Chromium, Copper, Iron, Lead, Nickel and Zinc,	In-house Method SDP 3210 (ICP)
	- Mercury	In-house Method SDP 3210 (Cold Vapour)

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS196-17; Effective date of termination: 1 March 2021)

Ecospace Limited – Laboratory

衡力化學廢料處理有限公司 – 實驗室

51 Tsing Yi Road South, Tsing Yi Island, New Territories, Hong Kong

香港新界青衣島青衣南路 51 號

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests have been terminated.		
Stack Air Emission trapped in Sampling train	<ul style="list-style-type: none">- Ammonia- Fluoride, chloride, bromide, sulphate and Sulphur dioxide- Sulphur dioxide and sulphuric acid	<ul style="list-style-type: none">In-house method SDP 3595 (Ion Chromatography)In-house method SDP 3594 (Ion Chromatography)In-house method SDP 3572
Water and Wastewater	<p>Physical Examination :-</p> <ul style="list-style-type: none">- Total Suspended Solids dried at 105±3°C- Total Solids dried at 105±3°C <p>Trace Metals :-</p> <ul style="list-style-type: none">- Hexavalent chromium <p>Non-metallic Constituents :-</p> <ul style="list-style-type: none">- Acidity- Alkalinity- Cyanide (Total recoverable)- Fluoride- Nitrogen (Ammonia)- Nitrogen (Total Kjeldahl)- Nitrogen (Nitrite)- Phosphorus (Total)- Bromide, chloride, phosphate, sulphate, nitrate (dissolved)- Total residual chlorine- Sulfide content (soluble)	<ul style="list-style-type: none">In-house Method SDP 3544 (Gravimetric)In-house Method SDP 3532 (Gravimetric)In-house Method SDP 3564 (Colorimetric)In-house Method SDP 3540 (Titrimetric)In-house Method SDP 3541 (Titrimetric)In-house Method SDP 3521 (FIA)In-house Method SDP 3529 (Electrode)In-house Method SDP 3554In-house Method SDP 3555In-house Method SDP 3596In-house method SDP 3561 (FIA)In-house Method SDP 3520 (Ion Chromatography)In-house Method SDP 3551 (Colorimetric)In-house Method 3526 (Colorimetric)

Annex II (Cont'd)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS196-17; Effective date of termination: 1 March 2021)

Ecospace Limited – Laboratory

衡力化學廢料處理有限公司 – 實驗室

51 Tsing Yi Road South, Tsing Yi Island, New Territories, Hong Kong

香港新界青衣島青衣南路 51 號

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests have been terminated.		
Water and Wastewater (cont'd)	<p>Organic Pollutants :-</p> <ul style="list-style-type: none">- Chemical Oxygen-Demand (COD)- Phenols- Total Organic Carbon- Volatile Organics p-xylene & m-xylene, o-xylene, Chloromethane, Chloroethane, 1, 1-Dichloroethene, Carbon tetrachloride, Trichloroethene, 1, 2-Dichloropropane, Bromodichloromethane, Tetrachloroethene, Chlorodibromomethane, 1, 1, 2, 2-Tetrachloroethane 1,1-Dichloroethane, 1,2-Dichloroethane, 1,1,1-Trichloroethane, 1,1,2-Trichloroethane, Benzene, Toluene, Ethylbenzene- Organochlorine Pesticides Alpha, Beta, Gamma, and Delta-BHC, Aldrin, 4,4'-DDT, Heptachlor, Heptachlor epoxide, Endosulfan I, Endosulfan II, 4, 4 - DDE, 4, 4 - DDD, Dieldrin, Endrin, Endrin aldehyde, Endrin Ketone, Methoxychlor- Polychlorinated Biphenyls	<p>In-house Method SDP 3524 (Titrimetric)</p> <p>In-house Method SDP 3563 (Colorimetric)</p> <p>In-house Method SDP 3570</p> <p>In-house Method SDP 3307 (GC/MS)</p> <p>In-house Method SDP 3315 (GC/ECD)</p> <p>In-house Method SDP 3311 (GC/ECD)</p>

Annex II (Cont'd)

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS196-17; Effective date of termination: 1 March 2021)

Ecospace Limited – Laboratory

衡力化學廢料處理有限公司 – 實驗室

51 Tsing Yi Road South, Tsing Yi Island, New Territories, Hong Kong

香港新界青衣島青衣南路 51 號

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests have been terminated.		
Organic Solvents and oils	- Antimony, Arsenic, Cadmium, Chromium, Cobalt, Copper, Nickel, Lead, Manganese, Phosphorus, Potassium, Sodium, Thallium, Vanadium	In-house method SDP 3230 (Microwave digestion / ICP)
	- Mercury	In-house method SDP 3230 (Microwave digestion / Cold vapour)
	- Polychlorinated Biphenyls	In-house Method SDP 3310 (GC-ECD)
	- Water content	In-house Method SDP 3533 (Karl Titration)
	- Viscosity for fuel oil	In-house Method SDP 3546
Ash and stabilised wastes	- Extractable organic halides (EOX)	In-house Method SDP 3548
Solid wastes	- Aluminium, Boron, Barium, Cadmium, Calcium, Chromium, Copper, Iron, Magnesium, Manganese, Sodium, Nickel, Lead, Tin, Zinc	In-house Method SDP 3201 (ICP)
	- Arsenic	In-house Method SDP 3201 (Electrothermal AAS)

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS196-15; Effective date of termination: 13 July 2020)

Ecospace Limited – Laboratory

衡力化學廢料處理有限公司 – 實驗室

51 Tsing Yi Road South, Tsing Yi Island, New Territories, Hong Kong

香港新界青衣島青衣南路 51 號

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Organic Solvents and oils	<ul style="list-style-type: none">- Antimony, Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Phosphorus, Potassium, Sodium - Mercury	<p>In-house Method SDP 3221 (Acid bomb digestion/ICP)</p> <p>In-house Method SDP 3221 (Acid bomb digestion/Cold Vapour)</p>

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS196-12; Effective date of termination: 1 January 2019)

Ecospace Limited – Laboratory

衡力化學廢料處理有限公司 – 實驗室

51 Tsing Yi Road South, Tsing Yi Island, New Territories, Hong Kong

香港新界青衣島青衣南路 51 號

Environmental Testing 環境測試		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED® 特定測試或量度的特性®	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following test has been terminated		
Water and Wastewater	Non-metallic Constituents:- - Orthophosphate	In-house Method SDP 3561 (FIA)

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS196-8; Effective Date of Termination: 1 May 2015)

Ecospace Limited – Laboratory

衡力化學廢料處理有限公司 – 實驗室

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated.			
ENVIRONMENTAL TESTING 環境測試	Water and Wastewater	- Polychlorinated dibenzodioxins and polychlorinated dibenzofurans: 2,3,7,8 – TCDD 2,3,7,8 – TCDF 1,2,3,7,8 – PeCDD 1,2,3,7,8 - PeCDF 2,3,4,7,8 - PeCDF 1,2,3,4,7,8 - HxCDD 1,2,3,6,7,8 - HxCDD 1,2,3,7,8,9 - HxCDD 1,2,3,4,7,8 - HxCDF 1,2,3,6,7,8 - HxCDF 1,2,3,7,8,9 - HxCDF 2,3,4,6,7,8 - HxCDF 1,2,3,4,6,7,8 - HpCDD 1,2,3,4,6,7,8 - HpCDF 1,2,3,4,7,8,9 - HpCDF OCDD OCDF	In-house Method SDP 3308 (HRGC/HRMS)
	Sediment	- Polychlorinated dibenzodioxins and polychlorinated dibenzofurans: 2,3,7,8 - TCDD 2,3,7,8 - TCDF 1,2,3,7,8 - PeCDD 1,2,3,7,8 - PeCDF 2,3,4,7,8 - PeCDF 1,2,3,4,7,8 - HxCDD 1,2,3,6,7,8 - HxCDD 1,2,3,7,8,9 - HxCDD 1,2,3,4,7,8 - HxCDF 1,2,3,6,7,8 - HxCDF 1,2,3,7,8,9 - HxCDF 2,3,4,6,7,8 - HxCDF 1,2,3,4,6,7,8 - HpCDD 1,2,3,4,6,7,8 - HpCDF 1,2,3,4,7,8,9 - HpCDF OCDD OCDF	In-house Method SDP 3308 (HRGC/HRMS)

Annex II

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS196-7; Effective Date of Termination: 1 January 2015)

Ecospace Limited – Laboratory

衡力化學廢料處理有限公司 – 實驗室

TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following examinations has been terminated.			
ENVIRONMENTAL TESTING 環境測試	Water and Wastewater	Trace Metals :- - Aluminium, Barium, Boron, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Silver, Sodium, Tin and Zinc - Arsenic Trace Metals (Dissolved):- - Aluminium, Barium, Boron, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Nickel, Potassium, Silver, Sodium, Tin and Zinc (Dissolved) - Arsenic (Dissolved) - Mercury (Dissolved)	In-house Method SDP 3203 (Microwave digestion/ICP) In-house Method SDP 3203 (Microwave digestion/AAS) In-house Method SDP 3226 (ICP) In-house Method SDP 3212 (Electrothermal AAS) In-house Method SDP 3212 (Cold Vapour)