

Annex II

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS229-38; Effective date of termination: 1 March 2025)

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

通標標準技術服務有限公司廣州分公司

No.198 Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong Province, China

中國廣東省廣州高新技術產業開發區科學城科珠路 198 號

Construction Materials 建築材料			
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術	
Accreditation of the following tests has been terminated			
Metallic materials (non-destructive)	Ultrasonic test of H beams with parallel flanges and IPE beams (manual method)	EN 10306: 2001	
	Ultrasonic test of metallic materials (reflection method)	EN 10160: 1999 in conjunction with the following specifications: EN 10164: 2004 Cl. 5.2 EN 10164: 2018 Cl. 6.2	
	Welds (non-destructive)	Magnetic particle test (magnetic flow method, colour contrast technique using A.C. yokes)	EN 1290: 1998 BS ISO 9934-1: 2001 ISO 9934-1: 2001 BS ISO 9934-1: 2016 ISO 9934-1: 2016 EN ISO 17638: 2009 ISO 17638: 2003 EN ISO 17638: 2016 ISO 17638: 2016
		Ultrasonic test (Butt welds in plates & pipes, 'T'-joint welds, nozzle welds and node welds)	EN 1714: 1998 (Level A, B & C) EN ISO 17640: 2010 (Level A, B & C) ISO 17640: 2010 (Level A, B & C) EN ISO 17640: 2018 (Level A, B & C) ISO 17640: 2018 (Level A, B & C)
Visual examination		EN 970: 1997 EN ISO 17637: 2011 ISO 17637: 2003 EN ISO 17637: 2016 ISO 17637: 2016	

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS229-37; Effective date of termination: 26 July 2024)

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

通標標準技術服務有限公司廣州分公司

No. 99 and No. 113 Chaoheng Road, Chenwucun, Chaolang, Chashan Town, Dongguan City, Guangdong Province, China
中國廣東省東莞市茶山鎮超朗陳屋村超橫路 99 号及 113 号

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Adhesive	Pull-off test of tiles	Hong Kong Housing Authority Materials Testing Services (2016/2018) for Maintenance and Building Materials Specification Part D Cl. 7.11 Hong Kong Housing Authority Specification Library (2014) FIN5.T150.B(3)
Concrete	Sampling fresh concrete on site	CS1: 1990 + Amd. 1101 Section 1
	Slump of fresh concrete	CS1: 1990 + Amd. 1101 & 1102 Section 2
	Flow table test	CS1: 1990 + Amd. 1206 Section 22
	Density of compacted fresh concrete	CS1: 1990 + Amd. 1101 Section 5
	Air content of fresh concrete	CS1: 1990 + Amd. 1101 & 1102 Section 6
	Making test cubes from fresh concrete	CS1: 1990 + Amd. 1101 & 1102 Section 7
	Curing of test specimens	CS1: 1990 + Amd. 1101 Section 10
	Compressive strength of concrete cubes in the force range 100 kN to 2000 kN	CS1: 1990 + Amd. 1201, 1202 & 1203 Section 12
Density of hardened concrete	CS1: 1990 + Amd. 1201 & 1203 Section 16	

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS229-36; Effective date of termination: 28 March 2024)

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

通標標準技術服務有限公司廣州分公司

No.198 Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong Province, China

中國廣東省廣州高新技術產業開發區科學城科珠路 198 號

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Steel:- (Chemical analysis)	Elemental composition:-	
- Stainless steel 304, 304L, 316, 316L, SUS304, SUS304L, SUS316L, 06Cr19Ni10, 022Cr19Ni10, 06Cr17Ni12Mo2, 022Cr17Ni12Mo2	- Silicon - Manganese - Phosphorus - Nickel - Chromium - Molybdenum	ASTM E1086-14
- Carbon steel and low alloy steel 1020, 1040, S17C, S25C, S43C, S53C, SPCC, SPHC, S235JR, S355J2, 20, 45, Q235, Q345	- Carbon - Silicon - Manganese - Phosphorus - Sulphur - Nickel - Chromium	GB/T 4336-2016 + Amd.1-2017
- Carbon steel and low alloy steel S355J0, S355JR	- Carbon - Silicon - Manganese - Phosphorus - Sulphur	GB/T 4336-2016+AMD.1-2017
- Carbon steel and low alloy steel 1020, 1040, S17C, S25C, S43C, S53C, SPCC, SPHC, S235JR, S355J2, 20, 45, Q235, Q345, 250, 500B, 500C	- Carbon - Silicon - Manganese - Phosphorus - Sulphur - Nickel - Chromium - Molybdenum - Copper - Vanadium - Nitrogen	ASTM E415-17
- Carbon steel and low alloy steel S355J0 (Cu content up to 0.5 %) S355JR (Cu content up to 0.5 %)	- Carbon - Silicon - Manganese - Phosphorus - Sulphur - Copper - Nitrogen	ASTM E415-17

Annex III

List of tests for which accreditation has been terminated

(Notification Letter No.: HOKLAS229-29; Effective date of termination: 22 April 2020)

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

通標標準技術服務有限公司廣州分公司

198 Kezhu Road, Sciencetech Park, Economic & Technical Development District, Guangzhou, China.

中國廣州市經濟技術開發區科學城科珠路 198 號

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
Accreditation of the following tests has been terminated		
Steel (chemical analysis)	- Carbon - Sulphur	ASTM E1019-11 (Method A)

Annex II

List of tests for which accreditation has been terminated

(Notification Letter No. HOKLAS229-28; Effective date of termination: 10 June 2019)

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

通標標準技術服務有限公司廣州分公司

198 Kezhu Road, Sciencetech Park, Economic & Technical Development District, Guangzhou, China.

中國廣州市經濟技術開發區科學城科珠路 198 號

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following test has been terminated		
Welds (non-destructive)	Ultrasonic test	BS EN ISO 17640: 2017 (Butt welds in plates & pipes, 'T' joint welds, nozzle welds and node welds) EN ISO 17640: 2017 (Butt welds in plates & pipes, 'T' joint welds, nozzle welds and node welds) ISO 17640: 2017 (Butt welds in plates & pipes, 'T' joint welds, nozzle welds and node welds)

Annex III

List of activities for which accreditation has been terminated

(Notification Letter No. HOKLAS229-25; Effective date of termination: 19 July 2018)

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

通標標準技術服務有限公司廣州分公司

198 Kezhu Road, Sciencetech Park, Economic & Technical Development District, Guangzhou, China.

中國廣州市經濟技術開發區科學城科珠路 198 號

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
Metallic materials	Brinell hardness test of metallic materials in the following specific scales: HBW 2.5 / 187.5 HBW 5 / 750 HBW 10 / 1000 HBW 10/3000 Charpy V-notch impact test of metallic materials Rockwell hardness test of metallic materials in the following scales: HRA, HRB, HRC, HR30T, HR45T, HR15N, HR30N, HR45N Tensile test of metallic materials in the force range 5 kN – 950 kN	BS EN ISO 6506: Part 1: 2005 EN ISO 6506: Part 1: 2005 ISO 6506: Part 1: 2005 BS EN ISO 148: Part 1: 2010 EN ISO 148: Part 1: 2010 ISO 148: Part 1: 2009 BS EN ISO 6508: Part 1: 2015 (exclude portable tester) EN ISO 6508: Part 1: 2015(exclude portable tester) ISO 6508: Part 1: 2015(exclude portable tester) BS EN ISO 6892: Part 1: 2009 EN ISO 6892: Part 1: 2009 ISO 6892: Part 1: 2009

Annex III

List of tests for which accreditation has been terminated

(Notification letter No.: HOKLAS229-19; Effective Date of Termination: 29 March 2017)

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

通標標準技術服務有限公司廣州分公司

198 Kezhu Road, Sciencetech Park, Economic & Technical Development District, Guangzhou, China.

中國廣州市經濟技術開發區科學城科珠路 198 號

Construction Materials 建築材料		
ITEM TESTED OR MEASURED 測試或量度項目	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
The accreditation of the following tests has been terminated		
- Low alloy steel 1020, 1040, S17C, S25C, S43C, S53C, SPCC, SPHC, S235JR, S355J2, 20, 45, Q235, Q345	Microbiological tests:- - Carbon - Silicon - Manganese - Phosphorus - Sulphur - Nickel - Chromium	ASTM E415-14

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No.: HOKLAS229-12; Effective date of termination: 1 March 2016)

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

通標標準技術服務有限公司廣州分公司

Main Laboratory			
TEST CATEGORY 測試類別	ITEM, MATERIAL OR PRODUCT TESTED 測試項目、材料或產品	SPECIFIC TEST OR PROPERTY MEASURED 特定測試或量度的特性	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED 規範、標準方法或應用技術
CONSTRUCTION MATERIALS 建築材料	Steel:- (Chemical analysis)	Elemental composition:-	
	- Stainless steel 304, 304L, 316, 316L, SUS304, SUS304L, SUS316L, 06Cr19Ni10, 022Cr19Ni10, 06Cr17Ni12Mo2, 022Cr17Ni12Mo2	- Silicon - Manganese - Phosphorus - Nickel - Chromium - Molybdenum	ASTM E1086-08
	- Low alloy steel 1020, 1040, S17C, S25C, S43C, S53C, SPCC, SPHC, S235JR, S355J2, 20, 45, Q235, Q345	- Carbon - Silicon - Manganese - Phosphorus - Sulphur - Nickel - Chromium	ASTM E415-08
	Metallic materials	Rockwell hardness test of metallic materials in the following scales: HRA, HRB, HRC, HR30T, HR45T, HR15N, HR30N, HR45N	BS EN ISO 6508-1: 2005 EN ISO 6508-1: 2005 ISO 6508-1: 2005
Welds (destructive)		Macroscopic examination on welds in metallic materials	EN 1321: 1996