

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-51; Effective date of termination: 20 September 2024)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Microbiology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Clinical Microbiology and Infection | Mycology – Culture, identification and serology CSF, sterile body fluid such as knee and joint fluid, CAPD, peritoneal fluid | Antigen detection (<i>Cryptococcal</i>) by Latex agglutination | Cryptococcal Antigen Latex Agglutination System |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-51; Effective date of termination: 4 October 2024)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology | General chemistry Serum, urine, body fluid | Osmolality by Freezing point depression | A2O Advanced Automated Osmometer |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-51; Effective date of termination: 4 October 2024)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Emergency Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology | General chemistry Serum, urine | Osmolality by Freezing point depression | A2O Advanced Automated Osmometer |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-51; Effective date of termination: 7 November 2024)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Anatomical Pathology Laboratory at Main Facility: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|---|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Anatomical Pathology | Histopathology Surgical pathology and cytological specimens Fresh tissue specimens and biopsies | Histology examination by H&E and special staining Histology examination and enzyme histochemistry by H&E and special staining | Special staining (manual method): Myelin sheath by Solochrome cyanine Special staining (manual method): Method as documented in AA-TM-44-00 For muscle biopsies: ATPase activity in muscle fibres by Adenosine triphosphatase (ATPase) Mitochondria by Succinic dehydrogenase (SDH) For rectal biopsies: Acetylcholine esterase in nerve fibres, ganglion cells by Acetylcholine esterase (AChE) |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-51; Effective date of termination: 7 November 2024)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Anatomical Pathology Laboratory at Branch Facility: 2/F, North District Hospital, 9 Po Kin Road, Sheung Shui, New Territories, Hong Kong

香港新界上水保健路九號北區醫院二樓

| MEDICAL TESTING | | | |
|---|---|---|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Anatomical Pathology | Histopathology Surgical pathology and cytological specimens | Histology examination by H&E and special staining | Special staining (manual method): Myelin sheath by Solochrome cyanine |
| | Fresh tissue specimens and biopsies | Histology examination and enzyme histochemistry by H&E and special staining | Special staining (manual method): Method as documented in AA-TM-44-00 For muscle biopsies: ATPase activity in muscle fibres by Adenosine triphosphatase (ATPase) Mitochondria by Succinic dehydrogenase (SDH) |

Annex II

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-50; Effective date of termination: 20 September 2024)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Microbiology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Clinical Microbiology and Infection | Mycobacteriology – Microscopy Respiratory tract and urine samples | Microscopy for acid-fast bacilli (AFB) by - Auramine O fluorescent stain - Ziehl-Neelsen stain | Method documented in AM-TM-06-01 |
| | Bacteriology – Serology CSF, sterile body fluid such as knee and joint fluid, CAPD, peritoneal fluid | Antigen detection (<i>Streptococcus</i> Group B; <i>Haemophilus influenzae</i> type b; <i>Streptococcus</i> <i>pneumoniae</i> ; <i>Neisseria meningitidis</i> Group A,B,C,Y, W135; <i>Escherichia coli</i> K1) by Latex agglutination | Wellcogen Bacterial Antigen Detection Kit (Murex) |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-49; Effective date of termination: 19 April 2024)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Haematology Laboratory and Blood Bank: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Haematology | Coagulation Citrate blood | D-dimer by Enzyme-linked immunosorbent assay (ELISA) | Biomerieux Minividas, Vidas D-Dimer Exclusion II test kit |
| | Haematology – General EDTA whole blood | Erythrocyte sedimentation rate (ESR) by photo-optical detection | DIESSE Ves-matic 30 |
| Immunology | Autoantibodies Serum | Anti-nuclear antibody (ANA) by Indirect immunofluorescence (IIF) | KALLESTADTM HEP-2 kit |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-47; Effective date of termination: 18 February 2022)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|---|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology | General chemistry | | |
| | Plasma, body fluid | Alanine transaminase (ALT) by Spectrophotometry | Cobas 6000 ALT Assay |
| | | Albumin by Spectrophotometry | Cobas 6000 Albumin Assay |
| | Plasma | Albumin adjusted calcium by Calculation | Cobas 6000 (Calculated from albumin and calcium) |
| | Plasma, body fluid | Alkaline Phosphatase (ALP) by Spectrophotometry | Cobas 6000 ALP Assay |
| | Plasma, urine, body fluid | Amylase by Spectrophotometry | Cobas 6000 Amylase Assay |
| | Plasma, urine | Amylase:Creatinine clearance ratio by Calculation | Cobas 6000 (Calculated from plasma and urine Amylase and Creatinine concentration) |
| | Plasma, body fluid | Bilirubin, Direct by Spectrophotometry | Cobas 6000 Direct Bilirubin Assay |
| | | Bilirubin, Total by Spectrophotometry | Cobas 6000 Bilirubin Assay |
| | Plasma | Bilirubin, Neonatal by Spectrophotometry | Cobas 6000 Bilirubin Assay |
| | Plasma, urine, body fluid | Calcium by Spectrophotometry | Cobas 6000 Calcium Assay |
| | Plasma, body fluid | Cholesterol by Spectrophotometry | Cobas 6000 Cholesterol Assay |
| Plasma | Cholesterol, high density lipoproteins (HDL) by Spectrophotometry | Cobas 6000 HDL-Cholesterol Assay | |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-47; Effective date of termination: 18 February 2022)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology (cont'd) | General chemistry (cont'd) Plasma (cont'd) | Cholesterol, low density lipoproteins (LDL) by Spectrophotometry | Cobas 6000 (Calculated test using Friedewald Formula) |
| | Plasma, body fluid | Creatine kinase by Spectrophotometry | Cobas 6000 Creatine Kinase Assay |
| | Plasma | Creatinine by Spectrophotometry | Cobas 6000 Creatinine Assay and Cobas 6000 Creatinine (Enzymatic methodology) Assay |
| | Urine, body fluid | Creatinine by Spectrophotometry | Cobas 6000 Creatinine Assay |
| | Plasma, urine | Creatinine clearance by Calculation | Cobas 6000 (Calculated from plasma and urine Creatinine) |
| | Plasma, body fluid | Gamma glutamyl transferase (GGT) by Spectrophotometry | Cobas 6000 GGT Assay |
| | Plasma | Globulin by Calculation | Cobas 6000 (Calculated from Protein, Total, and Albumin) |
| | Plasma, body fluid, CSF | Glucose by Spectrophotometry | Cobas 6000 Glucose Assay |
| | Plasma | Glucose, Fasting by Spectrophotometry | Cobas 6000 Glucose Assay |
| | Serum | Iron by Spectrophotometry | Cobas 6000 Iron Assay |
| | Plasma, body fluid, CSF | Lactate Dehydrogenase (LDH) by Spectrophotometry | Cobas 6000 LDH Assay |
| Serum, body fluid | Magnesium by Spectrophotometry | Cobas 6000 Magnesium Assay | |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-47; Effective date of termination: 18 February 2022)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|---|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology (cont'd) | General chemistry (cont'd) Plasma | Estimated Glomerular Filtration Rate (eGFR) by Calculation | Cobas 6000 (Calculated from Creatinine) using CKD-EPI or MDRD equation |
| | Stool | Occult blood by Latex Agglutination Reaction | HM-Jack |
| | Plasma, urine, body fluid | Phosphate by Spectrophotometry | Cobas 6000 Inorganic phosphorus Assay |
| | | Potassium by Potentiometry (Indirect Ion-Selective Electrode Method) | Cobas 6000 Potassium Assay |
| | Plasma, body fluid | Protein, Total by Spectrophotometry | Cobas 6000 Total Protein Assay |
| | Urine, CSF | Protein, Total by Turbidimetry | Cobas 6000 CSF/Urine Assay |
| | Urine | Protein:Creatinine ratio by Calculation | Cobas 6000 (Calculated from spot urine, Total Protein and Creatinine) |
| | Plasma, urine, body fluid | Sodium by Potentiometry (Indirect Ion-Selective Electrode Method) | Cobas 6000 Sodium Assay |
| | Serum | Total Iron Binding Capacity (TIBC) by Calculation | Cobas 6000 (Calculated from Iron and UIBC) |
| | Plasma, body fluid | Triglycerides by Spectrophotometry | Cobas 6000 Triglycerides Assay |
| Plasma | Troponin T by Immunoassay (Chemiluminescent label) | Cobas 6000 Troponin T hs Assay | |
| Serum | Unsaturated Iron Binding Capacity (UIBC) by Spectrophotometry | Cobas 6000 UIBC Assay | |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-47; Effective date of termination: 18 February 2022)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | | |
|---|--|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 | |
| Accreditation of the following examinations has been terminated. | | | | |
| Chemical Pathology (cont'd) | General chemistry (cont'd) Plasma, urine, body fluid | Urate by Spectrophotometry | Cobas 6000 Uric Acid plus Assay | |
| | | Urea by Spectrophotometry | Cobas 6000 Urea/Urea Nitrogen Assay | |
| | Hormones Serum | Cortisol by Immunoassay (Chemiluminescent label) | Cobas 6000 Cortisol Assay | |
| | | Plasma | Parathyroid hormone by Immunoassay (Chemiluminescent label) | Cobas 6000 PTH Assay |
| | | | Serum | Prolactin by Immunoassay (Chemiluminescent label) |
| | | Thyroxine, Free by Immunoassay (Chemiluminescent label) | | Cobas 6000 FT4 Assay |
| | | Thyroid stimulating hormone by Immunoassay (Chemiluminescent label) | Cobas 6000 TSH Assay | |
| | Proteins, quantitative analysis Serum | C Reactive protein by Immunoturbidimetry | Cobas 6000 CRP Assay | |
| | | Ferritin by Immunoassay (Chemiluminescent label) | Cobas 6000 Ferritin Assay | |
| | | Special chemistry Plasma | Ammonia by Spectrophotometry | Cobas 6000 Ammonia Assay |
| | Plasma, CSF | | Lactate by Spectrophotometry | Cobas 6000 Lactate Assay |
| | | Serum | Folate, serum by Immunoassay (Chemiluminescent label) | Cobas 6000 Folate II Assay |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-47; Effective date of termination: 18 February 2022)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|---|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology (cont'd) | Therapeutic drug monitoring Serum | Digoxin by Immunoassay (Chemiluminescent label) | Cobas 6000 Digoxin Assay |
| | | Lithium by Spectrophotometry | Cobas 6000 Lithium Assay |
| | | Phenytoin by Kinetic interaction of microparticles in a solution (KIMS) | Cobas 6000 Phenytoin Assay |
| | | Theophylline by Kinetic interaction of microparticles in a solution (KIMS) | Cobas 6000 Theophylline Assay |
| | | Valproic acid by Enzyme Immunoassay | Cobas 6000 Valproic Acid Assay |
| | Toxicology Serum | Acetaminophen (Paracetamol) by Spectrophotometry | Cobas 6000 Acetaminophen Assay |
| | | Ethanol by Spectrophotometry | Cobas 6000 Ethanol Assay |
| | | Salicylate by Spectrophotometry | Cobas 6000 Salicylate Assay |
| | Tumour markers Serum, body fluid | Alpha-feto protein (AFP) by Immunoassay (Chemiluminescent label) | Cobas 6000 AFP Assay |
| | | Carcino-embryonic antigen (CEA) by Immunoassay (Chemiluminescent label) | Cobas 6000 CEA Assay |
| | Serum | Prostatic specific antigen (PSA) by Immunoassay (Chemiluminescent label) | Cobas 6000 Total PSA Assay |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-47; Effective date of termination: 18 February 2022)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Emergency Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|---|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology | General chemistry Plasma | Alanine transaminase (ALT) by Spectrophotometry | Cobas 6000 ALT Assay |
| | | Albumin by Spectrophotometry | Cobas 6000 Albumin Assay |
| | | Albumin adjusted calcium by Calculation | Cobas 6000 (Calculated from albumin and calcium) |
| | | Alkaline Phosphatase (ALP) by Spectrophotometry | Cobas 6000 ALP Assay |
| | | Amylase by Spectrophotometry | Cobas 6000 Amylase Assay |
| | | Bilirubin, Total by Spectrophotometry | Cobas 6000 Bilirubin Assay |
| | | Bilirubin, Neonatal by Spectrophotometry | Cobas 6000 Bilirubin Assay |
| | | Calcium by Spectrophotometry | Cobas 6000 Calcium Assay |
| | | Creatine kinase by Spectrophotometry | Cobas 6000 Creatine Kinase Assay |
| | | Creatinine by Spectrophotometry | Cobas 6000 Creatinine Assay and Cobas 6000 Creatinine (Enzymatic methodology) Assay |
| | | Gamma glutamyl transferase (GGT) by Spectrophotometry | Cobas 6000 GGT Assay |
| Globulin by Calculation | Cobas 6000 (Calculated from Protein, Total and Albumin) | | |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-47; Effective date of termination: 18 February 2022)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Emergency Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology (cont'd) | General chemistry (cont'd) | | |
| | Plasma, CSF | Glucose by Spectrophotometry | Cobas 6000 Glucose Assay |
| | Plasma | Glucose, Fasting by Spectrophotometry | Cobas 6000 Glucose Assay |
| | Serum | Iron by Spectrophotometry | Cobas 6000 Iron Assay |
| | Plasma | Lactate Dehydrogenase (LDH) by Spectrophotometry | Cobas 6000 LDH Assay |
| | Serum | Magnesium by Spectrophotometry | Cobas 6000 Mg Assay |
| | Plasma | Phosphate by Spectrophotometry | Cobas 6000 Inorganic Phosphorus Assay |
| | Plasma, urine | Potassium by Potentiometry (Indirect Ion-Selective Electrode Method) | Cobas 6000 Potassium Assay |
| | Plasma | Protein, Total by Spectrophotometry | Cobas 6000 Total Protein Assay |
| | CSF | Protein, Total by Turbidimetry | Cobas 6000 Urinary/CSF Protein Assay |
| | Plasma, urine | Sodium by Potentiometry (Indirect Ion-Selective Electrode Method) | Cobas 6000 Sodium Assay |
| | Plasma | Troponin T by Immunoassay (Chemiluminescent label) | Cobas 6000 Troponin T hs Assay |
| | | Urate by Spectrophotometry | Cobas 6000 Uric Acid plus Assay |
| | | Urea by Spectrophotometry | Cobas 6000 Urea/Urea Nitrogen Assay |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-47; Effective date of termination: 18 February 2022)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Emergency Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|---|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology (cont'd) | Special chemistry Plasma | Ammonia by Spectrophotometry | Cobas 6000 Ammonia Assay |
| | Plasma, CSF | Lactate by Spectrophotometry | Cobas 6000 Lactate Assay |
| | Therapeutic drug monitoring Serum | Digoxin by Immunoassay (Chemiluminescent label) | Cobas 6000 Digoxin Assay |
| | | Lithium by Spectrophotometry | Cobas 6000 Lithium Assay |
| | | Phenytoin by Kinetic interaction of microparticles in a solution (KIMS) | Cobas 6000 Phenytoin Assay |
| | | Theophylline by Kinetic interaction of microparticles in a solution (KIMS) | Cobas 6000 Theophylline Assay |
| | | Valproic acid by Enzyme Immunoassay | Cobas 6000 Valproic Acid Assay |
| | Toxicology Serum | Acetaminophen (Paracetamol) by Spectrophotometry | Cobas 6000 Acetaminophen Assay |
| | | Ethanol by Spectrophotometry | Cobas 6000 Alcohol Assay |
| | | Salicylate by Spectrophotometry | Cobas 6000 Salicylate Assay |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-45; Effective date of termination: 2 October 2019)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Haematology Laboratory and Blood Bank: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Immunology | Autoantibodies Serum | Anti-double stranded DNA antibody (Anti-dsDNA) by Enzyme-linked immunosorbent assay (ELISA) | EUROIMMUN Analyzer I Hycor Autostat II anti-dsDNA ELISA Kit |

Annex II

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-40; Effective date of termination: 1 October 2018)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Microbiology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|---|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Clinical Microbiology and Infection | Microbiology – Miscellaneous tests Urine | Pregnancy test for human chorionic gonadotrophin (hCG) by Immunochromatographic assay | Applied Biotech SureStephCG pregnancy test |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-39; Effective date of termination: 1 October 2018)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Anatomical Pathology Laboratory at Main Facility: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|---|--|---|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Anatomical Pathology | Histopathology Surgical pathology and cytological specimens | Histology examination by H&E and special staining | Special staining (manual method): Muscle striations, neuroglia fibres, connective tissue by PTAH technique (Mallory) Unsaturated cholesterol ester, triglycerides, phospholipids by Sudan Black Urate by Gomori hexamine silver ± lithium carbonate extraction |

Anatomical Pathology Laboratory at Branch Facility: 2/F, North District Hospital, 9 Po Kin Road, Sheung Shui, New Territories, Hong Kong
香港新界上水保健路九號北區醫院二樓

| MEDICAL TESTING | | | |
|--|---|--|---|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Anatomical Pathology | Histopathology Surgical pathology and cytological specimens | Histology examination by Special staining | Special staining (manual method): Muscle striations, neuroglia fibres, connective tissue by PTAH technique (Mallory) Unsaturated cholesterol ester, triglycerides, phospholipids by Sudan Black Urate by Gomori hexamine silver ± lithium carbonate extraction |

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Chemical Pathology | Blood gas and co-oximetry Whole blood | Potassium by Potentiometry (Ion-Selective Electrode) | Siemens blood gases analyser 1200 series |
| | | Sodium by Potentiometry (Ion-Selective Electrode) | Siemens blood gases analyser 1200 series |
| | Hormones Serum | Estradiol by Immunoassay (Chemiluminescent label) | Cobas 6000 Estradiol II Assay |
| | | Follicle stimulating hormone by Immunoassay (Chemiluminescent label) | Cobas 6000 FSH Assay |
| | Luteinizing hormone by Immunoassay (Chemiluminescent label) | Cobas 6000 LH Assay | |
| Special chemistry Urinary stone | Chemical qualitative method | Biolabo reagents – Stone analysis set | |

Emergency Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號C座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Chemical Pathology | Blood gas and co-oximetry Whole blood | Potassium by Potentiometry (Ion-Selective Electrode) | Siemens blood gases analyser 1200 series |
| | | Sodium by Potentiometry (Ion-Selective Electrode) | Siemens blood gases analyser 1200 series |

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Microbiology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|---|---|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Clinical Microbiology and Infection | Microbiology – Miscellaneous tests Environmental samples (including milk, milk bottles and teats, pool water, RO water and dialysate, etc.) | Sterility and bacterial count by Quantitative and semi-quantitative aerobic culture | Method as documented in AM-TM-05-05 |
| | Environmental samples (including RO water dialysate, etc.) | Endotoxin detection by Limulus amoebocyte lysate (LAL) | Pyrotell, method as documented in AM-TM-04-01 |

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Haematology Laboratory and Blood Bank: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Haematology | Haematology – General EDTA whole blood | Haemoglobin pattern by - Acid gel electrophoresis - Alkaline gel electrophoresis | Method as documented in AH-EM-03-11 Method as documented in AH-EM-03-11 |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-37; Effective date of termination: 16 November 2017)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Haematology Laboratory and Blood Bank: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Haematology | Coagulation Citrate blood | Coagulation studies including - Prothrombin time (PT) - Activated partial thromboplastin time (APTT) - Thrombin time (TT) - Fibrinogen Lupus anticoagulant detection by Screening tests using PT, APTT, TT and Dilute Russell's Viper Venom Time (DRVVT) Confirmatory test using Platelet Neutralisation Procedure (PNP) PNP-APTT/PNP-DRVVT | Beckman Coulter ACL TOP Method as documented in AH-TM-02-06 |
| | Haematology – General EDTA whole blood | Complete blood count including - Haemoglobin - Haematocrit - Leucocyte count (WBC count) - Mean corpuscular volume (MCV) - Mean corpuscular haemoglobin concentration (MCHC) - Mean corpuscular haemoglobin (MCH) - Platelet count - Red cell count - Red cell distribution width (RDW) - Reticulocyte count - Mean Platelet Volume (MPV) | Beckman Coulter LH755 Haematology System |
| | | Leucocyte differential count by Automated method | Beckman Coulter LH755 Haematology System |

| MEDICAL TESTING | | | |
|--|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Haematology | Coagulation Citrate blood | Coagulation studies including - Prothrombin time (PT) - Activated partial thromboplastin time (APTT) | Beckman Coulter ACL TOP |
| | Haematology – General EDTA whole blood | Complete blood count including - Haemoglobin - Haematocrit - Leucocyte count (WBC count) - Mean corpuscular volume (MCV) - Mean corpuscular haemoglobin concentration (MCHC) - Mean corpuscular haemoglobin (MCH) - Platelet count - Red cell count - Red cell distribution width (RDW) - Mean Platelet Volume (MPV) | Beckman Coulter LH755 Haematology System |
| | | Leucocyte differential count by Automated method | Beckman Coulter LH755 Haematology System |

Annex II

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-35; Effective date of termination: 1 September 2017)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Anatomical Pathology Laboratory at Main Facility: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Anatomical Pathology | Histopathology Fresh tissue specimens and biopsies | Histology examination and enzyme histochemistry by Special staining | For rectal biopsies: Acetylcholine esterase in nerve fibres, ganglion cells by Acetylcholine esterase (AchE) |
| | Surgical pathology and cytological specimens | Histology examination by Special staining | Special staining (manual method): Myelin sheath by Solochrome cyanine |

Anatomical Pathology Laboratory at Branch Facility: 2/F, North District Hospital, 9 Po Kin Road, Sheung Shui, New Territories, Hong Kong

香港新界上水保健路九號北區醫院二樓

| MEDICAL TESTING | | | |
|--|---|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Anatomical Pathology | Histopathology Surgical pathology and cytological specimens | Histology examination by Special staining | Special staining (manual method): Myelin sheath by Solochrome cyanine |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-33; Effective date of termination: 1 July 2016)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Microbiology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|---|--|---|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Clinical Microbiology and Infection | Mycobacteriology – Culture Respiratory tract and urine samples | Culture for acid-fast bacilli (AFB) by Aerobic solid medium culture | Method documented in AM-TM-06-01 |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-31; Effective date of termination: 1 August 2016)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Chemical Pathology | General chemistry Serum | Bilirubin, Neonatal by Photometry | LEICA UNISTAT Bilirubinometer |
| | Whole blood | Bilirubin, neonatal, total by Spectrophotometry | Siemens blood gases analyser 1200 series |

Emergency Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Chemical Pathology | General chemistry Serum | Bilirubin, Neonatal by Photometry | LEICA UNISTAT Bilirubinometer |
| | Whole blood | Bilirubin, neonatal, total by Spectrophotometry | Siemens blood gases analyser 1200 series |

Annex II

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-30; Effective date of termination: 20 January 2016)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Anatomical Pathology Laboratory at Branch Facility: 2/F, North District Hospital, 9 Po Kin Road, Sheung Shui, New Territories,
Hong Kong
香港新界上水保健路九號北區醫院二樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Medical Genetics | Molecular Genetics Histological and cytological specimen | Epstein Barr Virus Detection by In-situ hybridization | Slide preparation and staining (manual method) as documented in AA-TM-47-01 |

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號C座一樓

| MEDICAL TESTING | | | |
|---|--|---|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Chemical Pathology | Special Chemistry Stone | Semi-quantitative by Titrimetric and colorimetric method | Method as documented in AC-TM-19-06 |

Microbiology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號C座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Clinical Microbiology and Infection | Bacteriology - Culture sensitivity test and Gram microscopy Blood | Culture and antimicrobial susceptibility tests for pathogen by Aerobic and anaerobic broth culture | Bactec 9240 |

Haematology Laboratory and Blood Bank: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
 香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|---|---|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Haematology | Haematology - General EDTA whole blood | Erythrocyte sedimentation rate (ESR) by manual method | Method as documented in AH-TM-01-01 |
| Immunology | Autoantibodies Serum | Anti-double stranded DNA antibody (Anti-dsDNA) by Enzyme-linked immunosorbent assay (ELISA) Anti-thyroglobulin antibody (ATG) by Agglutination of sensitised particles | Grifols Triturus Analyzer using KALLESTADTM Anti-dsDNA Microplate EIA kit SERODIA®-ATG kit |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-29; Effective date of termination: 20 January 2016)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Anatomical Pathology Laboratory at Branch Facility: 2/F, North District Hospital, 9 Po Kin Road, Sheung Shui, New Territories,
Hong Kong
香港新界上水保健路九號北區醫院二樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Medical Genetics | Molecular Genetics Histological and cytological specimen | Epstein Barr Virus Detection by In-situ hybridization | Slide preparation and staining (manual method) as documented in AA-TM-47-01 |

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號C座一樓

| MEDICAL TESTING | | | |
|---|--|---|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Chemical Pathology | Special Chemistry Stone | Semi-quantitative by Titrimetric and colorimetric method | Method as documented in AC-TM-19-06 |

Microbiology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號C座一樓

| MEDICAL TESTING | | | |
|---|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examination has been terminated. | | | |
| Clinical Microbiology and Infection | Bacteriology - Culture sensitivity test and Gram microscopy Blood | Culture and antimicrobial susceptibility tests for pathogen by Aerobic and anaerobic broth culture | Bactec 9240 FX Identification of isolates: Method as documented in AM-TM-02-01 Antimicrobial susceptibility tests: Agar disk diffusion Method and E-test (MIC for <i>Strept. Pneumonia</i> and <i>Neisseria meningitides</i>) as documented in AM-TM-12- 01,AM-TM-12-02 |

Haematology Laboratory and Blood Bank: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
 香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|--|---|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| Accreditation of the following examinations has been terminated. | | | |
| Haematology | Haematology - General EDTA whole blood | Erythrocyte sedimentation rate (ESR) by manual method | Method as documented in AH-TM-01-01 |
| Immunology | Autoantibodies Serum | Anti-double stranded DNA antibody (Anti-dsDNA) by Enzyme-linked immunosorbent assay (ELISA) Anti-thyroglobulin antibody (ATG) by Agglutination of sensitised particles | Grifols Triturus Analyzer using KALLESTADTM Anti-dsDNA Microplate EIA kit SERODIA®-ATG kit |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS808P-27)

Hospital Authority - Alice Ho Miu Ling Nethersole Hospital, Department of Pathology

醫院管理局 - 雅麗氏何妙齡那打素醫院病理部

Anatomical Pathology Laboratory at Main Facility: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|--|--|--|--|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| The accreditation of the laboratory for the following examinations has been terminated. | | | |
| Anatomical Pathology | Immunohistochemistry Histological and cytological specimen | Immunohistochemical examinations for various antigen markers by Manual and automated method | Slide preparation and staining (manual method) as documented in AA-TM-44-00, AA-TQ-02-00 Antigen retrieval: Heat retrieval +/- enzymatic digestion Detection system: I-view and Ultra-view Universal DAB Detection Kit |

.1.

.3.

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|---|--|---|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| The accreditation of the laboratory for the following examination has been terminated. | | | |
| Chemical Pathology | General chemistry Stool | Occult blood by Oxidation of guaiac to quinones | Helena – Coloscreen tape |

.3.

Microbiology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|---|--|---|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| The accreditation of the laboratory for the following examination has been terminated. | | | |
| Clinical Microbiology and Infection | Virology – Serology Nasopharyngeal wash or aspirate | Influenza virus by Immunochromatographic membrane assay | Binax NOW Flu A B test kit Directigen EZ Flu A+B |

.1.

Haematology Laboratory and Blood Bank: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|---|---|--|---|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| The accreditation of the laboratory for the following examination has been terminated. | | | |
| Immunology | Autoantibodies Serum | Anti-thyroid microsomal antibody (AMC) by Agglutination of sensitised particles | SERODIA®-AMC kit |

.2.

Emergency Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| MEDICAL TESTING | | | |
|--|--|--|---|
| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
| The accreditation of the laboratory for the following examinations has been terminated. | | | |
| Clinical Microbiology and Infection | Bacteriology - culture and sensitivity tests and Gram microscopy CSF | Microscopy for Cell morphology by lytic stain Bacteria by Gram stain | Method as documented in AM-TM-13-01 |
| | Joint fluid | Microscopy for Bacteria by Gram stain | Method as documented in AM-TM-13-01 |
| | Microscopy – Miscellaneous CSF | Microscopy for Cell count by Counting chamber | Method as documented in AM-TM-13-01 |
| | Mycology – Microscopy CSF | Encapsulated yeast by Negative stain (India ink or 10% Nigrosin) | |
| | Virology – Serology Nasopharyngeal wash or aspirate | Influenza virus by Immunochromagraphic membrane assay | Binax NOW Flu A B test kit Directigen EZ Flu A+B |

.1.

.1.

.1.

.1.

.1.

Note:

- .1. Effective date of termination: 1 January 2015
- .2. Effective date of termination: 1 March 2015
- .3. Effective date of termination: 1 May 2015

Annex II

List of examinations for which accreditation has been terminated

(Notification Letter No. 808P-22; Effective date of termination: 30 September 2014)

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Anatomical Pathology Laboratory at Main Facility: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|---|---|--|--|
| The accreditation of the following examinations has been terminated. | | | |
| Anatomical Pathology | Histopathology Surgical pathology and cytological specimens | Histology examination by Special staining | Special staining (manual method): For infectious agents and other tissue components: Methods as documented in AA-TM-43-00: Azurophilic granules and granulocytes by Giemsa technique Chromophobes, acidophils and basophils cells by OFG for pituitary gland (Slidders) Paneth cells, viral inclusion by Phloxine tartrazine (Lendrum) |

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Anatomical Pathology Laboratory at Branch Facility: 2/F, North District Hospital, 9 Po Kin Road, Sheung Shui, New Territories, Hong Kong

香港新界上水保健路九號北區醫院二樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|---|--|--|--|
| The accreditation of the following examinations has been terminated. | | | |
| Anatomical Pathology | Histopathology Surgical pathology and cytological specimens | Histology examination by Special staining | Special staining (manual method): For infectious agents and other tissue components: Methods as documented in AA-TM-43-00: Azurophilic granules and granulocytes by Giemsa technique Chromophobes, acidophils and basophils cells by OFG for pituitary gland (Slidders) Paneth cells, viral inclusion by Phloxine tartrazine (Lendrum) |

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號C座一樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|---|---|--|--|
| The accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology | <p>Special chemistry</p> <p>Whole blood</p> <p>Serum</p> <p>Toxicology</p> <p>Urine</p> | <p>Folate, red cell by Immunoassay (Chemiluminescent label)</p> <p>Vitamin B12 by Immunoassay (Chemiluminescent label)</p> <p>Paraquat by Reduction of paraquat ion in alkaline solution</p> | <p>Cobas 6000 Folate II Assay</p> <p>Cobas 6000 Vitamin B12 Assay</p> <p>Method as documented in AC-TM-16-01</p> |

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Haematology Laboratory and Blood Bank: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|---|--|--|--|
| The accreditation of the following examinations has been terminated. | | | |
| Haematology | Blood bank – General Clotted whole blood | ABO and Rh (D) typing by Red cell agglutination Antibody screening by - DiaMed Gel technique - Conventional method Autologous transfusion Crossmatch by - Electronic crossmatch - Immediate spin - Indirect antiglobulin test | Tile and tube techniques as documented in AB-TM-02-02 Method as documented in AB-TM-02-03 Method as documented in AB-TM-02-07 Method as documented in AB-TM-01-07 Method as documented in AB-TM-02-05 |

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Emergency Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號C座一樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|--|--|--|--|
| The accreditation of the following examinations has been terminated. | | | |
| Haematology | Blood bank – General Clotted whole blood | ABO and Rh (D) typing by Red cell agglutination Antibody screening by - DiaMed Gel technique - Conventional method Autologous transfusion Crossmatch by - Electronic crossmatch - Immediate spin - Indirect antiglobulin test | Tile and tube techniques as documented in AB-TM-02-02 Method as documented in AB-TM-02-03 Method as documented in AB-TM-02-07 Method as documented in AB-TM-01-07 Method as documented in AB-TM-02-05 |

Annex III

List of examinations for which accreditation has been terminated

(Notification Letter No. 808P-21; Effective date of termination: 30 September 2014)

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Anatomical Pathology Laboratory at Main Facility: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|---|---|--|--|
| The accreditation of the following examinations has been terminated. | | | |
| Anatomical Pathology | Histopathology Surgical pathology and cytological specimens | Histology examination by Special staining | Special staining (manual method): For infectious agents and other tissue components: Methods as documented in AA-TM-43-00: Azurophilic granules and granulocytes by Giemsa technique Chromophobes, acidophils and basophils cells by OFG for pituitary gland (Slidders) Paneth cells, viral inclusion by Phloxine tartrazine (Lendrum) |

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Anatomical Pathology Laboratory at Branch Facility: 2/F, North District Hospital, 9 Po Kin Road, Sheung Shui, New Territories, Hong Kong

香港新界上水保健路九號北區醫院二樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|--|--|--|--|
| The accreditation of the following examinations has been terminated. | | | |
| Anatomical Pathology | Histopathology Surgical pathology and cytological specimens | Histology examination by Special staining | Special staining (manual method): For infectious agents and other tissue components: Methods as documented in AA-TM-43-00: Azurophilic granules and granulocytes by Giemsa technique Chromophobes, acidophils and basophils cells by OFG for pituitary gland (Slidders) Paneth cells, viral inclusion by Phloxine tartrazine (Lendrum) |

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Chemical Pathology Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號C座一樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|---|--|---|--|
| The accreditation of the following examinations has been terminated. | | | |
| Chemical Pathology | Special chemistry Serum | Folate, serum by Immunoassay (Chemiluminescent label) | Cobas 6000 Folate II Assay |
| | | Vitamin B12 by Immunoassay (Chemiluminescent label) | Cobas 6000 Vitamin B12 Assay |
| | Toxicology Urine | Paraquat by Reduction of paraquat ion in alkaline solution | Method as documented in AC-TM-16-01 |

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Haematology Laboratory and Blood Bank: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong
香港新界大埔全安路十一號 C 座一樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|---|--|--|--|
| The accreditation of the following examinations has been terminated. | | | |
| Haematology | Blood bank – General Clotted whole blood | ABO and Rh (D) typing by Red cell agglutination Antibody screening by - DiaMed Gel technique - Conventional method Autologous transfusion Crossmatch by - Electronic crossmatch - Immediate spin - Indirect antiglobulin test | Tile and tube techniques as documented in AB-TM-02-02 Method as documented in AB-TM-02-03 Method as documented in AB-TM-02-07 Method as documented in AB-TM-01-07 Method as documented in AB-TM-02-05 |

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Emergency Laboratory: 1/F, Block C, 11 Chuen On Road, Tai Po, New Territories, Hong Kong

香港新界大埔全安路十一號C座一樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|--|--|--|--|
| The accreditation of the following examinations has been terminated. | | | |
| Haematology | Blood bank – General Clotted whole blood | ABO and Rh (D) typing by Red cell agglutination Antibody screening by - DiaMed Gel technique - Conventional method Autologous transfusion Crossmatch by - Electronic crossmatch - Immediate spin - Indirect antiglobulin test | Tile and tube techniques as documented in AB-TM-02-02 Method as documented in AB-TM-02-03 Method as documented in AB-TM-02-07 Method as documented in AB-TM-01-07 Method as documented in AB-TM-02-05 |

Annex II

List of activities for which accreditation has been terminated

(Notification Letter No. 808P-19; Effective date of termination: 11 July 2014)

Hospital Authority - Department of Pathology, Alice Ho Miu Ling Nethersole Hospital (AHNH)

醫院管理局 - 雅麗氏何妙齡那打素醫院，病理部

Anatomical Pathology Laboratory at Branch Facility: 2/F, North District Hospital, 9 Po Kin Road, Sheung Shui, New Territories,
Hong Kong
香港新界上水保健路九號北區醫院二樓

| DISCIPLINE 專科範疇 | TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類 | SPECIFIC EXAMINATIONS OR PROPERTIES MEASURED 特定測試或量度的特性 | METHOD OR TECHNIQUE USED 方法或應用技術 |
|---------------------------------------|--|---|---|
| Anatomical Pathology | Cytopathology Gynaecological specimens | Gynaecological cytology examination by Papanicolaou staining | Manual screening for conventional smears: Method as documented in AA-TM-51-00, AA-TQ-02-00 |