

## Annex II

### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-23; Effective date of termination: 28 January 2025)

#### **Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓一樓

#### **MEDICAL TESTING**

<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> <b>OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> <b>OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
Chemical Pathology	Special Chemistry Stool	Occult blood by Guaiac procedure	Hemoccult SENSE test Method as documented in LPTC2601

## Annex II

### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-23; Effective date of termination: 28 January 2025)

#### **Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下

#### **MEDICAL TESTING**

<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> OR SAMPLE TYPE 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> OR TECHNIQUE USED 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Clinical</b> <b>Microbiology and</b> <b>Infection</b>	<b>Virology – Serology</b> Serum	Human immunodeficiency virus antibody and p24 antigen by Immunoassay (Chemiluminescent Label)	Abbott Alinity i system HIV Ag/Ab Combo assay

## Annex II

### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-23; Effective date of termination: 28 January 2025)

#### Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Microbiology Laboratory: 2/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓二樓

<b>MEDICAL TESTING</b>			
DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
Accreditation of the following examinations has been terminated.			
Clinical Microbiology and Infection	Bacteriology – Culture and sensitivity and/or gram microscopy  CSF	Antigen detection (Streptococcus Group B, <i>Haemophilus influenzae</i> type b, <i>Streptococcus pneumoniae</i> , <i>Neisseria meningitidis</i> Group A, B, C, Y, W135, <i>Escherichia coli</i> K1) by Latex agglutination	Wellcogen Bacterial Antigen Kit
	Virology – Serology  Nasopharyngeal samples	Adenovirus by Direct Immunofluorescence Test	Method as documented in LP TM06 71 IMAGEN Respiratory Screen IMAGEN Adenovirus
		Parainfluenza virus by Direct Immunofluorescence Test	Method as documented in LP TM06 71 IMAGEN Respiratory Screen IMAGEN Parainfluenza
		Respiratory syncytial virus by Direct Immunofluorescence Test	Method as documented in LP TM06 71 IMAGEN Respiratory Screen IMAGEN Respiratory Syncytial Virus

## Annex II

### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-23; Effective date of termination: 28 January 2025)

#### Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Molecular Biology Laboratory: 2/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓二樓

#### MEDICAL TESTING

DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
Accreditation of the following examinations has been terminated.			
Clinical Microbiology and Infection	Molecular Genetics (Microbiology) Respiratory specimens	Enterovirus and Rhinovirus – detection by Real-time Polymerase Chain Reaction, qualitative (Target region: 5'-untranslated region)	Diagenode Enterovirus and Rhinovirus Test Nucleic acid extraction by NucliSENS easyMAG automated nucleic acid extraction system Nucleic acid amplification and detection as documented in LP TM06 82 using ABI 7900HT

### Annex III

#### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-17; Effective date of termination: 28 September 2022)

#### Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Anatomical & Cellular Pathology Laboratory: 2/F, Pok Oi Hospital, Au Tau, Yuen Long, N.T., H.K.

香港新界元朗凹頭博愛醫院二樓病理學部

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> <b>OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> <b>OR TECHNIQUE USED</b> 方法或應用技術
Accreditation of the following examinations has been terminated.			
<b>Anatomical Pathology</b>	<b>Histopathology</b> Surgical pathology	Histology examination by H&E, special staining	Specimen reception, accession and preparation: LPTA1101, LPTA1102, LPTA1104, LPTA1105, LPTA 1201, LPTA LPTA1401 Routine H&E Staining: LPTA1502, LPTA1503  Tissue sections stained with special stains as documented in: LPTA1601-1650 Amyloid by Thioflavin T

### Annex III

#### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-17; Effective date of termination: as specified below)

#### Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下

<b>MEDICAL TESTING</b>			
DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
Accreditation of the following examinations has been terminated.			
Chemical Pathology	General Chemistry Plasma, whole blood	Lactate / pyruvate ratio by Calculation	Calculated from plasma lactate and whole blood pyruvate
	Therapeutic Drug Monitoring Serum	Tricyclic Antidepressants by Immunoassay (Enzyme based Label)	Abbott Architect c8000 system Tricyclic Antidepressants assay
Clinical Microbiology and Infection	Virology – Serology Serum	Human immunodeficiency virus antibody and p24 antigen by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000SR System HIV Ag/Ab Combo assay
<u>Service only after office hours</u>			
Clinical Microbiology and Infection	Miscellaneous - Microscopy CSF	Microscopy for - Cell count by counting chamber - Microorganisms by Gram stain Antigen detection (Streptococcus Group B, <i>Haemophilus influenzae</i> type b, <i>Streptococcus pneumoniae</i> , <i>Neisseria meningitidis</i> Group A, B, C, Y, W135, <i>Escherichia coli</i> K1) by Latex agglutination	Method as documented in LPTM0801
	Donor blood unit	Microscopy for - Microorganisms by Gram stain	Method as documented in LPTM0801

Effective date of termination:

.1. denotes 28 September 2022

.2. denotes 1 March 2023







### Annex III

#### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-17; Effective date of termination: 1 March 2023)

#### **Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Haematology & Serology Laboratory and Blood Bank: G/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE 專科範疇</b>	<b>TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類</b>	<b>SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性</b>	<b>METHOD OR TECHNIQUE USED 方法或應用技術</b>
<b>Accreditation of the following examination has been terminated.</b>			
<b>Haematology</b>	<b>Haematology – General</b>	Citrated whole blood	Erythrocyte Sedimentation Rate (ESR) by Automated method  Diesse Vesmatic 30 ESR analyzer
		EDTA whole blood	Haemoglobin A1c (HbA1c) by High performance liquid Chromatography (HPLC)  Tosoh G8 Glycated Haemoglobin Analyzer
			Haemoglobin pattern by - Alkaline gel electrophoresis - Acid gel electrophoresis  Method as documented in LPTH0615 Method as documented in LPTH0616
			Haemoglobin H inclusion bodies by New Methylene Blue stain  Method as documented in LPTH0610
			Peripheral blood smear examination by Field's stain  Method as documented in LPTH0404
	<b>Haematology – Special</b>		Immunophenotyping for haematological disorder by Flow Cytometry  Becton Dickinson FACSCanto II
			Lymphocyte subsets by Flow Cytometry  Becton Dickinson FACSCanto II
			CD34+ cell enumeration by Flow Cytometry  Becton Dickinson FACSCanto II

### Annex III

#### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-17; Effective date of termination: 1 March 2023)

#### Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Haematology & Serology Laboratory and Blood Bank: G/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下

#### MEDICAL TESTING

DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
Accreditation of the following examination has been terminated.			
Immunology	Autoantibodies Serum	Anti - dsDNA antibody by Immunoassay (Enzyme-based label)  Anti-extractable nuclear antigen (ENA) Immunoassay (Enzyme-based label)  Anti-nuclear antibody (ANA) by Indirect Immunofluorescence Test  -	BioRad EVOLIS Twin Plus system DIASTAT Anti-ds DNA kit  BioRad EVOLIS Twin Plus system  BioRad KALLESTAD™ HEP-2 kit slide preparation by Bio-Rad PHD

### Annex III

#### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-17; Effective date of termination: as specified below)

#### Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Core Laboratory: Department of Clinical Pathology 2/F, Pok Oi Hospital, Au Tau, Yuen Long, N.T., H.K.

香港新界元朗凹頭博愛醫院二樓臨床病理學部

<b>MEDICAL TESTING</b>			
DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
Accreditation of the following examination has been terminated.			
Chemical Pathology	Proteins, quantitative analysis Serum	C-Reactive Protein by Immunoturbidimetry	Roche Diagnostics cobas 8000 system, CRP assay
<u>Service only after office hours</u>			
Clinical Microbiology and Infection	Miscellaneous CSF	Microscopy for - Cell count by counting chamber - Microorganisms by Gram stain Antigen detection (Streptococcus Group B, <i>Haemophilus influenzae</i> type b, <i>Streptococcus pneumoniae</i> , <i>Neisseria meningitidis</i> Group A, B, C, Y, W135, <i>Escherichia coli</i> K1) by Latex agglutination	Method as documented in LPTM0801
	Citrated whole blood	Erythrocyte Sedimentation Rate (ESR) by Automated method	Diesse Ves-matic 30 ESR system
	EDTA whole blood	Peripheral blood smear examination by - Wright – Giemsa staining - Leishman staining	Hematek Slide Stainer Method as documented in LPTH 0405

Effective date of termination:

.1. denotes 28 September 2022

.2. denotes 1 March 2023

### Annex III

#### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-17; Effective date of termination: 28 September 2022)

#### Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Core Laboratory: Department of Clinical Pathology 9/F, Tin Shui Wai Hospital, 11 Tin Tan Street, Tin Shui Wai, N.T., H.K.

香港新界天水圍天壇街 11 號天水圍醫院九樓病理學部

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> OR <b>SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> OR <b>TECHNIQUE USED</b> 方法或應用技術
Accreditation of the following examination has been terminated.			
Chemical Pathology	General Chemistry Plasma	Bilirubin, Neonate by Spectrophotometry	Unistat Bilirubinometer

### Annex III

#### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-16; Effective date of termination: 2 August 2021)

#### Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.  
香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>			
DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
Accreditation of the following examinations has been terminated.			
<b>Chemical Pathology</b>	<b>General Chemistry</b> Fluid, plasma	Alanine Aminotransferase (ALT) by Spectrophotometry	Abbott Architect c16000 System ALT assay
		Albumin by Spectrophotometry	Abbott Architect c16000 System Albumin assay
	Plasma	Albumin-Adjusted Calcium by Calculation, Spectrophotometry	Abbott Architect c16000 system Albumin and Calcium assay
		Alkaline Phosphatase (ALP) by Spectrophotometry	Abbott Architect c16000 System ALP assay
	Serum	Alkaline Phosphatase index by Spectrophotometry & heat treatment	Abbott Architect c16000 system ALP assay Method as documented in LPTC1130
	EDTA plasma	Ammonia by Spectrophotometry	Abbott Architect c16000 System Ammonia assay
	Fluid, plasma	Amylase by Spectrophotometry	Abbott Architect c16000 System Amylase assay
	Plasma	Anion Gap by Calculation	Calculated from plasma sodium, chloride and bicarbonate
		Aspartate Aminotransferase (AST) by Spectrophotometry	Abbott Architect c16000 System AST assay
		Bicarbonate by Spectrophotometry	Abbott Architect c16000 System Carbon Dioxide assay
		Bilirubin, Direct by Spectrophotometry	Abbott Architect c16000 System Direct Bilirubin assay
		Bilirubin, Indirect by Calculation	Calculated from Bilirubin Total and Bilirubin Direct
	Fluid, plasma	Bilirubin, Total by Spectrophotometry	Abbott Architect c16000 Total Bilirubin assay

## Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> <b>OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> <b>OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Chemical Pathology (cont'd)</b>	<b>General Chemistry (cont'd)</b>		
	Fluid, plasma	Calcium by Spectrophotometry	Abbott Architect c16000 System Calcium assay
	CSF, fluid, plasma	Chloride by Potentiometry (Ion-Selective Electrode)	Abbott Architect c16000 System Chloride assay
	Plasma	Cholesterol by Spectrophotometry	Abbott Architect c16000 System Cholesterol assay
		Cholesterol - high density lipoproteins (HDL) by Spectrophotometry	Abbott Architect c16000 System HDL Cholesterol assay
		Cholesterol - low density lipoproteins (LDL) by Calculation	Calculated from cholesterol, HDL Cholesterol and
	Fluid, plasma	Creatine Kinase (CK) by Spectrophotometry	Abbott Architect c16000 System CK assay
		Creatinine by Spectrophotometry	Abbott Architect c16000 System Creatinine assay
	Plasma	Gamma Glutamyl Transpeptidase (GGT) by Spectrophotometry	Abbott Architect c16000 System GGT assay
		GFR, estimated by Calculation, Spectrophotometry	Abbott Architect c16000 system Creatinine assay
	CSF, fluid, plasma	Glucose by Spectrophotometry	Abbott Architect c16000 System Glucose assay
	Fluid, plasma	Globulin by Spectrophotometry Calculation	Calculated from total Protein and Albumin
		Inorganic phosphate by Spectrophotometry	Abbott Architect c16000 System Phosphorus
Plasma		Iron by Spectrophotometry	Abbott Architect c16000 System Fe assay
CSF, plasma	Lactate by Spectrophotometry	Abbott Architect c16000 System Lactate assay	

## Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.  
香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> <b>OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> <b>OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examination has been terminated.</b>			
<b>Chemical Pathology (cont'd)</b>	<b>General Chemistry (cont'd)</b>		
	Fluid, plasma	Lactate dehydrogenase (LDH) by Spectrophotometry	Abbott Architect c16000 System LDH assay
	Plasma, whole blood	Lactate / pyruvate ratio by Calculation	Calculated from plasma lactate and whole blood pyruvate
	Serum	Magnesium by Spectrophotometry	Abbott Architect c16000 System Magnesium assay
	Fluid, plasma	Potassium by Potentiometry (Ion-Selective Electrode)	Abbott Architect c16000 System Potassium assay
		Protein, Total by Spectrophotometry	Abbott Architect c16000 System Total Protein assay
	CSF	Protein, Total by Spectrophotometry	Abbott Architect c16000 System Urine/CSF Protein assay assay
	Fluid, plasma	Sodium by Potentiometry (Ion-Selective Electrode)	Abbott Architect c16000 System Sodium assay
	Plasma	Total iron binding capacity by Calculation	Calculated from plasma iron and UIBC
	Plasma, fluid	Triglycerides by Spectrophotometry	Abbott Architect c16000 System Triglycerides assay
	EDTA plasma	Troponin I by Immunoassay (Chemiluminescent label)	Abbott Architect i2000SR System STAT Troponin I assay
	Fluid, plasma	Urea by Spectrophotometry	Abbott Architect c16000 System Urea Nitrogen assay
		Uric acid by Spectrophotometry	Abbott Architect c16000 System Uric Acid assay
Plasma	Unsaturated iron binding capacity by Spectrophotometry	Abbott Architect c16000 system UIBC assay	
Urine	Magnesium by Spectrophotometry	Abbott Architect c16000 System Magnesium assay	

## Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.  
香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> <b>OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> <b>OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examination has been terminated.</b>			
<b>Chemical Pathology (cont'd)</b>	<b>Hormones</b>		
	Serum	Ferritin by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Ferritin assay
		Free Thyroxine by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system FT4 assay
	Serum, CSF	Human Chorionic Gonadotropin by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system HCG assay
	Serum	Sensitive Thyroid Stimulating Hormone by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system TSH assay
	<b>Special Chemistry</b>		
	Serum	Cholinesterase, Pseudo by Spectrophotometry	Abbott Architect c16000 system Pseudocholinesterase assay
	Plasma	D-3-Hydroxybutyrate by Spectrophotometry	Abbott Architect c16000 system D-3-Hydroxybutyrate assay
	Serum	Folate by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Folate assay
		Vitamin B12 by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Vitamin B12 assay
	<b>Therapeutic Drug Monitoring</b>		
	Serum	Digoxin by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Digoxin assay
		Lithium by Spectrophotometry	Abbott Architect c16000 system Lithium assay
		Methotrexate by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Methotrexate assay
	Phenobarbital (Luminal) by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Phenobarbital assay	
	Phenytoin (Dilantin) by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Phenytoin assay	
	Theophylline by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Theophylline assay	

## Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>				
<b>DISCIPLINE 專科範疇</b>	<b>TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類</b>	<b>SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性</b>	<b>METHOD OR TECHNIQUE USED 方法或應用技術</b>	
<b>Accreditation of the following examination has been terminated.</b>				
<b>Chemical Pathology (cont'd)</b>	<b>Therapeutic Drug Monitoring (cont'd)</b> Serum (cont'd)	Valproic Acid (Eplim) by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Valproic Acid assay	
	<b>Toxicology</b> Serum	Acetaminophen by Immunoassay	Architect c16000 system, Acetaminophen assay	
		Ethanol by Spectrophotometry	Abbott Architect c16000 system Ethanol assay	
		Salicylate by Spectrophotometry	Abbott Architect c16000 system Salicylate assay	
	<b>Tumour Markers</b> Serum, CSF	AFP by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Alpha-Fetoprotein assay	
		Serum	CEA by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Carcinoembryonic Antigen assay
		PSA by Immunoassay (Chemiluminescent Label)	Abbott Architect i2000 system Prostate Specific Antigen assay	
	<b>Protein, qualitative analysis</b>	Urine	Protein pattern by Protein Electrophoresis	HYDRASYS electrophoresis system
Serum, urine		Monoclonal protein by Immunofixation Electrophoresis	HYDRASYS electrophoresis system	



**Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Core Laboratory: Department of Clinical Pathology 9/F, Tin Shui Wai Hospital, 11 Tin Tan Street, Tin Shui Wai, N.T., H.K.

香港新界天水圍天壇街 11 號天水圍醫院九樓病理學部

**MEDICAL TESTING**

DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
<b>Accreditation of the following examination has been terminated.</b>			
Chemical Pathology	General Chemistry Plasma	Alanine Aminotransferase (ALT) by Spectrophotometry  Aspartate Aminotransferase (AST) by Spectrophotometry	Roche Diagnostics cobas 6000 System ALTL (IFCC) assay  Roche Diagnostics cobas 6000 System ASTL (IFCC) assay

### Annex III

#### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-15; Effective date of termination: 12 October 2020)

#### **Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>			
DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Chemical Pathology</b>	Urine	Arsenic by Inductively coupled plasma mass spectrometry	Method as documented in LPTC5004 using AGILENT ICPMS system
	Serum	Aluminum by Inductively coupled plasma mass spectrometry	Method as documented in LPTC5003 using AGILENT ICPMS system
	Serum, urine	Copper by Inductively coupled plasma mass spectrometry	Method as documented in LPTC5002 using AGILENT ICPMS system
	EDTA whole blood	Cadmium by Inductively coupled plasma mass spectrometry	Method as documented in LPTC5003 using AGILENT ICPMS system
	EDTA whole blood, urine	Lead by Inductively coupled plasma mass spectrometry	Method as documented in LPTC5004 using AGILENT ICPMS system
	EDTA whole blood	Manganese by Inductively coupled plasma mass spectrometry	Method as documented in LPTC5003 using AGILENT ICPMS system
	EDTA whole blood, urine	Mercury by Inductively coupled plasma mass spectrometry	Method as documented in LPTC5004 using AGILENT ICPMS system
	Serum	Selenium by Inductively coupled plasma mass spectrometry  Zinc by Inductively coupled plasma mass spectrometry	Method as documented in LPTC5002 using AGILENT ICPMS system  Method as documented in LPTC5002 using AGILENT ICPMS system

### Annex III

#### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-13; Effective date of termination: 18 November 2019)

#### **Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.  
香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> <b>OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> <b>OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Chemical Pathology</b>	<b>General Chemistry</b> Urine	Albumin by Spectrophotometry	Abbott Architect c16000 System Albumin assay
		Amylase by Spectrophotometry	Abbott Architect c16000 System Amylase assay
		Calcium by Spectrophotometry	Abbott Architect c16000 System Calcium assay
		Calcium / Creatinine ratio by Calculation	Calculated from Calcium and Creatinine assay
		Chloride by Potentiometry (Ion-Selective Electrode)	Abbott Architect c16000 System Chloride assay
		Creatinine by Spectrophotometry	Abbott Architect c16000 System Creatinine assay
		Creatinine clearance by Calculation	Calculated from creatinine assay
		Inorganic phosphate by Spectrophotometry	Abbott Architect c16000 System Phosphorus assay
		Protein / Creatinine ratio by Calculation,	Calculated Protein, Total and Creatinine assay
		Protein, Total by Spectrophotometry	Abbott Architect c16000 System Urine/CSF Protein assay
		Sodium by Potentiometry (Ion-Selective Electrode)	Abbott Architect c16000 System Sodium assay
		Potassium by Potentiometry (Ion-Selective Electrode)	Abbott Architect c16000 System Potassium assay
Urea by Spectrophotometry	Abbott Architect c16000 System Urea Nitrogen assay		

**Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> <b>OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> <b>OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Chemical Pathology</b>	<b>General Chemistry (cont'd)</b> Urine (cont'd)	Uric acid by Spectrophotometry	Abbott Architect c16000 System Uric Acid assay
	<b>Proteins, quantitative analysis</b> Serum	C-Reactive Protein (CRP) by Immunoturbidimetry	Abbott Architect c16000 System CRP assay
	<b>Special Chemistry</b> Urine	Porphobilinogen by Ehrlich's aldehyde reagent	Method as documented in LPTC2513
	<b>Toxicology</b> Urine	Drug Screening by Liquid chromatography–mass spectrometry	Method as documented in LPTC4703 and LPTC4704 using WATERS UPLC-LCT Premier XE system

**Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Microbiology Laboratory: 2/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓二樓

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> <b>OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> <b>OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Clinical</b> <b>Microbiology and</b> <b>Infection</b>	<b>Bacteriology - Serology</b> Serum	Anti-Streptolysin O antibody by Latex agglutination assay	Dade Behring RapiTex ASL
	<b>Miscellaneous</b> Urine	Pregnancy test (Urine hCG) by Rapid immunochromatographic assay for the qualitative detection of human chorionic gonadotropin in urine	SureStep One Step hCG Pregnancy Test

# Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Molecular Biology Laboratory: 2/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓二樓

MEDICAL TESTING			
DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
Medical Genetics	Molecular Genetics (Microbiology) Clinical isolates	Identification of <i>Mycobacterium tuberculosis</i> complex and <i>Mycobacterium avium</i> complex by DNA probe test (Target gene: 16S rRNA)	AccuProbe <i>Mycobacterium</i> Culture Identification Test
		Identification of <i>Neisseria gonorrhoeae</i> by DNA probe test (Target region: 16S rRNA)	AccuProbe <i>Neisseria Gonorrhoeae</i> Culture Identification Test
	EDTA Blood	Hepatitis B virus – detection by Real-time Polymerase Chain Reaction, quantitative (Target region: pre-core and core region)	COBAS AmpliPrep / COBAS TaqMan HBV Test Nucleic acid extraction of COBAS AmpliPrep Nucleic acid amplification and detection by Cobas TaqMan 48
	Respiratory specimens	<i>Mycobacterium tuberculosis</i> – detection by Real-time Polymerase Chain Reaction, qualitative (Target region: 16S rRNA)	Cobas TaqMan (Roche) MTB test, Nucleic acid extraction by Amplicor Respiratory Specimen Preparation Kit Nucleic acid amplification and detection by Cobas TaqMan 48
	Stool	<i>Clostridium difficile</i> – detection by Real-time Polymerase Chain Reaction, qualitative (Target region: tcdC gene)	Nucleic acid extraction by NucliSENS easyMAG automated nucleic acid extraction system Nucleic acid amplification and detection as documented in LP TM06 74 using LightCycler 2.0

## Annex III

### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-11; Effective date of termination: 28 January 2019)

#### Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.  
香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>			
DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
Accreditation of the following examinations has been terminated.			
<b>Chemical Pathology</b>	<b>Drug of Abuse Testing</b> Urine	Benzodiazepines by Immunoassay (Enzyme based Label)	Abbott Architect c16000 system MULTIGENT Benzodiazepines assay
		Cocaine by Immunoassay (Enzyme based Label)	Abbott Architect c16000 system MULTIGENT Cocaine assay
		Opiates by Immunoassay (Enzyme based Label)	Abbott Architect c16000 system MULTIGENT Opiate assay
	<b>Inborn Errors of Metabolism</b> Urine	2, 4 Dinitrophenylhydrazine (DNPH) by Chemical reaction inducing precipitation	Method as documented in LPTC2506
		Ferric chloride by Detection by formation of colour phenylpyruvate-ferric chloride complex	Method as documented in LPTC2507
		Mucopolysaccharides by Reacting with Azure dye	Method as documented in LPTC2511
		Sodium nitroprusside by Colourmetric analysis	Method as documented in LPTC2516
	<b>Heavy Metals and Trace Elements</b> Urine	Aluminum by Inductively coupled plasma mass spectrometry	Method as documented in LPTC5003 using AGILENT ICPMS system
		<b>Hormone</b> Serum	Parathyroid Hormone (parathormone, parathyrin) by Immunoassay (Chemiluminescent Label)

**Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> <b>OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> <b>OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Chemical Pathology (cont'd)</b>	<b>Special Chemistry</b>		
	Calculus, stone	Calculus and stone chemical analysis by Titrimetric and colorimetric method	Method as documented in LPTC2701 using Biolabo reagents stone analysis set
	EDTA whole blood	Folate, Red Blood Cell by Immunoassay (Chemiluminescent Label)	Cobas e601 system Folate RBC assay
	<b>Toxicology</b>		
	Serum, gastric lavage	Drug Screening by Liquid chromatography–mass spectrometry	Method as documented in LPTC4703 and LPTC4704 using WATERS UPLC-LCT Premier XE system

**Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Haematology &amp; Serology Laboratory and Blood Bank: G/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下

<b>MEDICAL TESTING</b>			
<b>DISCIPLINE</b> 專科範疇	<b>TEST AREA</b> <b>OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR</b> <b>PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD</b> <b>OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examination has been terminated.</b>			
Haematology	Coagulation Citrate plasma	Ristocetin co-factor activity by Photo-optical method	Chronolog 700-2

### Annex III

#### List of examinations for which accreditation has been terminated

(Notification Letter No. HOKLAS837P-9; Effective date of termination: 8 June 2017)

#### Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

醫院管理局-屯門醫院臨床病理學部

Chemical Pathology Laboratory: G/F and 1/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., HK  
香港新界青松觀路 23 號屯門醫院病理學大樓地下及一樓

<b>MEDICAL TESTING</b>			
DISCIPLINE 專科範疇	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
Accreditation of the following examinations has been terminated.			
<b>Chemical Pathology</b>	<b>Hormone</b> Serum	Cortisol by Immunoassay (Chemiluminescent Label)	Roche Cobas e601 system Cortisol assay
		Estradiol by Immunoassay (Chemiluminescent Label)	Roche Cobas e601 system Estradiol assay
		Follicle Stimulating Hormone by Immunoassay (Chemiluminescent Label)	Roche Cobas e601 system FSH assay
		Luteinizing Hormone by Immunoassay (Chemiluminescent Label)	Roche Cobas e601 system LH assay
		Prolactin by Immunoassay (Chemiluminescent Label)	Roche Cobas e601 system Prolactin assay
		Progesterone by Immunoassay (Chemiluminescent Label)	Roche Cobas e601 system Progesterone assay
		Parathyroid Hormone (parathormone, parathyrin) by Immunoassay (Chemiluminescent Label)	Roche Cobas e601 system Parathyroid Hormone assay
		Testosterone by Immunoassay (Chemiluminescent Label)	Roche Cobas e601 system Testosterone assay
	<b>Special chemistry</b> Serum	Thyroglobulin by Immunoassay (Chemiluminescent Label)	Roche Cobas e601 system Thyroglobulin assay
		<b>Tumour Markers</b> Serum	Carbohydrate Antigen 19-9 by Immunoassay (Chemiluminescent Label)
<b>Immunology</b> Serum	Autoantibodies Anti-Thyroglobulin Antibody by Immunoassay (Chemiluminescent Label)		Roche Cobas e601 system Anti-Thyroglobulin Antibody assay

**Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology**

醫院管理局-屯門醫院臨床病理學部

Haematology & Serology Laboratory and Blood Bank: G/F, Pathology Block, Tuen Mun Hospital, 23 Tsing Chung Koon Road, N.T., H.K.

香港新界青松觀路 23 號屯門醫院病理學大樓地下

<b>MEDICAL TESTING</b>			
<b>TEST AREA OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>TEST AREA OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Immunology</b>	<b>Autoantibodies</b> Serum	Anti-cardiolipin antibody (ACL) by Immunoassay (Enzyme-based label)	Grifols Triturus Analyzer
		Anti-extractable nuclear antigen (ENA) Immunoassay (Enzyme-based label)	Grifols Triturus Analyzer
		Anti-thyroglobulin antibody (ATG) by Immunoassay (Enzyme-based label)	Grifols Triturus Analyzer
		Anti-thyroid peroxidase antibody (TPO) by Immunoassay (Enzyme-based label)	Grifols Triturus Analyzer

## Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

### 醫院管理局-屯門醫院臨床病理學部

Core Laboratory: Department of Clinical Pathology 2/F, Pok Oi Hospital, Au Tau, Yuen Long, New Territories, Hong Kong  
香港新界元朗凹頭博愛醫院二樓臨床病理學部

<b>MEDICAL TESTING</b>			
<b>TEST AREA OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>TEST AREA OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Chemical Pathology</b>	<b>General Chemistry</b> Plasma	Alanine Aminotransferase (ALT) by Spectrophotometry	Roche Modular P system, ALT (IFCC) assay
		Albumin by Spectrophotometry	Roche Modular P system, ALB BCG assay
		Alkaline Phosphatase (ALP) by Spectrophotometry	Roche Modular P system, ALP (IFCC) assay
	Fluid, Plasma	Amylase by Spectrophotometry	Roche Modular P system, AMYL (IFCC) assay
	Plasma	Aspartate Aminotransferase (AST) by Spectrophotometry	Roche Modular P system, AST (IFCC) assay
		Bilirubin, Direct by Spectrophotometry	Roche Modular P system, BILD2 assay
		Bilirubin, Total by Spectrophotometry	Roche Modular P system, BILT3 assay
		Calcium by Spectrophotometry	Roche Modular P system, Ca2 assay
		Bicarbonate by Spectrophotometry	Roche Modular P system, CO2-L assay
		Chloride by Potentiometry (Ion-Selective electrode)	Roche Modular P system, ISE indirect Na-K-Cl for Gen.2 assay
Cholesterol, HDL by Spectrophotometry		Roche Modular P system, HDL-C plus 3rd assay	
Cholesterol by Spectrophotometry	Roche Modular P system, CHOL assay		

## Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

### 醫院管理局-屯門醫院臨床病理學部

Core Laboratory: Department of Clinical Pathology 2/F, Pok Oi Hospital, Au Tau, Yuen Long, New Territories, Hong Kong  
香港新界元朗凹頭博愛醫院二樓臨床病理學部

<b>MEDICAL TESTING</b>			
<b>TEST AREA OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>TEST AREA OR SAMPLE TYPE</b> 測試範圍或樣本種類	<b>SPECIFIC EXAMINATION OR PROPERTY MEASURED</b> 特定測試或量度的特性	<b>METHOD OR TECHNIQUE USED</b> 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Chemical Pathology</b>	<b>General Chemistry</b> Plasma	Creatinine Kinase (CK) by Spectrophotometry	Roche Modular P system, CK (IFCC) assay
		Creatinine by Spectrophotometry	Roche Modular P system, CREA assay
	Serum	Fructosamine by Spectrophotometry	Roche Modular P system, FRUC assay
		Plasma	Gamma-Glutamyl Transferase (GGT) by Spectrophotometry
	Glomerular Filtration Rate (GFR), estimated by Calculation		Roche Modular P system
	CSF	Glucose, CSF by Spectrophotometry	Roche Modular P system, GLU assay
	Fluoride plasma	Glucose, plasma by Spectrophotometry	Roche Modular P system, GLU assay
	Plasma	Iron by Spectrophotometry	Roche Modular P system, Fe assay
		Lactate Dehydrogenase (LD) by Spectrophotometry	Roche Modular P system, LDH (IFCC) assay
		Phosphate by Spectrophotometry	Roche Modular P system, PHOS assay
	CSF	Potassium by Potentiometry (Ion-Selective Electrode)	Roche Modular P system, ISE indirect Na-K-Cl
		Protein, Total by Spectrophotometry	Roche Modular P system, U/CSF Protein assay
	Plasma	Protein, Total by Spectrophotometry	Roche Modular P system, TP assay

## Hospital Authority – Tuen Mun Hospital, Department of Clinical Pathology

### 醫院管理局-屯門醫院臨床病理學部

Core Laboratory: Department of Clinical Pathology 2/F, Pok Oi Hospital, Au Tau, Yuen Long, New Territories, Hong Kong  
香港新界元朗凹頭博愛醫院二樓臨床病理學部

<b>MEDICAL TESTING</b>			
TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	TEST AREA OR SAMPLE TYPE 測試範圍或樣本種類	SPECIFIC EXAMINATION OR PROPERTY MEASURED 特定測試或量度的特性	METHOD OR TECHNIQUE USED 方法或應用技術
<b>Accreditation of the following examinations has been terminated.</b>			
<b>Chemical Pathology</b>	<b>General Chemistry (cont'd)</b> Plasma (cont'd)	Sodium by Potentiometry (Ion-Selective electrode)	Roche Modular P system, ISE indirect Na-K-Cl
		Triglycerides by Spectrophotometry	Roche Modular P system, TG assay
		Urate by Spectrophotometry	Roche Modular P system, UA plus assay
		Urea by Spectrophotometry	Roche Modular P system, UREA/BUN assay
		Unsaturated iron binding capacity by Spectrophotometry	Roche Modular P system, UIBC assay
	<b>Toxicology</b> Serum	Ethanol by Spectrophotometry	Roche Modular P system, Ethyl Alcohol assay
		Paracetamol (Acetaminophen) by Spectrophotometry	Roche Modular P system, Acetaminophen assay
<b>Haematology</b>	<b>Coagulation</b> Citrate plasma	Salicylate by Spectrophotometry	Roche Modular P system, Salicylate assay
		Coagulation studies including - Prothrombin Time (PT) - Activated partial thromboplastin time (APTT)	Sysmex CA7000 system (automated)